DAILY RAINFALL 1911 1920

CARDIGANSHIRE

ABERGWESYN	NANTNEUADD	1911		1920
ABERYSTWYTH.	CASTLE GROUNDS	1912	19-	1920
"	GOGERDDAN.	1911		1920
BIRMINGHAM. W.W.	ABERGWNGU	1911		1920
CARDIGAN	COUNTY SCHOOL	1919		1920
DEVIL'S BRIDGE				1920
LAMPETER	FALCONDALE	1911		1920
"	LLANLLEAR FELINFACH.	1911		1919
STRATA FLORIDA	TOWY FECHAN	1912	-16,	1919
YSPYTTY - YSTWYTH.	HAFOD	1911		1920
YNYS LAS	SANDLING	1919		1920

FORM A2.
BRITISH RAINFALL.
23 APR 1912

RE… IN 1911

ABERGWESYN
NANTNEHADD
1911—

Kept at Nant-ne…

in the County of Car…

by Wm. Roberts

…ttern

…ameter of top …… in.

…ight of top above Ground …… ft. …… in.

„ „ „ Sea Level …… ft.

…ervation

…ilway Station { Name …… Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·73		·33			·15			·33	·43	1
2			·20		·40			·15		·15	·17	·32	2
3			·02		1·02			·25	·03		·50	·80	3
4			·28		·08			1·20			·60	·40	4
5	·48		·20	·08				·55		·25	·13	·80	5
6	·27		·15					·30			·32		6
7	·13										·45	1·10	7
8	·62		·50					·05			·35		8
9	·03		·12								·20	·65	9
10	·22	·20	·63									·48	10
11	·48				·05				·05			1·50	11
12			·57						1·40		·30	·20	12
13					·22						1·88	·12	13
14	·05	·25									·37	·08	14
15	·	·25	·03		·05	·03					·25	·52	15
16		·10				·72					·52	·18	16
17	·05	·08				1·78	·03				·32	·62	17
18		·82	·22	·37		·72				·08	·28	·73	18
19		·23	·73	·78		·13	·07	·03	·97	·07	·40	1·00	19
20	·05	·07		·32		·35		·42	·15	·23	·30	·95	20
21	·	·48		·13		·25	·15	·45	·08	·97		·37	21
22		·12		·22		·32				·95		·28	22
23		·18		·13		·13		·05	·52	·28		·47	23
24	·07	·27				·72			·03	·82		·43	24
25	·33	·23		·37	·05	·47	·03	·15	·37	·13		·47	25
26	·02	·17		·63	·50		·	·25	·05	·34		·35	26
27		·48	·13	·27			·05	1·15	·58	—		·25	27
28		·62		·30		·02		·10		·05	·05	·33	28
29				·25		·43	·22		·47	1·33		·12	29
30							·03			·12		·05	30
31										·25			31
Total	2·85	4·55	3·78	3·85	2·70	6·08	·58	5·25	4·70	6·00	7·72	14·00	TOTAL for year 62·05
No. of Rain Days	14	16	13	12	9	13	7	15	12	14	19	28	172

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 23 APR 1912

Kept at Nant-neuadd Esc. 4c

in the County of Cardigan/ 4

by Wm. Roberts

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·73		·33			·15			·33	·43	1
2			·20		·40			·15		·15	·17	·32	2
3			·02		1·02			·25	·03		·50	·80	3
4			·28		·08			1·20			·60	·40	4
5	·48		·20	·08				·55		·25	·13	·80	5
6	·27		·15					·30			·32		6
7	·13										·45	1·10	7
8	·62		·50					·05			·35		8
9	·03		·12								·20	·65	9
10	·22	·20	·63									·48	10
11	·48				·05				·05			1·50	11
12			·57						1·40		·30	·20	12
13					·22						1·88	·12	13
14	·05	·25									·37	·08	14
15	·	·25	·03		·05	·03					·25	·52	15
16		·10				·72					·52	·18	16
17	·05	·08				1·78	·03				·32	·62	17
18		·82	·22	·37		·72				·08	·28	·73	18
19		·23	·	·78		·13	·07	·03	·97	·07	·40	1·00	19
20	·05	·07		·32		·35		·42	·15	·23	·30	·95	20
21	·	·48		·13		·25	·15	·45	·08	·97		·37	21
22		·12		·22		·32				·95		·28	22
23		·18		·13		·13		·05	·52	·28		·47	23
24	·07	·27				·72			·03	·82		·43	24
25	·33	·23		·37	·05	·47	·03	·15	·37	·13		·47	25
26	·02	·17		·03	·50		·	·25	·05	·37		·35	26
27		·48	·13	·27			·05	1·15	·58	—		·25	27
28		·62		·30		·02		·10		·05	·05	·33	28
29				·25		·43	·22		·47	1·33		·12	29
30							·03			·12		·05	30
31										·25			31
Total	2·85	4·55	3·78	3·85	2·70	6·07	·58	5·25	4·70	6·00	7·72	14·00	TOTAL for year 62·05
No. of Rain Days	14	16	13	12	9	13	7	15	12	14	19	28	172

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

Kept at Nantmaeld

in the County of Cardigan 4

by Wm Roberts

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Dry	1 ¼	4	2 ½	Dry	Dry	7 ¼	9	2	Dry	Dry	Dry	1
2	1	frost	6	Dry	¼	4 ¼	¾	3 ½	1	Dry	Dry	3 ¾	2
3	¼	frost	7 ¾	1 ½	Dry	6	¼	Dry	3 ¼	Dry	Dry	½	3
4	3 ¼	frost	2 ½	Dry	Dry	½	¼	9	1 ¾	Dry	¾	3	4
5	8 ¾	frost	18 ¼	¼	1	Dry	Dry	9	Dry	Dry	¾	1	5
6	6 snow	fro	4 ¾	Dry	2 ¼	Dry	Dry	6 ¾	3 ¼	Dry		Dry	6
7	5 ½	3 ½	¾	frost	1 ¼	Dry	1 ½	¾	¾	Dry	Dry	2 ¼	7
8	frost	3 ¼	2	1	2 ½	5 ¾	2 ¼	5 ¾	2 ¾	Dry	1	2 ½	8
9	6 ½	2	½	¼	Dry	1 ½	Dry	Dry	Dry	Dry	Dry		9
10	3 ¼	2 ¼	1 ¾	2 ¾	Dry	3 ½	1	Dry	Dry	Dry	1 ¾		10
11	5 ¾	Dry	Dry	frost	Dry	Dry	2 ¼	¾	Dry	Dry	12	¾	11
12	Dry	Dry	frost	frost	Dry	Dry	½	Dry	Dry	½	6 ¾	¾	12
13	1 ¼	2 ½	6 ½	2 ¼	Dry	¼	1 ¼	Dry	Dry	2 ¾	Dry	1 ¼	13
14	1	Dry	¾	frost	Dry	1 ¼	¼	¾	Dry	Dry	Dry	6 ¾	14
15	3	¼	10 ¼	frost	Dry	¾	Dry	1 ½	Dry	Dry	Dry	4 ¾	15
16	1	1	1 ¼	Dry	3 ¼	4	Dry	5 ¼	Dry	Dry	Dry	4	16
17	5	1 ¾	11 ¾	Dry	Dry	Dry	Dry	6 ¼	Dry	4 ½	Dry	¾	17
18	1 ½	¾	2	frost	1 ¼	4 ½	Dry	6 ½	Dry	Dry	3 ¾	10	18
19	¾	1	2 ¼	Dry	¼	¼	Dry	7 ¼	Dry	3 ¾	1 ½	Dry	19
20	frost	5 ¼	frost	Dry	Dry	1 ¾	Dry	6	Dry	3 ¼	Dry	2 ¾	20
21	¾	½	6	frost	¼	Dry	Dry	2 ¼	Dry	8 ¾	¼	1 ¼	21
22	frost	1 ½	8 ¾	frost	2 ¼	¼	Dry	6 ¼	Dry	7 ¼	¾	2	22
23	2 ¼	7	2	Dry	¼	¼	¼	¼	Dry	Dry	1	¼	23
24	¼	frost	4 ¾	Dry	Dry	4 ½	Damp	5 ¾	Dry	1 ½	5	3 ¾	24
25	Dry	1 ¼	1 ¾	Dry	Dry	4 ¼	Damp	Dry	Dry	Dry	Dry	4	25
26	frost	¾	1	Dry	Dry	1	2 ¼	5 ¾	Dry	Dry	7 ¾	9	26
27	frost	2 ¼	2	Dry	Dry	Dry	¾	6 ¾	Dry	15 ¼	9 ¾	4	27
28	frost	¾	4	Dry	Dry	9 ¼	10 ¼	Dry	Dry	11 ¾	¾	8 ½	28
29	frost	2 ¾	Dry	Dry	Dry	2 ¾	¾	5 ¾	1	6 ¾	7	¼	29
30	frost		1 ¾	Dry	Dry	Dry	2				frost	½	30
31	frost		1 ¼		Dry		½	Dry		9			31
Total	56 ¾	42 ½	119 ¼	10 ½	19	57 ¾	½	138 ¼		79 ¼	73 ¼	93 ¼	TOTAL for year
No. of Rain Days.		20		7	11	20	18	23	9	12	16	27	75.925 209

W. 8,000, X. '11.

56 ¾

Transcribed from original.

Cov. forwd 13.VI.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 4 MAR 1913

Kept at Nantneuadd

in the County of Cardigan 4

by Wm. Roberts.

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1st. 1913. .25.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·13	·40	·25	–	–	·73	·90	·20	–	–	–	1
2	·10	–	·60	–	·03	·42	·07	·33	·10	–	–	·38	2
3	·03	–	·77	·15	–	·60	·03	–	·32	–	–	·07	3
4	·32	–	·25	–	–	·08	·05	·90	·18	–	·07	·30	4
5	·88	–	1·83	·03	·10	–	–	·90	–	–	·68	·10	5
6	·60	–	·47	–	·22	–	–	·67	·32	–	–	–	6
7	55	·35	·18	–	·18	–	·15	·28	·08	–	–	·23	7
8	–	·32	·20	·10	·25	·57	·22	·58	·27	–	·10	·25	8
9	62	·20	·25	·02	–	·15	–	–	–	–	–	–	9
10	·33	·23	·17	·28	–	·35	·10	–	–	–	·17	55	10
11	·57	–	–	–	.	–	·23	·57	–	–	1·20	·07	11
12	–	–	–	–	.	–	·25	–	–	–	·88	·88	12
13	·13	·25	·65	·22	–	·03	·12	–	–	·28	–	·12	13
14	·10	–	·08	–	–	·12	·03	·48	–	–	–	·68	14
15	·30	·02	1·02	–	–	·08	–	·15	–	–	–	·47	15
16	·10	·10	·13	–	·32	·40	–	·52	–	–	–	·40	16
17	·50	·18	1·17	–	–	–	–	·63	–	·45	–	·08	17
18	·15	·07	·20	–	·13	·45	–	·65	–	–	·37	1·00	18
19	·07	·10	·23	–	·02	·02	–	·72	–	·37	·15	–	19
20	–	·53	–	–	–	·18	–	·60	–	·33	–	·27	20
21	·08	·05	·60	–	·03	–	–	·23	–	·87	·40	·13	21
22	–	·15	·87	–	·22	·02	–	·62	–	·73	·08	·20	22
23	·22	·70	·20	–	·43	·03	·32	·53	–	–	·10	·12	23
24	·03	–	·48	–	–	·45	–	1·37	–	·15	·50	·38	24
25	–	·12	·17	–	–	·42	–	–	–	–	–	·40	25
26	–	·08	·10	–	–	·10	·23	·58	–	–	·77	·90	26
27	–	·22	·20	–	–	–	·07	·67	–	1·52	·98	·40	27
28	–	·18	·40	–	–	·93	1·03	–	–	1·18	·17	·85	28
29	–	·27	–	–	–	·27	·97	·58	·18	·67	·70	·02	29
30	–		·18	–	–	–	·20	·37	·32	·48	–	·05	30
31	–		·12		–		·25	–		·90		·03	31
Total	·13 5·68	·40 4·25	·25 11·92	– 1·05	– 1·93	·73 5·67	·90 5·05	·20 13·83	– 1·97	– 7·93	– 7·32	·25 9·33	TOTAL for year 75·93
No. of Rain Days	5·81 19 20	4·52 20	11·77 27	·86 4 6	1·93 11	6·40 20 21	5·22 18	13·13 23	1·77 9 8	7·93 12	7·32 16	9·58 28 27	209

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

76.18 210

Price 2d.

Cor. for 24th & WD. 28. IV. 14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 13 JAN 1914

W. Rob 4

Kept at Nantymenadd

in the County of Cardigan

by William Roberts

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Tregaron

Diameter of Rain Gauge 4 3/8 in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		Dry	frost	5	Dry	1 ½	Dry	Dry	Dry	Dry	1 ½	2 ½	1
2	Dry	1 ¾	4	1 ¾	¼	Dry		Dry	½	Dry	3 ¼	2 ¾	2
3	¾	5 ¼	3 ¾	Dry	2 ¼	Dry	Dry	Dry	Dry	⅛	3 ¾	¾	3
4	1 ¼	¾	1 ¾	Dry	9 ¼	¼	Dry	Dry	Dry	¼	Dry	1 ¾	4
5	1 ¾	Dry	3	Dry	½	4 ¾	Dry	Dry	4 ½	2	¾	½	5
6	3 ½	2 ¾	¾	Dry	2	4 ½	1 ¾	Dry	¾	1 ¾	3	Dry	6
7	1 ½	3	4	Dry	1 ¾	3 ¼	2 ½	Dry	Dry	6 ¾	Dry	4	7
8	3 ¼	9 ¾	1	Dry	5	4 ½	1 ¼	2 ¼	Dry	5 ½	2 ½	1 ¼	8
9	Dry	4 ¼	¾	Dry	2 ¼	Dry	Dry	½	Dry	3	Dry	1 ½	9
10	Dry	3 ¾	3 ¼	Dry	½	1 ¼	½	½	Dry	Dry	4 ¼	1 ¾	10
11	¾	Dry	¾	1 ¾	3 ¾	Dry	1 ¼	¼	¼	3	6 ¼	Dry	11
12	1 ¼			½	2	¾	Dry		½	3	¼	1 ¾	12
13	Dry	frost	Dry	¾	¼	¼	¼	¾	5	Dry	1 ¼	Dry	13
14	¾	frost	6 ¼	Dry	Dry	Dry		¾	½	½	¾	Dry	14
15	3 ¼	frost	5	3 ½	Dry	Dry	Dry	Dry	2 ¼	4	2	Dry	15
16	5 ¾	frost	10	15 ¼	Dry	Dry	Dry	14 ½	Dry	Dry	2	Dry	16
17	2	frost	5	½	Dry	Dry		Dry	Dry	Dry	¾	½	17
18	2 ¼	frost	2 ¼	2 ¾	¾	Dry	5 ½	Dry	Dry	Dry	3	Dry	18
19	2 ¼	frost	¾	5 ¾	1	1 ¼	2	Dry	Dry	Dry	¾	Dry	19
20	4 ¼	frost	¾	¾		2 ¾	1	Dry	3 ½	3 ¼	1	Dry	20
21	3 ¼	frost	4 ½	2	1	Dry	Dry	Dry	¼	2 ¼	1 ¾	frost	21
22	Dry	frost	2 ¾	1	1 ½	Dry	1	¾	2 ½	Dry	1 ½	frost	22
23	12 ¼	frost	11 ¼	Dry	1 ½	1 ¼	Dry	5 ½	7 ¾	Dry	frost	frost	23
24	2 ¾	frost	Dry	1	2 ¼	Dry		½	2 ¼	Dry	2 ½	1 ¾	24
25	4 ¼	¾	2		¾	Dry	Dry	Dry	Dry	Dry	1 ¾	2 ¼	25
26	frost	¼	frost	4 ¾	Dry	Dry	Dry	Dry	1 ¾	Dry	2	1 ¾	26
27	frost	Dry	Dry	22 ½	Dry	1 ¼	Dry	Dry	Dry	¼	Dry	6 ¾	27
28	1	Dry	1 ¼	3 ¼	Dry	Dry	Dry	Dry	Dry	2 ¼	Dry	2 ¼	28
29	frost	Dry	3	6 ¾	½	Dry	Dry	Dry	Dry	Dry	Dry	frost	29
30	Dry	Dry	3 ¼	3 ¾	1	¼	Dry	Dry	½	Dry	1 ¼	frost	30
31	8	—	Dry		1 ¾		Dry	Dry		2 ¾		frost	31
Total	88 ¼	32 ¼	92	96 ¾	44	45 ¼	23	44 ¾	37	61	35 ¼	41	YEAR'S TOTAL 71.00
Rain Days.	21	10	24	18	24	13	12	11	13	20	23	15	204

8.575 3.225 9.700 9.100 4.550 4.400 2.300 4.475 3.900 6.250 9.625 4.650 70.75

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at Nantyneuadd

in the County of Cardiganshire 4

by William Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	snow		2 ¼	1	Dry	Dry	Dry	6	Dry	Dry	5 ¼	4 ½	1
2		2 ¼	1 ½	Dry	Dry	1 ½	2 ¼	12 ½	Dry	Dry	1 ½	2 ¾	2
3	¾	Dry	Dry	Dry	1 ¼	Dry	6 ¾		½	½	½ 6	½	3
4	1 ¼	Dry	1 4 ½	1 ½	Dry	Dry	Dry	3	Dry	Dry	Dry	¾	4
5	¾ ¼	Dry	5	2 ½	2 ¾	Dry	5 ¼	½	Dry	3		6 ¼	5
6	3 ½	Dry	6	3 ¾	3 ¼	¼	¼		Dry	1 ¼			6
7	1 ¼	½	¾	1	3 ¾	Dry	1 ½	¼	Dry	Dry	¼	3 ½	7
8	½		7	2 ¼	¼	½	¼		¼	Dry	½	½ ¼	8
9	3 ¾	Dry	¾	2 ¼	2 ¼	¼	½	10 ½	¼	Dry	Dry	1	9
10	¾	1 ¼	1 ¼	4 ½	2 ¾	¼	½	¾	¼	Dry	1 ½		10
11	¾	8 ¼	2	½	2 ¼		Dry		3 ¼	Dry	Dry		11
12	frost	¾	5 ½	1			Dry		1 ¼	Dry	6 ¼	¾	12
13	frost	12 ¾	3 ½	2			¼		¼	Dry	10 ½	frost	13
14	frost	½	6 ¼	Dry	Dry	Dry	¾		5 ¼	½	7 ¼	1 ¼	14
15	frost	9 ¼	5 ½	Dry	Dry		½		1	Dry	4	Dry	15
16	frost	dry	6	Dry	Dry	Dry	Dry		¼	Dry	2 ¼	2	16
17	frost	dry	3 ½	Dry	Dry	Dry	1 ¾		¼	¼	Dry	Dry	17
18	frost	6 ¼	3 ¼	Dry	Dry	Dry	2		¼	¼		1 ¾	18
19	frost	3	3 ½	Dry	Dry	Dry	Dry		¼	¼	frost	3 ½	19
20	frost	2 ¼	2	Dry	Dry	Dry	5 ¾		¼	¼	1	1 ¼	20
21	frost	6 ¾	7 ¼	Dry	Dry	4 ¼			Dry	Dry	frost	2 ¼	21
22	frost	2	½	Dry	Dry	Dry	Dry	3 ¼	Dry	4 ¼	frost	frost	22
23	frost	2 ½	1 ¾	¾	½	2 ½	4	4 ¼	Dry	7	frost	frost	23
24	frost	2	3	Dry	Dry	½	¼		Dry	2	frost	frost	24
25	2	frost	¾	Dry	Dry	Dry	5 ¼		Dry	Dry	2	frost	25
26	7	frost	3 ½	Dry	Dry	Dry	4 ¼	9 ¾	Dry	3 ¼	3 ¼	3	26
27		¾ Dry	Dry	Dry	Dry	Dry	12 ¾		Dry	2 ½	4 ¾	5 ½	27
28	4 ½	1 ¼	Dry	Dry	Dry	Dry	Dry		Dry	6 ¾	12 ¾	13 ¾	28
29	2		2	Dry	2	Dry	Dry		½	Dry	¼	7 ¼	29
30	3 ¾		1	½	Dry	¼	Dry		Dry	Dry	13 ¼	frost	30
31	½		7				Dry			Dry		10	31
Total	6·10	8·13	11·10	2·25	4·37	2·20	6·75	5·25	4·00	3·43	8·07	11·40	73·05
Rain Days.	18	16	26	11	12	7	20	13	15	9	20	21	194

W.7,000, XI. 13

Corr for W.D. from A 1895

4095

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 17. MAY 1916

Kept at Nantyneuadd, abergwesyn

in the County of Cardigan.

by William Roberts.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.75	.32	-	-	-	-	.05	.63	.12	-	-	.40	1
2	.27	.58	.80	.55	-	.10	.17	.97	.08	.35	-	.13	2
3	.03	.52	.42	.22	-	-	.20	.30	-	-	-	.07	3
4	.45	.50	-	-	.52	.03	-	-	-	-	-	1.08	4
5	-	.40	.23	-	-	.07	-	.13	-	-	-	1.32	5
6	.22	-	.15	.65	-	-	.33	.25	-	-	-	.08	6
7	.75	1.23	-	.13	-	-	.15	.10	-	-	-	.47	7
8	.58	.47	-	-	-	-	.37	-	-	.02	.57	-	8
9	.37	.60	-	1.12	-	-	.03	.14	-	-	.85	.85	9
10	.88	-	.20	.18	-	-	-	.38	-	.08	.33	.08	10
11	.25	-	-	-	-	-	-	.32	-	-	.57	-	11
12	.50	-	-	.12	.18	-	-	.05	-	.12	1.05	-	12
13	.05	.43	-	-	.35	-	-	1.55	.25	-	.30	.35	13
14	.50	.27	-	-	-	-	-	.90	.12	.08	-	1.00	14
15	1.02	-	-	-	.20	-	-	.20	-	.10	-	.30	15
16	.55	1.50	-	-	.40	-	1.92	.18	-	-	-	.27	16
17	.38	1.18	-	-	.57	-	.08	-	-	-	-	-	17
18	-	1.02	.25	-	-	-	.02	-	-	-	-	-	18
19	.27	-	-	.33	.38	-	.75	.07	-	-	-	-	19
20	.73	-	-	.05	-	-	-	-	-	-	-	.80	20
21	.90	.13	-	-	.47	-	.43	-	-	.17	-	1.28	21
22	-	.32	.07	-	.05	-	.65	-	-	-	-	.80	22
23	-	-	.13	-	-	.25	-	-	.23	.70	[illegible]	.40	23
24	-	-	-	.07	-	-	-	-	.10	.55	-	.65	24
25	-	-	-	-	-	.35	.30	-	-	-	-	.27	25
26	-	.50	-	-	-	.03	.37	-	.32	.03	-	1.05	26
27	-	.15	-	-	-	.05	.58	-	-	.55	-	.38	27
28	-	.33	-	-	-	.32	-	.08	.15	.12	-	.05	28
29	-	X	-	-	-	.28	-	-	.18	-	.63	.12	29
30	.35	X	-	.33	-	-	-	.27	-	.38	.37	.40	30
31	.05	X	-	X	-	X	.37	.23	X	-	X	1.13	31
Total	9.85	10.45	2.25	3.75	3.12	1.48	6.77	6.78	1.55	3.25	4.67	13.72	YEAR'S TOTAL 67.64
Rain Days.	21	18	8	11	9	9	17	18	9	13	8	25	166

W. 8,000. X. 15.

WD

cord for audit 16-V-16

4095

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 10 JAN 1916

Kept at Nantyneuadd Tregaron

in the County of Cardigan

by William Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 11 1/4

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4	½	3 ¼	frost	3 ¼	Dry	Dry	3 ¾	2 ¼	Dry	Dry	3 ¾	1
2	7 ½	3	frost	frost	Dry	Dry		6 ¼	1 ¼	Dry		4	2
3	2 ¾	6	8	5		1	1	¾	¾	¾		1 ¼	3
4	¼	¼	4	½	Dry	Dry	2	3	Dry	Dry		¾	4
5	4 ½		Dry	frost				Dry	Dry	Dry		10 ¼	5
6	Dry	4	2	Dry	Dry	¾		1 ¼	Dry	Dry		13 ¼	6
7	2 ¼	Dry	1 ½	6 ½	Dry			2 ½	Dry	Dry		¾	7
8	7 ½	12 ¼		1 ¼	Dry		1 ½		Dry	Dry	Dry	¾	8
9	5	4		Dry	Dry		3 ¾	Dry	Dry		½	Dry	9
10	3	6		11 ¼			¼	1 ¾	Dry	Dry	6 ½	½	10
11	6 ¼	6	2	1 ¾				3 ¾	Dry	¾	3 ¼	¾	11
12	2		Dry	frost	Dry	Dry	Dry	3 ¼	Dry	Dry		frost	12
13	5		Dry	1 ¼	1 ¾	Dry	Dry	½	Dry	1 ¼		frost	13
14	¼	¼	Dry	Dry	3 ½	Dry	Dry	1 ½	2 ½	Dry	3	3 ½	14
15	5	1	Dry	Dry	frost	Dry	Dry	9	1 ¼	¾	frost	10	15
16	10 ¼	Dry	Dry	Dry	2	Dry	Dry	2	Dry	1	frost	3	16
17	5 ¼	15	Dry	frost	4	Dry	19 ¼	1 ¾	Dry	Dry	frost	2 ¾	17
18	3	11 ¼	snow	frost	5 ¾	frost	¾	Dry	Dry	Dry			18
19	frost	10 ½	2 ½	frost	Dry	frost	¼	Dry	Dry	Dry			19
20	2 ¼	frost	frost	3 ¼	3 ¾	frost	7 ½	Dry	Dry	Dry		Dry	20
21	7 ¼		frost	½	Dry	Dry	Dry	¾	Dry	Dry	frost	8	21
22	9		Dry	frost	4 ¾		4 ¼	Dry	Dry	1 ¾	frost	2	22
23	frost	3 ½		frost	½	Dry	6 ½	Dry	Dry	Dry	frost	8	23
24		frost		Dry	Dry	2 ½	Dry	Dry	2 ¼	7	frost	4	24
25	frost	frost		¾	Dry	Dry	Dry	Dry	1	5	frost	6 ½	25
26	frost	frost		frost	Dry	3 ½	3		Dry	Dry	frost	2 ¾	26
27	frost	5	frost	frost	Dry	¼	3 ¾	Dry	3 ¼	½	frost	10 ½	27
28	frost	1 ½	frost	frost	Dry	½	5 ¾	Dry	Dry	5	frost	3 ¾	28
29	frost		frost	Dry	frost	3 ¼	Dry	¾	1 ½	1 ¼	frost	½	29
30	frost	X	frost	Dry	frost	2 ¼	Dry	Dry	1 ¾		6 ¼	¼	30
31	3 ½	X		X	frost	X	Dry	2	X	3 ¾	X	4	31
Total	102 ½	181 ¾	125 ¾	84 ¼	34 ½	14 ¾	64	89 ¼	17 ¾	12 ½	43	129 ¾	YEAR'S TOTAL 669 ¼
Rain Days.	21	18	9	10	10	9	16	18	10	13	7	25	166

W. 8,000. X. 14.

from A & C 22 & 23

4023

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Nantmenadd

in the County of Cardigan

by Wm Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	-	-	-	-	·32	·35	-	-	·18	·63	-	1
2	·72	·60	·13	·13	-	·15	1·27	-	·50	1·20	·17	·03	2
3	-	1·50	-	·10	-	·55	·93	-	1·35	·50	·58	·05	3
4	·50	·25	-	-	·08	·35	-	-	·42	·17	·35	-	4
5	·10	·35	-	-	·15	·68	·17	-	-	·83	·32	-	5
6	·38	·55	-	-	·37	·02	·03	-	-	·62	·65	-	6
7	·37	-	·17	-	1·05	·05	-	-	-	·50	·58	·45	7
8	·08	-	·03	-	·43	·25	·25	-	-	-	·12	·27	8
9	-	·40	-	-	·07	·43	·15	-	-	·08	·25	·18	9
10	·17	·50	-	·27	·03	-	·02	-	-	·25	-	-	10
11	·80	·30	-	1·00	·17	·45	-	-	-	-	-	-	11
12	·18	·33	·10	·28	·03	·02	·43	·77	·53	·17	-	-	12
13	-	·45	·17	·17	·07	-	·05	1·00	-	·48	-	-	13
14	·10	·42	-	·20	·05	-	-	·28	-	·35	-	-	14
15	-	·83	·05	·33	·58	-	·05	·42	·22	·47	-	-	15
16	·10	-	-	·45	-	-	·25	-	-	·88	-	-	16
17	·25	·37	-	1·45	-	-	-	·18	1·25	·22	·08	-	17
18	15	1·00	·18	1·20	-	-	·02	-	·93	18	12	·22	18
19	·57	-	·72	·80	-	-	-	-	-	-	·28		19
20	·30	·15	·30	-	-	-	-	-	·07	-	·47	·48	20
21	·45	·05	·13	·02	-	-	-	-	-	-	·15	-	21
22	-	·03	-	-	-	·15	-	·07	-	·67	·18	·35	22
23	·23	·12	·12	·25	-	-	-	·23	-	·58	·37	·47	23
24	-	·03	·03	·50	1·25	·08	/	·52	-	·37	-	-	24
25	-	·10	·25	-	·30	≈	-	·58	·13	·18	·90	-	25
26	·32	·05	-	-	-	·40	·58	·50	·22	·17	-	-	26
27	-	-	·42	-	-	·67	-	·57	1·00	1·28	·15	-	27
28	·05	·17	-	-	-	·20	-	-	-	·47	·48	1·23	28
29	-	·05	-	-	·02	·18	-	·03	-	·55	-	·35	29
30	-	X	-	-	·13	·35	-	·42	-	·68	·12	-	30
31	-	X	-	X	-	X	-	·38	X	·37	X	-	31
													YEAR'S TOTAL
Total	6·00	8·60	2·80	7·15	4·78	5·30	4·55	5·95	6·62	12·40	6·95	4·08	75·18
Rain Days.	20	23	14	15	16	18	14	14	11	26	20	12	203

W. 8,000, VIII. 16

card for south Elm WD

REGISTER OF RAINFALL IN 1916

4023 FORM A. BRITISH RAINFALL.

Kept at Hatfield east

in the County of Essex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1 1/4	Dry	1/2	frost	Dry	Dry	3 1/2	Dry	3 3/4	Dry	3 3/4	1 1/4	1
2	1 3/4	Dry	Dry	frost	Dry	3 1/2	3 1/2	Dry	Dry	1 3/4	6 1/2	Dry	2
3	7 1/4		1 1/4	1 1/4	Dry		2 3/4		5	12	1 3/4	1/2	snow 3
4	Dry	15	frost	1	Dry				13	23	5 3/4	1/2	snow 4
5	5		frost	Dry	3/4			Dry	4 1/4	1 3/4	3 1/2	frost	5
6	1			frost	1 1/2			Dry	Dry	8 1/4	3 1/4	frost	6
7	3 3/4	5 1/2		Dry	3 3/4	1/4		Dry	Dry	6 1/4	6 1/2	frost	7
8	3 3/4	Dry	1 3/4	frost	10 1/2	1/2	Dry	Dry	Dry	5	5 3/4	4 1/2	8
9	3/4	Dry	1/4	frost	4 1/4	2 1/2	1/2	Dry	Dry	Dry	1 1/4	2 3/4	9
10	Dry	1/4		frost	3/4	1/4	1/2	Dry	Dry	1/4	2 1/2	1 3/4	10
11	1	3/4		2 3/4	1/4	Dry			Dry	2 1/2	Dry	frost	11
12	8	3		10	1 1/4	4				Dry	Dry		12
13	1 3/4	3 1/4		2 3/4	1/4	1/4		7 3/4	5 1/4	3/4	Dry	frost	13
14	Dry	4 1/2		1 1/4		Dry	1/2	10	Dry	1 3/4	Dry	frost	14
15	1		Dry			Dry	Dry		Dry	3 1/2	Dry	frost	15
16	Dry	6 1/4	1/2	3 1/4	3/4	Dry		4 1/2	2 1/4	4 3/4	Dry	frost	16
17	1	Dry	Dry	4 1/2	Dry		2	Dry	Dry	8	Dry	frost	17
18	2 1/2	3 1/2	Dry	4 1/2	Dry	Dry	Dry	1 3/4	12 1/2	2 1/4	3/4	frost	18
19	1	1	1 3/4		Dry	Dry		Dry	9 1/4	1 3/4	1 1/4	snow	19
20	5 1/4	Dry	7 1/4		Dry	Dry	Dry	Dry	Dry	Dry	2 1/4	2 1/4	20
21	3	1/2	3		Dry	Dry	Dry	Dry		1/2	4 3/4	4 3/4	21
22	4 1/2	1/2	1 1/4		Dry	Dry	Dry	Dry	Dry	Dry	1 1/2	frost	22
23	Dry	1/4	Dry	Dry	Dry	1/2	Dry	3/4	Dry	6 1/4	1 3/4	3 1/2	23
24	2 1/2	1 1/2	1 1/4	2	Dry	Dry		2 1/4	Dry	5 3/4	3 3/4	4 3/4	24
25	Dry	1/2	1/4	5	2 1/2	3/4		5 1/4	Dry	3 3/4	Dry	frost	25
26	Dry	1	2 1/2	Dry	3	Dry	Dry	5 3/4	1 1/4	1 3/4	Dry	frost	26
27	3 1/4	2	frost	Dry	Dry	4	5	5	2 1/4	1/2	wet	frost	27
28	Dry	frost	1	Dry	Dry	6 3/4	Dry	5 3/4		1	1 1/2	frost	28
29	1/2	1 3/4	Dry	Dry	Dry	2	Dry	Dry	Dry	4 3/4	4 1/2	12 1/4	29
30	Dry	X	frost	Dry	1/4	1 3/4	Dry	1/4	Dry	5 1/2	frost	3 1/2	30
31	-	X	frost	X	1 - 4	X		4 1/4	X	6 1/4	X	Dry	31
Total	~~1 1/4~~ 1.25 ✓	~~8 1/2~~ 8.60 ✓	~~2 1/4~~ 2.80 ✓	~~7 1/2~~ 7.15 ✓	~~4 1/2~~ 4.78 ✓	~~5 1/2~~ 5.30 ✓	~~4 1/2~~ 4.55 ✓	~~5 1/2~~ 5.95 ✓	~~6 1/2~~ 6.62 ✓	~~12 1/2~~ 12.40 ✓	~~6 3/4~~ 6.95 ✓	~~4 1/2~~ 4.08 ✓	YEAR'S TOTAL ~~75 1/2~~ 75.18
Rain Days.	20	23	14	15	16	8	14	14	14	26	20	10	203

W. 8,000. X. 15.

corrected for W. D.

3858

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Pantynewadd.

in the County of Cardiganshire.

by William Roberts.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Tregaron.

Diameter of Funnel of Rain Gauge 4·3 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·28	·28		·35			·08		·07	·45	1
2			·15	·80		·15			·02	·13	·03		2
3	·45					·10			·10	·65	·17		3
4			·05						·05	1·02	·13		4
5	·88		·32	·42		·10		·30	·68	·23	·42		5
6										·95	·45	·50	6
7	·85									·77	·42		7
8	1·16		·40	·33			·42	1·30	·07	1·05	·83	·25	8
9	·27		·35	·55	·20			·57		·23	1·22		9
10	·55		·78	·35				·80		·30			10
11				·42				·88	·08	·47	·20		11
12				·85	1·00			·27		·58	·03		12
13				·23				1·05	·62	·02		·15	13
14				·27	·17			·18	·05	·15			14
15				·08			·53		·03	·15	·10	·52	15
16				·25			·77	·32	·15	·08	·02	·48	16
17		·25	·22	1·02	·15		·88	1·13	·38	·67	·05		17
18				·28	·08		·20		·67	·45	·13		18
19		·43	·55			·48		·12		·05	·17		19
20		·20	·10		1·07	1·17		·30	·80	·03	·55		20
21								·18		·07	·33		21
22			·08					·57	·05	·25	·22		22
23		·37	·05		·28	·15		1·03		·05	·18	·15	23
24		·03	·05				·17	·40	·03	1·15	·12	·55	24
25		·17						·28	·12	·28	·58		25
26		·03			·37		·25	·57	·18	·12	·25		26
27		·05			·53	·73	·48	·88	·37	·18	·27		27
28		·07	·37		·75			1·97		·22			28
29			·13					·48		·75	·08	·15	29
30		X						·52		·55	·25		30
31		X	·12	X	1·02	X		·27	X	·13	X		31
Total	4·15 ✓	1·60 ✓	4·00 ✓	6·13 ✓	5·62 ✓	3·23 ✓	3·70 ✓	14·37 ✓	4·53 ✓	11·73 ✓	7·27 ✓	3·20 ✓	YEAR'S TOTAL 69·53 ✓
Rain Days.	6 ✓	9 ✓	16 ✓	14 ✓	11 ✓	8 ✓	8 ✓	23 ✓	19 ✓	30 ✓	25 ✓	9 ✓	179

179

W. 8,000, IX. 17.

WD

REGISTER OF RAINFALL IN 1917

3658

FORM A. BRITISH RAINFALL.

Kept at Pantyneuadd

in the County of Cardiganshire

by William Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Tregaron

Diameter of Funnel of Rain Gauge 13 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Dry	frost	¾	¼ Dry	10 ¼	Dry	Dry	2 ¾	Dry	1 ½	2 ¼		1
2	frost	frost	2 ¾	2 ¾	Dry	5 ½	Dry	Dry	¾	Dry	¾	¼ ½	2
3	frost	frost	1 ½	8	frost	1 ½	Dry	Dry	¼	¼	½	frost	3
4	4 ½	frost	frost	frost	Dry	1	Dry	Dry	1	6 ¼	1 ¾	Dry	4
5	Dry	frost	½	frost	Dry	Dry	Dry	Dry	½	10 ¼	¼	Dry	5
6	8 ¾	frost	3 ¼	1	Dry	1	Dry	3	6 ½	2 ¼	½	frost	6
7	Dry	frost	Storm	frost	Dry	Dry	Dry	Dry	Dry	9 ¼	½ 5		7
8	8	½ frost	frost	frost	Dry	Dry	Dry	Dry	Dry	7 ¾	¼	Dry	8
9	11	½ frost	4	3	¼ Dry	Dry	4 ¼	3	¾	10 ½	8 ¼	2	9
10	frost	frost	3 ½	5 ½	2	Dry	Dry	5	Dry	2 ¼	2 ¼	frost	10
11	2 ¾	¼	7 ¾			Dry	Dry	8		3	Dry	frost	11
12	5 ½	frost	frost	4 ¼		2	Dry	0 ¾					12
13	frost	frost	Dry	½	10	Dry	Dry	2 ¾	Dry	5		Dry	13
14	frost	frost	Dry	2 ¼	Dry	Dry	Dry	10 ½	6 ¼			½	14
15	frost	frost	frost	2 ¾	1 ¾	Dry	Dry	1					15
16	frost	frost	frost	¾	Dry	Dry	5	Dry		½			16
17	frost	fine	frost	2 ½	Dry	Dry	1	3 ¼					17
18	frost	2 ½	2 ¼	10 ¼	1 ½	Dry	8 ¾	11 ¼		6 ¾	½	frost	18
19	frost	Dry	Dry	2 ¾		Dry	2	Dry	6 ¾	½	¼		19
20	frost	4 ¼	5 ½	Dry	Dry	4 ¾	Dry	1 ¼	Dry		¾		20
21	frost	2	1					3			5 ½		21
22	frost	Dry	frost		Dry	Dry	Dry	1 ¾			¾		22
23	frost	Dry	¾	Dry	Dry	Dry	Dry	5 ¾					23
24		3 ¾	½	frost	2 ¾	1 ½	Dry	10 ¼		2	¼		24
25	frost	¼	½	Dry	Dry	Dry	1 ¾	4		11	½	¼	25
26	frost	1 ¾	frost		Dry	Dry	Dry	2 ¾		2	5	frost	26
27	frost	¼	frost	Dry	3 ¾	Dry	2 ¾			1	¼	frost	27
28	frost	½	frost	Dry	5 ¼	7 ¼	4 ¾	6 ¾	3	¾	2		28
29	frost		3 ¼	Dry	7 ½	Dry	Dry	1 ¾		2 ¼			29
30	frost	X	1 ¼	Dry	Dry	Dry	Dry	4 ¾		7 ½			30
31	frost	X	frost	X	Dry	X	Dry	5 ¼	X	5 ½	X	frost	31
Total	4 ½	1 ¼	39 ½	62 2	46	42 ½	37 ¾	114 ¾ 10	48	116 ¾	11 ½	34 ½	YEAR'S TOTAL 69.4¼
Rain Days.	6	8	16	15	10	5	8	22	20	29	25	10	

W. 8,000, VIII. 16

from C.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 5.2.19

Kept at Tantrewadd Abergwesyn

in the County of Cardigan

by William Roberts

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·38	-	·35		-	-	·17	·20	·15	·60	-	1
2	-	·37	-	·22		-	-	·33	-	·38	-	·75	2
3	-	·33	-	-	·72	-	-	-	·90	·22	-	·28	3
4	-	·22	-	-	-	-	-	-	·38	·68	1·40	·55	4
5	-	1·13	-	·18	·63	-	-	·37	·10	·70	-	·17	5
6	·05	·42	-	·42	-	·17	-	-	·42	·57	-	·25	6
7	·20	·58	-	-	·42	-	-	-	·28	·13	·62	-	7
8	·25	·65	-	-	-	-	-	-	·17	·27	-	-	8
9	·33	·17	-	·33	-	1·85	·43	-	·63	·83	-	·98	9
10	·10	·33	·80	-	-	-	·45	-	·12	·32	·48	·32	10
11	-	·60	·22	-	·18	-	·75	-	·73	-	-	·73	11
12	-	·20	-	-	·22	-	·37	-	·60	·18	-	·32	12
13	·37	-	-	-	-	·23	·12	-	·35	·22	-	·13	13
14	·43	-	-	-	-	-	·38	-	·62	·10	-	·55	14
15	·55	-	-	-	-	-	·92	-	·83	·18	-	·72	15
16	·55	-	-	·42	-	-	·23	·18	·62	-	-	·83	16
17	·85	-	-	·15	-	-	·35	·07	·35	·10	-	·50	17
18	1·20	-	-	-	-	·65	·37	-	·53	·12	-	·47	18
19	·32	·25	·33	·15	-	·12	·13	-	·35	·08	-	1·03	19
20	·83	·27	-	·20	-	·15	·12	-	·42	·10	-	-	20
21	·32	·23	-	-	-	-	·95	-	·78	·07	-	·27	21
22	·20	-	-	-	·70	-	·23	-	·42	·05	-	·25	22
23	·38	-	-	-	1·93	-	·12	-	·73	-	·12	·58	23
24	·20	·17	-	-	-	-	·25	·58	·57	-	·48	·57	24
25	·20	·23	-	-	·25	-	·28	·75	·25	·03	·17	-	25
26	·17	·12	-	·18	-	-	-	·32	·20	·02	·35	·73	26
27	-	·23	·92	-	-	-	-	·58	·73	·05	·63	·67	27
28	-	-	1·20	-	-	-	-	·12	-	·03	·92	·50	28
29	-	-	·13	-	-	-	-	·25	·85	-	-	·25	29
30	-	X	·40	-	-	-	-	-	·07	-	-	-	30
31	-	X	·95	X	-	X		·58	X	-	X	1·15	31
Total	7·70	6·88	4·95	2·60	5·05	3·17	6·45	4·25	13·20	5·58	5·77	13·55	YEAR'S TOTAL 79·15
Rain Days	19	19	8	10	8	6	17	12	28	24	10	25	186

W. 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Nantneuadd

in the County of Cardigan

by William Roberts.

Lat. ____ Long. ____

Time of Observation 9 a.m. 15.

Nearest Railway Station Tregaron 1 19

Diameter of Funnel of Rain Gauge 4.3 in.

Height of top of Gauge above Ground ____ ft. 3/4 in.

" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	78 3/4	68 1/2	40	36 3/4	51	32	65	37	135 1/2	56	56 1/2	124	YEAR'S TOTAL
Rain Days.	19	18	7	11	8	6	17	11	25	25			

W. 8,000, IX. 17.

Copy at the end of the MWA copies 3665

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Nantmeuadd

in the County of Cardigan

by W. Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Tregaron

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 1000 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·150			·250	·650	·350	·650				·025		1
2	-				·375				·250	·475			2
3					·100				·450	·125		1·050	3
4							·675					·950	4
5			·325				·125	·500	·400			·800	5
6	·750	1·375							·075			·325	6
7	·760	1·150	·625							·150			7
8	·575	1·075	·750			·025						·450	8
9	·450	1·000				·225	·125		·225	·150			9
10	·300	1·000		·175								·875	10
11	·050	·900	1·125	·450	·175						·100	·550	11
12	·075	·900	1·700	·225	·375					·425	·200	·200	12
13		·900	·550	·225		2·325				·450	·200		13
14	·125	·375		·600			·425		·150	·300	·200	·550	14
15	1·150	·225		1·075							·200		15
16	·125	·200		·375	·300		·200			·125	·150	·325	16
17	·375	·375					·175	·625			1·375		17
18		(250)				·250		·850			·925	·225	18
19	·225		·800			·275		·525	·575		·775	·175	19
20	·150	~~·275~~	·550			·225	·275	·350	·425		·125	·425	20
21	·550	·250	·125			·175	·175	·150	·550		·250	·850	21
22	·325	·675					1·175		·450			·400	22
23		·425				·125	·125			·250		2·175	23
24										·625			24
25	·150					·175				·250		·500	25
26	·275			·450	·150			·250	·175		·125	·425	26
27	·575		·500	·250	·075			1·600	·375		·450	·650	27
28	~~·250~~		·325	·425		·175		·625			·100		28
29	~~·275~~		·125			·200						·650	29
(·15) 30	~~·375~~		·150			·175				·100		·325	30
31	~~·375~~		~~·250~~ 2500 2·5	~~·675~~	·350	~~·250~~	·075	·450		~~·225~~		1·050	31
TOTAL	6·47	(3·85)	7·98	4·90	1·90	5·00	3·55	5·92	4·10	3·45	5·18	13·92	(66·22)
Days with ·01 in. or more	19	(12)	15	11	8	13	11	10	12	13	14	22	(160)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3665

REGISTER OF RAINFALL IN 19[illegible]

See copy

FORM A. BRITISH RAINFALL

E. & O. E. 2 JAN 19[illegible]

Kept at Cantreuadr

in the County of Cardigan

by William Roberts

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station Tregaron

Diameter of Funnel of Rain Gauge 4.3 in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level 1000. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11	frost	frost	2 1/16	1/32	1/32		Dry	Dry	Dry	1/4	frost	1
2	frost	frost	frost	frost	3 1/4	Dry	Dry				1/4 Dry		2
3	frost	frost	frost	frost	1	Dry	Dry				Dry		3
4	frost	Dry	frost	Dry	Dry	Dry	6 3/4	fine			Dry	9 1/4	4
5	frost	3 1/4	fine	Dry	Dry	Dry	1 1/4	5	4		Dry	8	5
6	1 1/2	13 3/4	Dry	fine	Dry	Dry	Dry	Dry	3/4		Dry	3	6
7	1	11 frost 1/2	6 1/4	fine	fine	Dry	Dry	frost	Dry	1	Dry	Dry	7
8	5	10 frost 3/4	7	fine	fine	1/4	Dry	frost	Dry		frost		8
9		10 frost	Dry	fine	fine	2 1/4	1 1/4	frost	2 1/4		frost		9
10		10 frost	1	1 3/4	fine	Dry	fine	frost	Dry		frost		10
11		frost	11 1/4	1/4	1/2	1/4	Dry	frost	Dry		1		11
12		frost	17	2	1/8	3/4	Dry	frost	Dry	4	2	2	12
13	Dry	frost	5 1/2	1/2	1/4	Dry	23	Dry	frost	Dry	2	Dry	13
14		3 3/4	frost	6	Dry	Dry	4 1/4	fine	1 1/2	3	2	5 1/2	14
15		2 1/4	frost	10 3/4	Dry	Dry	Dry		Dry		2	Dry	15
16		2	frost	3 3/4	3	Dry	2		Dry		1	3 1/4	16
17		3 3/4	frost	fine	Dry	Dry	1 3/4	6 1/4			13 3/4		17
18	Dry	frost	frost	fine	Dry	2	Dry	8 1/2					18
19	2	frost	6	fine	fine	2	Dry	5	4 3/4		7 3/4	1	19
20	1	3 3/4	5 1/2	fine	fine	2	2 3/4	5 1/2	4			4	20
21	5	2 1/2	1 1/4	Dry	Dry	1 3/4	1 3/4	1 1/2	5 1/2			8	21
22	3 1/4	6 1/2	frost	Dry	Dry	Dry	11 3/4		4 1/2			4	22
23		1/4	Dry	Dry	1	1	1/4		Dry				23
24		frost	Dry	fine	Dry	Dry	Dry		Dry	6		Dry	24
25	1 1/2	frost	Dry	fine	1	3/4	Dry		Dry	2		5	25
26	2 3/4	frost	frost	4 1/2			Dry		1	3/4 Dry		1/4	26
27	5 snow 1/4	frost	5	2 1/2			Dry	16	3	3/4 Dry			27
28	12 1/2	frost	3 1/4				Dry		Dry	Dry			28
29	12 3/4		1 1/4	frost			Dry		Dry	Dry		6	29
30	12 3/4	X	1 1/2	frost			Dry		Dry	1			30
31	13 3/4	X	3/4	X		X	3/4		X	Dry	X	11 1/2	31
Total	124 1/4 6.49	113	85 3/4	45	22	43	42 1/4	[illegible]	40 3/4	34 1/4	[illegible]	137 1/4	YEAR'S TOTAL 901.
Rain Days.	23 19	16	14	11	7	13	12	10	18	12	15	22	

(.15)

W. 6,500, VII. 18. w w c

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pantmenadd

in the County of Cardigan

by Williams Roberts

Lat..... Long.....

Time of Observation.....

Nearest Railway Station Tregaron

Diameter of Funnel of Rain Gauge 4.3 in.

Height of top of Gauge above Ground..... ft. 1.3 in.

" " " " Sea Level 1000 ft.

11 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Dry	Dry	Dry	4		Dry	¼	2 ¼	1	6	2 9 ¼	5	1
2	¼	Dry	Dry			Dry		2	1 ¾	4 ¼	Dry	6 ¼	2
3	Frost	1 ¼	Frost	1 ½	1 ½	fine		2	2 ¼	1	Dry	3	3
4	frost	5 ¾	Dry	Dry	2	fine		3	3	2	Dry	Dry	4
5	Frost	frost	Dry	¼	Dry	worm	¼	3	3 ¼	4 3	Dry	Dry	5
6		Dry	6	2 ¼	5 ¼	hot	¼	4	3	2 ¼	Dry	Dry	6
7		Dry	7 2	3 ¼	7½ ½	hot		Dry	3 ¾	2	Dry	Dry	7
8	2 ½	1 ¼	3 ¼	4 ¼	Dry	hot		Dry	3	Dry	Dry	Dry	8
9	Dry		Frost		2	Warm	3	3 ¼	Dry	Dry	Dry	Dry	9
10	11	10 2	Dry	1	¾	2 ½	¼		Dry	Dry	Dry	frost	10
11	5 ¾	5 ¼	Dry		¾	¼	¾		Dry	Dry	3 ¼	frost	11
12	1	Dry 2	2	1	Dry	3 ¼	1 ½	1	Dry	Dry		frost	12
13	4 ¾	2	2	5	Dry	4	2 ¾	1 ¼	Dry	Dry			13
14	Dry	2 ¼	2 ¾	1	Dry				Dry	2 ¾		frost 5	14
15	Dry	Dry	7		½				15	5	10½	Frost 5	15
16		Dry	¼	2	2 ¾	1 ¼	¼		Dry	1 ¼	3	Frost 5	16
17		¼	¼				½				Dry	Dry	17
18	¼	Dry							Dry	Dry	Dry	Frost	18
19		Fine	Fine	½					Dry	Dry	Dry	Frost	19
20	3 ¼	6		Snow 8 ¼					Dry	Dry	Dry	Frost 5	20
21		Dry	Dry	¼	Dry	Dry	¾	Dry	Dry	Fine	Frost	10 ¼	21
22	Dry	Fine	Fine	¾	Dry	Dry	½	Dry	Dry	Dry	Dry	Frost	22
23				¼	Dry	(2)						5	23
24			Fine	2	Dry						Dry	Frost	24
25	¾	Fine	¼	Dry	Dry		3 ¼		Dry	Dry		Dry	25
26		Fine	3 ¼	4 ¾	2 ¼	¼	¼	¾		Dry	Dry	3	26
27	Frost	Fine	Dry	4 ¼	Dry	3 ¾	¾			Dry		5 ¼	27
28	Dry	2 ¼	1 6 ¾	5 ¾	2	5						5 ¼	28
29	¾	2 ¾	5 ½	3	Dry	4						3 ¾	29
30	1 6	Fine		2	3 ½	5 ¼	4					5 ¾	30
31	5 ¾	Fine	7 ¼	Dry		2 ¾						1 ¼	31
	4	4 5 ¾	9 1 ¾	1 1 4	5 7 ¾	5 6 ½	2 2 5	1 0	6 7 5	9 2 5	3 0	1 3	YEAR'S TOTAL
TOTAL	17	18	16	28	17	16	29	16	11	11	7	12	190
Days with .01 in. or more	8.45	4.58	9.57	11.53	5.52	5.08	8.22	3.18	5.45	4.57	2.60	7.08	5.83

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGIS

ABERYSTWYTH
CASTLE GROUNDS

CARDIGANSHIRE

1912, 1919-20

FORM A.
BRITISH RAINFALL
16 JUL 1913

Kept at Aberystwyth

in the County of Ca

by A. Thomas

in.

round ft. in.

ea Level ft.

IMPORTANT NOTE
previous day. If an Obse
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. Mill, 62, Camd

e result entered to the
sal rule, he is earnestly
in the space provided
nt of rain,
h Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	·13	-									1
2	·01	·01	·34	·11									2
3	·21	-	·04	·03									3
4	·40	-	·76	·02									4
5	·17	·07	·35	-									5
6	·05	·05	-	-									6
7	-	·17	·03	·01									7
8	·23	·04	·22	·07									8
9	·01	·05	·15	·09									9
10	·23	-	-	-									10
11	-	-	-	-									11
12	·01	-	·43	·13									12
13	·05	-	·01	-									13
14	·03	·18	·66	-									14
15	·01	-	·03	-									15
16	·09	·29	·28	-									16
17	·15	·28	·14	-									17
18	·10	·12	·10	-									18
19	-	·10	·02	-									19
20	-	·05	·08	-									20
21	-	·10	·31	·01									21
22	·01	·08	·21	-									22
23	-	-	·24	-									23
24	-	05 06	·32	-									24
25	-	06 07	·05	-									25
26	-	06 04	·12	-									26
27	-	07 06	·38	-									27
28	-	·04	·02	-									28
29	-	—	·03	-									29
30	-		·11	·01									30
31	·03		·28										31
Total	1·79	1·91	5·84	·48									YEAR'S TOTAL
Rain Days.	17	18	28	9									

W. 7,500, XI. 12

REGIS[redacted]

FORM A. BRITISH RAINFALL. 16 JUL 1913

Kept at Aberystwyth, North Parade

in the County of Cardigan - 2

by A. Thomas (per Met. Office)

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.13	-									1
2	.01	.01	.34	.11									2
3	.21	-	.04	.03									3
4	.40	-	.76	.02									4
5	.17	.07	.35	-									5
6	.05	.05	-	-									6
7	-	.17	.03	.01									7
8	.23	.04	.22	.07									8
9	.01	.05	.15	.09									9
10	.23	-	-	-									10
11	-	-	-	-									11
12	.01	-	.43	.13									12
13	.05	-	.01	-									13
14	.03	.18	.66	-									14
15	.01	-	.03	-									15
16	.09	.29	.28	-									16
17	.15	.28	.14	-									17
18	.10	.12	.10	-									18
19	-	.10	.02	-									19
20	-	.08	.08	-									20
21	-	.10	.31	.01									21
22	.01	.18	.21	-									22
23	-	-	.24	-									23
24	-	0506	.32	-									24
25	-	05.07	.05	-									25
26	-	06 04	.12	-									26
27	-	07 06	.38	-									27
28	-	.04	.02	-									28
29	-	-	.03	-									29
30	-		.11	.01									30
31	.03		.28										31
Total	1.79	1.91	5.84	.48									YEAR'S TOTAL
Rain Days.	17	18	28	9									

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1919.

FORM A. BRITISH RAINFALL.

Kept at Aberystwyth (M.O.)

in the County of Cardigan.

by M.O.H. & Sanitary Inspector.

Lat. 52°25'N Long. 4°4'W

Time of Observation 9h. & 18h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan. IN.	Feb. IN.	March. IN.	April. IN.	May. IN.	June. IN.	July. IN.	Aug. IN.	Sept. IN.	Oct. IN.	Nov. IN.	Dec. IN.	Date.
1	0·30	-	0·03	-	0·10	-	0·09	-	0·34	0·31	-	0·41	1
2	0·06	-	0·20	-	-	-	0·01	0·01	0·01	-	-	0·08	2
3	0·06	0·03	-	-	0·03	0·08	-	-	0·01	-	-	0·07	3
4	-	0·18	0·31	-	0·02	0·13	0·13	(0·44)	0·04	-	-	0·24	4
5	0·09	0·15	-	0·02	0·06	-	-	-	0·19	-	0·01	0·23	5
6	0·02	-	0·42	-	-	-	-	-	0·11	-	-	0·07	6
7	0·02	-	0·08	0·18	-	0·01	-	-	0·03	-	-	0·08	7
8	0·18	-	0·04	-	-	0·11	-	-	0·04	-	0·08	-	8
9	0·34	-	0·02	0·10	-	-	-	-	0·01	-	-	-	9
10	0·18	-	0·90	0·03	0·09	-	-	-	-	0·14	0·01	0·20	10
11	0·02	-	1·72	0·05	0·01	0·01	0·10	-	-	0·10	-	0·30	11
12	0·09	-	-	0·01	-	1·32	-	-	0·01	0·12	0·12	0·01	12
13	0·29	-	-	0·03	-	-	0·13	-	-	0·13	-	0·19	13
14	0·30	0·02	-	0·41	0·23	-	0·10	-	-	0·23	-	0·02	14
15	0·28	-	-	0·03	0·01	-	-	-	-	0·10	-	0·68	15
16	0·02	0·20	-	-	-	0·15	0·01	0·01	-	-	0·48	-	16
17	-	0·18	0·04	0·13	-	0·42	0·04	0·54	-	-	0·37	0·04	17
18	0·08	-	1·02	-	-	-	0·16	0·71	0·07	-	0·04	0·15	18
19	0·15	0·30	0·31	-	-	0·30	-	0·12	0·27	-	0·01	0·14	19
20	0·19	0·12	-	-	0·02	-	-	-	0·34	-	0·01	0·31	20
21	-	0·14	-	-	0·03	-	0·38	-	0·17	-	0·04	0·07	21
22	-	0·15	-	-	-	0·02	0·01	-	0·62	-	-	0·66	22
23	-	-	-	0·01	-	0·03	-	0·01	-	1·23	0·04	0·15	23
24	0·02	-	-	-	0·20	0·08	-	-	0·01	0·11	0·17	0·08	24
25	0·23	-	-	0·02	0·14	-	-	0·48	0·11	0·01	0·08	0·06	25
26	0·10	-	0·18	0·29	-	0·10	-	0·16	0·06	-	0·01	0·38	26
27	0·30	-	0·10	0·36	-	-	-	0·30	0·01	-	-	-	27
28	-	-	0·08	-	-	-	-	0·21	0·01	-	-	0·23	28
29	-		0·03	0·02	-	-	-	0·05	-	-	-	0·30	29
30	-	X	-	0·30	-	0·07	-	0·04	-	-	0·09	0·34	30
31	-	X	0·22	X	-	X	0·28	0·01	X	-	X	-	31
Total	3·32	1·47	5·80	1·99	0·94	2·83	1·44	3·09	2·46	2·48	1·56	5·49	YEAR'S TOTAL 32·88
Rain Days.	22	10	17	16	12	14	12	14	20	10	15	26	188

Copied from M.O. Form 3202.

W. 6,500, VII. 18. W W C

A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aberystwyth (M O)

in the County of Cardigan

by M O H I Sanitary Inspector

Lat. 52°25'N Long. 4°4'W

Time of Observation 9h 18h G.M.T

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	0·08	0·14	0·21	-	0·29	·02	0·22	0·05	-	0·14	1
2	·01	·01	-	0·40	0·01	-	·30	—	0·35	0·08	-	0·09	2
3	—	·16	-	0·02	0·01	-	0·30	·01	0·24	0·44	-	0·05	3
4	—	-	-	-	0·01	-	0·01	·82	0·12	0·14	-	—	4
5	—	-	0·15	0·02	0·89	-	0·37	·08	-	0·21	-	—	5
6	·01		0·34	0·13	0·24	-	02	·01	0·02	0·20	0·01	-	6
7	·06	·17	0·08	0·16	0·01	-	0·02	·33	0·01	-	0·03	-	7
8	·12	·10	-	0·46	0·30	-	0·12	—	-	-	-	-	8
9	·22	·32	0·19	0·64	-	-	·10	·01	0·02	-	0·19	-	9
10	·42	·19	0·11	-	-	0·11	0·40	·02	-	-	0·07	0·01	10
11	·04	·06	0·15	0·05	0·30	0·09	0·05	·12	-	-	0·04	0·08	11
12	·24	·07	0·02	0·24	-	0·74	0·09	—	0·09	-	0·20	—	12
13	·06	·02	0·49	0·30	-	0·09	-	—	-	-	0·10	—	13
14	·01	·01	0·94	0·16	-	0·19	·17	—	1·34	0·48	0·33	—	14
15	·01	·18	0·03	0·37	-	0·08	-	·02	-	0·05	0·04	—	15
16	·03		0·35	0·34	0·36	0·07	0·20	·22	0·74	0·52	0·01	-	16
17	·12		0·04	0·07	0·34	0·17	—	·04	0·34	0·10	-	-	17
18	·26	·02	-	0·17	0·24	0·01	—	—	0·28	-	-	-	18
19	·05	·42	-	0·20	0·03	0·04	·07	—	-	-	-	-	19
20	·16	·01	0·01	0·09	-	-	·14	·02	0·29	-	-	0·09	20
21	—		-	0·02	-	-	0·47	·38	-	0·03	-	0·02	21
22	·09		-	0·04	-	-	·13	—	-	-	-	-	22
23	·01		0·13	0·02	-	-	12	·01	-	-	-	0·27	23
24	·05		0·65	0·05	-	0·03	0·07		-	-	0·01	0·34	24
25	·01	·10	0·05	0·02	0·09	0·14	·68	—	-	-	-	0·01	25
26	·20	·14	0·62	0·13	-	0·04	02	—	0·01	-	0·01	0·03	26
27	·25	·03	0·42	0·14	0·12	0·71	74	—	-	-	0·07	0·47	27
28	·34	·09	0·31	0·01	0·02	0·05	·02	—	-	-	0·02	0·15	28
29	·05		0·23	0·02	0·29	0·05	·74	—	-	-	0·10	0·41	29
30	·22		0·74	0·59	-	0·38	·02	—	0·64	0·01	0·36	0·22	30
31	·14		0·22		0·15		·07	—		0·45		0·09	31
TOTAL	3·18	2·12	6·35	5·00	3·62	2·99	5·20	2·11	4·71	2·76	1·59	2·47	YEAR'S TOTAL 42·10
Days with ·01 in. or more	26	19	23	28	18	17	27	15	15	13	16	16	233

(44,283). Wt. 21,958—218 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3202

(182). Wt.38,689—8241. 3000. 1/15. A.&E.W.
(7038). „ 34,037—8421. 4000. 11/15. Gp.132. „

Form 3204.

Values to be inserted by the Observer on each return.

Latitude ° ′ *Longitude* ° ′

Site of Gauge _____ *feet above Mean Sea Level*

Rim of Gauge _____ *inches above the ground.*

Diameter of Gauge _____ *inches.*

DAILY RAINFALL at Aberstgwyth.

during the Month of February 1920. 191

(Amounts measured each day at ____ a.m., and entered to the preceding day.)

Date.	Rainfall. [Precipitation.] Amount. (In Inches or Millimetres.) In. or mm.†	Estimated duration in hours.	(Additional observations, if any.)		Remarks on Prevailing Weather, especially Gales, Thunderstorms, Hail, Thunder, Heavy Rainfall, Hoar-frost, Snow, &c		
					Garden Gauge 24 hrs.	Cattle Gauge 9a-6p.	Cattle Gauge 6-9a
1	.				·02	-	·02
2	.				·01	-	·01
3	.				·16	-	·16
4	.				-	-	-
5	.				-	-	-
6	.				-	-	-
7	.				·19	-	·17
8	.				·07	·10	-
9	.				·29	-	·32
10	.				·21	·16	·03
11	.				·10	-	·06
12	.				·09	-	·07
13	.				·02	-	·02
14	.				·01	-	·01
15	.				·20	·18	-
16	.				-	-	-
17	.				-	-	-
18	.				·02	-	·02
19	.				·44	·08	·34
20	.				·01	-	·01
21	.				-	-	-
22	.				-	-	-
23	.				-	-	-
24	.				-	-	-
25	.				·11	·04	·06
26	.				·16	-	·14
27	.				·04	-	·03
28	.				·10	-	·09
29	.						
30	.				2·25	0·56	1·56
31	.						
TOTAL ...					Max. Daily Rainfall. ____ in. ____ mm. on ____		No. of Rain-Days* [Days of Precipitation] ____ No. of Days with 1 mm. (·04 in.) or more of Rainfall ____

Read C.A.S. 29/4/20

NOTE FOR OBSERVER—

The Rainfall should always be measured in the morning and entered to the *previous* day. If the amount collected is less than ·10 inch, the decimal point and the "0" following it must always be inserted to avoid ambiguity, thus 7 should *not* be used for ·07. When the amount collected is an exact number of tenths the final "0" must also be inserted, and not left to be understood, thus ·1 should *not* be used for ·10.

If rainfall is measured in millimetres the amounts should be given to whole millimetres and tenths. A decimal point should be inserted *after* the figure which is engraved on the measuring glass, and which represents *whole* millimetres.

*A day of rain (precipitation) is one on which ·01 inch or more of precipitation (or ·005 inch at stations which read to ·001 inch) was entered in the register, whether the precipitation fell in the form of rain, hail, snow or dew.

If rainfall is measured in millimetres, a day of rain is one upon which 0·2 mm. or more is measured.

† Strike out that which does not apply.

General Remarks for the Month may be entered overleaf.

_____ Observer.

Form 0111.

TELEPHONES :—

AIR MINISTRY—
Regent 8000.

SOUTH KENSINGTON—
Kensington 5810.

62, CAMDEN SQUARE—
(British Rainfall)
North 142.

47, VICTORIA STREET—
(Atmospheric Pollution)
Victoria 4158.

KEW OBSERVATORY—
Richmond 229.

METEOROLOGICAL OFFICE.
AIR MINISTRY.

MINUTE SHEET.

To be used for Memoranda to be filed locally.

Memoranda passing to other establishments should be copied.

FILE

METEOROLOGICAL OFFICE
29 APR 1921

Mr. Bracey.

Would you mind confirming the enclosed copy of the rainfall at Aberystwyth in February 1920. The observer sends us 2.12 and this seems to be in good accord with other stations.

The daily values you send add to 2.81 inches.

Enc.

Carle Salter

SUPERINTENDENT.

BRITISH RAINFALL ORGANIZATION.

28th April 1921.

Mr Salter.

The observer made a muddle of his February return, and although he took the trouble to make his meaning clear our copyist has not caught at the observer's intention.

In addition to this the observer seems to have wandered into a mistake in copying the amounts on your form C 1.

The daily values as sent to us or enclosed. I regret any unnecessary trouble to which you have been put.

C.A. Bracey
29/4/21

ABERYSTWYTH
GOGERDDAN

CARDIGANSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

19 JAN 1922

RE

Kept at Aberystwyth

in the County of Ca

by Mr. W. Penur

in.

nd ft.

Level ft.

ce Direction

IMPORTANT NOTE result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14		.10	.03	.01	.14			.45	.09	1
2	.01		.25	.06	.13			.15		.33	.14	.04	2
3			.15		.83			.23	.07	.02	.26	.28	3
4			.43		.02			.59			.53	.18	4
5	.27		.07	.04				.55		.09			5
6	.15		.07					.54			.30	.34	6
7	.08		.01								.55	.01	7
8	.96		.25								.60	.17	8
9	.08		.03								.46	.06	9
10	.17	.74	.19									.58	10
11	.26		.04		.13				.06	.01	.17	.19	11
12		.09	.67		.02				1.47		1.40	.03	12
13			.02	.24	1.58						.07	.19	13
14	.03	.23			.04						.01	.32	14
15	.02	.23	.04		.01						.35	.10	15
16	.02	.03	.01			.30					.17	.07	16
17	.01					.69		.12			.70	.28	17
18		.41		.15		.81				.08	.55	.43	18
19		.03		.26		.04	.01		.32	.08	.21	.74	19
20		.08		.07				.15	.09	.09		.09	20
21		.36	.03	.19		.05	.26	.34	.07	.85		.03	21
22		.11		.03		.06			.09	.53		.32	22
23	.01	.05			.05	.03		.24	.32	.74		.38	23
24	.05	.25		.13	.03	.65		1.09	.04	.78		.30	24
25				.50		.15		.05	.12	.28		.20	25
26	.12	.23		.43		.01		.09	.03	.20	.07	.17	26
27	.02	.54	.02	.04				1.27	.72		.05	.27	27
28		.40		.13		.16		.36	.01		.03	.03	28
29						.31	.32		.37	.90		.11	29
30			.14	.03		.05	.05			.42		.03	30
31			.03				.20			.05		.15	31
Total	2.26	3.78	2.59	2.30	2.94	3.34	.85	5.91	3.78	5.45	7.07	6.18	TOTAL for year 46.45
No. of Rain Days	16	15	19	14	11	14	6	15	14	16	20	30	190

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

RE[redacted]

Kept at Aberystwyth Togerddan

in the County of Cardigan 2

by Wm W Penwill

RAIN GAUGE { Diameter of top ..... in. / Height of top above Ground ..... ft. / " " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... / Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14		.10	.03	.01	.14			.45	.09	1
2	.01		.25	.06	.13			.15		.33	.14	.04	2
3			.15		.83			.23	.07	.02	.26	.28	3
4			.43		.02			.59			.53	.18	4
5	.27		.07	.04				.55		.09			5
6	.15		.07					.54			.30	.34	6
7	.08		.01								.55	.01	7
8	.96		.25								.60	.17	8
9	.08		.03								.46	.06	9
10	.17	.74	.19									.58	10
11	.26		.04		.13				.06	.01	.17	.19	11
12		.09	.67		.02				1.47		1.40	.03	12
13			.02	.24	1.58						.07	.19	13
14	.03	.23			.04						.01	.32	14
15	.02	.23	.04		.01						.35	.10	15
16	.02	.03	.01			.30					.17	.07	16
17	.01					.69		.12			.70	.28	17
18		.41		.15		.81				.08	.55	.43	18
19		.03		.26		.04	.01		.32	.08	.21	.74	19
20		.08		.07				.15	.09	.09		.09	20
21		.36	.03	.19		.05	.26	.34	.07	.85		.03	21
22		.11		.03		.06			.09	.53		.32	22
23	.01	.05			.05	.03		.24	.32	.74		.38	23
24	.05	.25		.13	.03	.65		1.09	.04	.78		.30	24
25				.50		.15		.05	.12	.28		.20	25
26	.12	.23		.43		.01		.09	.03	.20	.07	.17	26
27	.02	.54	.02	.04				1.27	.72		.05	.27	27
28		.40		.13		.16		.36	.01		.03	.03	28
29						.31	.32		.37	.90		.11	29
30			.14	.03		.05	.05			.42		.03	30
31			.03				.20			.05		.15	31
Total	2.26	3.78	2.59	2.30	2.94	3.34	.85	5.91	3.78	5.45	7.07	6.18	TOTAL for year 46.45
No. of Rain Days	16	15	19	14	11	14	6	15	14	16	20	20	190

9,000, IX. '10.

82

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Aberystwyth, Gogerddan

in the County of Cardigan 2

by W. Penwill

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level 83 ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14		.03	.39	.02	.29	.02			.13	1
2	.03	.08	.49	.18		.58		.01					2
3	.40		.04	.04				.47	.17		.03	.15	3
4	.65		1.06	.03				.40			.68		4
5	.28	.08	.52		.05	.02		.12	.02	.04		.02	5
6	.09	.12			.15			.04		.03	.05	.13	6
7		.16	.05		.21	.44	.17	.10	.02		.05	.08	7
8	.36	.05	.34	.03	.10	.21		.17	.05		.12	.02	8
9	.01	.09	.12	.16	.01	.33	.02	.18			.10	.22	9
10	.29					.25	.13		.01		.15	.01	10
11					.04		.08				.61	1.08	11
12			.80	.18			.24	.04			.05	.03	12
13	.12		.03			.05	.03	.10		.38	.03	.89	13
14	.07	.33	.90					.45	.08	.02		.31	14
15	.02		.08		.04	.33		.09			.03	.21	15
16	.18	.42	.32		.06	.02		.20		.24			16
17	.20	.26	.10			1.41		.79		.01	.48	.93	17
18	.06	.12	.13					.07		.32	.23	.08	18
19		.20	.05			.06		.80		.24	.02	.03	19
20		.03	.15		.12			.02		1.35	.36	.02	20
21		.11	.47		.22		.01	.57		.49	.06	.39	21
22	.03	.30	.17		.03	.04	.14	1.31		.03	.03	.30	22
23	.01		.38			.24	.03	1.78		.11	.66	.18	23
24		.13	.50			.20				.05		.17	24
25			.09			.23		.57		.05	.47	.72	25
26		.09	.13				.16	.47		1.18	.34	.23	26
27		.15	1.05			.48	1.09			.64	.15	.57	27
28		.04	.02			.43	1.51	.36	.05	.60	.88	.02	28
29		.01	.30			.01	.24	.07	.18	.45		.05	29
30			.18	.03	.04	.06	.08			.51	.03	.05	30
31	.03		.41		.22		.67	.12		.10		.10	31
Total	2.83	2.77	9.02	.65	1.32	5.78	4.62	9.59	.60	6.84	5.61	7.12	TOTAL for year 56.75
No. of Rain Days	17	19	28	7	14	20	16	26	9	20	23	25	227

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 1/26

22 JAN 1914

Kept at Gogerddan, Aberystwyth

in the County of Cardigan

by W. Penwill

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.21	.07	.15	.23					.02		.28	.02	1
2		.21	.22	.06	.18	.10				.22	.23	.20	2
3			.21		.71					.42		.29	3
4	.44	.04	.17		.04	.02			.10	.29	.10	.22	4
5	.37	.11	.11		.43	.38	.32			.65	.15	.02	5
6	.05	.16	.20		.09	.54	.17			.01	.05	.49	6
7	.01	.11	.07		.17	.69	.02			.22	.14	.03	7
8		.31	.09		.26	.15	.10	.21		.03		.05	8
9		.33	.27	.12	.06	2.10	.06	.06	.18		.11	.32	9
10	.05		.18	.08	.09		.01	.50	.11		.14	.01	10
11	.43			.60	.13	.02	.01	.01	.03	.53	.53	.20	11
12	.07		.01		.03	.16	.08	.03	.52		.97	.04	12
13	.12		.91		.23		.57	.07	.48	.03	.33		13
14			.42	.33				.03	.16	.84	.25	.22	14
15	.21	.05	.41	1.33				.10	.20		.15	.12	15
16	.37		.68	.15			.10				.19	.01	16
17	.38		.12	.29			.88				.18		17
18	.03		.21	.15	.14	.11	.24				.33		18
19	.34		.08		.12	.52	.03		.32	.36	.13		19
20	.84		.18	.27	.04	.02			.07	.07	1.22		20
21			.18	.14	.47	.03	.21	.35		.10	.11		21
22	1.15		1.00		.16	.33		1.76	.97			.02	22
23	.09		.01		.02	.03		.01	.38		.51	.04	23
24	.55			.20		.02					.13		24
25				.33					.42	.05	.10	.03	25
26		.03		1.22		.11			.40	.04		.45	26
27	.10		.01	.18						.11	.02	.09	27
28	.21		.01	.13	.20					.25	.02	.30	28
29	.01		.16	.95	.42			.03		.28	.14	.04	29
30	.55		.01	.04						.35	.51		30
31	.20		.20		.61					.03			31
Total	6.78	1.42	6.27	6.80	4.60	5.33	2.80	3.16	4.36	4.88	7.02	3.21	YEAR'S TOTAL 56.63
Rain Days.	23	10	27	19	21	17	14	12	15	20	26	22	226

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

21 JAN 1915

Kept at Gogerddan

in the County of Cardigan

by W. Penwill

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08	.02		.29	1.16	.37		.08		.15	1
2	.01	.03					.58	.21		.04	.14	.39	2
3	.03		.71	.04	.76			.01		.01		1.25	3
4	.50		.14	.06	.03		.36	.03			.24	.38	4
5	.04		.53	.05	.78		.05				.23		5
6		.14	.10	.01	.14	.09	.03	.04			.06	.38	6
7	.07	.07	.55	.02	.07	.07	.55	.22	.13	.02		.24	7
8	.65	.05	.02	.01	.47	.09	.29	.57		.04	.02	.02	8
9	.92	.09	.04	.08	.30	.32		.60	.09		.40		9
10	.13	.12	.20	.11	.07	.10			.37		.02		10
11		.25	.34	.03		.06	.09		.07		.36	.35	11
12		.62	.28						.64		.78	.01	12
13		.28	.32	.04	.01		.03		.50	.08	.27	.14	13
14		.83	.15						.10	.01	.25	.08	14
15		.03	.35						.11		.10	.23	15
16		.06	.07				.19		.22			.02	16
17		.84	.48				.18		.22			1.28	17
18		.02	.10				.04		.20			.09	18
19		.15	.15				.25		.09		.12	.34	19
20		.37	.75			1.08	.05					.18	20
21		.09				.04	.03			.07		.05	21
22		.52	.03	.16	.10	.05	.08	.34		.06			22
23		.03	.13				.07	.01		.07	.03		23
24	.12		.24	.01			.09	.11		.01	.34		24
25	.34	.05	.03				.22	.73		.48	.03	.40	25
26	.02	.02					.60	.02		.15	.42	.41	26
27	.29	.02								.25	.52	1.62	27
28	.09	.18	.10		.13			.02		.04	.02	.74	28
29	.18		.02		.07			.27		.03	.22	.03	29
30			.20					.54			.51	.50	30
31	.31		.21		.10		.66	.03		.10		.29	31
Total	3.70	4.86	6.32	.66	3.03	2.19	5.60	4.12	2.74	1.54	5.08	9.57	YEAR'S TOTAL 49.41
Rain Days.	15	23	27	13	13	10	21	17	12	17	21	25	214

W.7,000, XI. 13

4092 1/26

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Gogerddan, Aberystwyth

in the County of Cardigan

by W. Penwill

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.25			1.31		.01	.73	.33	.35		.11	1
2	.14	.34	.66	.71		.02	.10	.19	.08	.05		.07	2
3		.04	.38	.19	.06		.16	.02				.13	3
4	.50	.30	.02		.17							.74	4
5		.32	.06		.03	.26		.03	.03			.60	5
6	.73	.01	.05	.29			.28	.20			.04	.22	6
7	.65	.88					.32	.12		.12	.01	.16	7
8	.23	.33						.20		.10	.85	.02	8
9	.27	.70		.41				.07			.15	.78	9
10	.63	.04	.23	.16				.05		.02	.03	.04	10
11	.04		.13		.04			.10			1.50	.02	11
12	.48	.05		.20	.02					.17	.62	.17	12
13	.03	.09		.01	.10			.02	.21	.10	.08	.14	13
14	.18	.40		.03				.18	.14	.02	.06	.43	14
15	.43	.05		.02	.16		.23	.02	.22		.08	.02	15
16	.09	.33		.07	.30		.39	.30	.03			.24	16
17	.11	.30			.38							.01	17
18	.04	1.00	.18				.02						18
19	.01			.24	.15		.48						19
20	.85	.05		.05						.08		.89	20
21	.42	.23		.04	.11		.33			.03		.88	21
22	.08	.05	.13		.07	.12	.10		.07	.08		.12	22
23		.19	.09	.04		.30	.04		.04	.71		.42	23
24				.03			.10		.15	.18		.31	24
25						.30	.06		.17		.19	.04	25
26		.15				.08	.22		.19			.56	26
27		.17				.10	.25		.05	.45		.38	27
28		.04				.38	.06	.12	.17	.15		.06	28
29					.02	.17			.15		.24	.07	29
30	.40	X		.40			.02		.02	.08	.03	.24	30
31		X		X		X	.14	.21	X	.02	X	.40	31
													YEAR'S TOTAL
Total	6.71	6.31	1.93	2.89	2.92	1.73	3.31	2.56	2.05	2.71	3.88	8.27	45.27
Rain Days.	21	24	10	16	14	9	19	16	16	17	13	29	204

W. 8,000. X. 14.

8/-

4021

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

20 JAN 1917

Kept at Gogerddan

in the County of Cardigan

by W. Penwill.

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.06	.13				.29	.06		.32	.22		1
2	.21	.43	.13		.09	.07	.11		.50	.82	.10		2
3	.01	.33		.19	.09	.22	.21			.44	.07	.20	3
4	.29	.49	.04	.04	.34	.78	.01		.23		.08		4
5	.19	.22	.22		.03	.20	.03			.78	.07		5
6	.31	.25			.28		.18			.23	.17	.10	6
7	.05	.04	.04		.51					.31	.53	.44	7
8	.09	.01	.01	.03	.27	.26	.03			.26	.05	.04	8
9	.14	.07			.04	.20			.22		.03	.16	9
10	.03	.43		.16	.02	.09	.06			.08	.05		10
11	.10	.11		.40	.13	.02	.01		.16		.11		11
12	.05	.19		.04	.60		.62	.12	.13	.12			12
13	.02	.37	.15	.01	.04		.03	.34		.20			13
14	.07	.44		.01	.29			.17		.13			14
15	.06	.47	.10	.30	.30		.08	.11	.02	.10			15
16	.01			.99	.09		.11	.05		.34			16
17	.33	.33		.21					1.71	.33		.22	17
18	.01	.30	.06	.37				.02	.18	.04	.15	.73	18
19	.23		.27	.38				.27			.20	.16	19
20	.21	.03	.55	.53							.30		20
21	.14		.16		.17	.04					.09	.28	21
22					.02	.14		.02		.10	.12	.09	22
23	.12	.02	.10	.10				.26		.22		.46	23
24	.01	.02	.10	.06	1.63	.02		.32		.24	.50	.04	24
25	.10		.21		.55	.04		.20	.08	.14	.09	.11	25
26	.23		.08		.06	.31			.13	.05	.02		26
27	.01		.16		.11			.02	.62	1.75		.05	27
28		.20	.01							.20	.02	1.09	28
29		.04				.31		.07		.16		.25	29
30		X				.10				.17	.03	.17	30
31		X		X	.07	X		.18	X	.90	X	.03	31
Total	3.31	4.85	2.52	3.82	5.73	2.80	1.67	2.21 2.20	3.98	8.43	3.00	4.62	YEAR'S TOTAL 46.94 46.96
Rain Days.	26	22	18	16	22	15	13	16	11	25	21	18	222

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Tegerddan

in the County of Cardigan

by R. Winstanley

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.27	.08		.13		.05	.11		.17	.26	1
2	.02			.34		.15				.07	.17	.05	2
3	.28	.10				.05				.56		.10	3
4		.20		.04					.04	.61	.05	.02	4
5	.67		.08	.10		.02			.53	.66	.16		5
6			.06	.05		.43				.28	.21	.19	6
7	.77					.03	.06	.15		.06	.21	.23	7
8	.09		.03	.12		.02	.37	1.04	.21	.77	.72	.22	8
9			.05	.14				.75	.01	.50	.45		9
10	.30		.60	.18	.12			.09		.13			10
11	.06			.08				.73		.27	.19		11
12	.29		.10	.25	.85			.71	.04	.38		.10	12
13			.02	.09		.03		.98	.96	.11	.25	.10	13
14				.05	.20			.07		.20		.15	14
15				.11	.03		.11		.02	.23	.05	.55	15
16		.20		.21				.14	.07	.06	.04	.29	16
17			.20	.74			.87	2.65	.15	.24	.15		17
18		.03	.09	.31	.02		.10		.80	.05			18
19		.82	.09	.02		.38			.04		.03		19
20		.35			.39	1.09			.15		.31		20
21		.02	.03			.02		.10	.02	.20	.12		21
22		.17						.78	.71	.43	.08		22
23		.17			.27	.17	.03	.13		.09	.04	.10	23
24		.18	.09			.15	.02	.13		.58	.10	.11	24
25		.32	.07				.02	.36	.21	.05	.20		25
26					.50		.15	.11	.50	.29	.82		26
27			.07		.30	.70	.40	.38		.25			27
28		.14	.18		.22		.10	.98		.05	.02		28
29			.12					.06		.56		.04	29
30		X	.02					.57		.09	.19		30
31		X	.25	X	.09	X		.56	X	.02	X		31
Total	2.48	2.70	2.42	2.91	2.99	3.37	2.23	11.52	4.57	7.79	4.73	2.51	YEAR'S TOTAL 50.22 ~~50.19~~
Rain Days.	8	12	19	17	11	14	11	22	17	28	23	15	197

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 22.1.19

Kept at Gogerddan, Aberystwyth

in the County of Cardigan

by D. Winstanley

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06		.04	.09			.09	.15	.06	.48		1
2		.01		.05				.08	.03	.03	.20	.87	2
3					.46			.94	1.21	.25	.07	.03	3
4	.09	.17						.05	.20	1.18	.31	.22	4
5		.27		.44	.88			.58	.03	.59	.17		5
6		.83		.12		.38			.08	.55			6
7		.28		.09	.27			.02	.50	.57	.22	.08	7
8	.24	.15				.17	.62		.22	.05	.06		8
9	.02	.48		.05		.67	.45		1.00	.59	.09	.28	9
10	.02	.18					.25		.23	.14	1.05	.35	10
11	.04	.04	.20		.06		.27		.68			.66	11
12		.25			.23	.03	.03		.03			.04	12
13		.03			.10	.04			.27	.05		.10	13
14	.61						.38		1.10	.06		.63	14
15	.15						.75		.57	.21		.62	15
16	.12					.13	.25	.08	.25	.18		.10	16
17	.36					.07	.37	.05	.06	.07		.32	17
18	.83	.11	.12			.25	.03		.42		.05	.80	18
19	.06	.31	.14	.23			.30					.16	19
20	.16	.16		.20	.10	.17	.01	.05	.25				20
21	.09	.17		.06		.10	.17		.80			.20	21
22	.04				.95		.35	.06	.20			.50	22
23	.21				1.68		.20		.22		.10	.20	23
24		.37				.05		.20	.43	.14	.25	.35	24
25		.05			.21		.32	1.02	.11	.18	.11	.20	25
26	.12	.10					.10	.02	.20	.11	.06	.35	26
27		.10	.85			.12		.50	.27		.69	.13	27
28		.05	.38						.02		.58	.30	28
29			.30						.33	.04		.29	29
30			.29					.13	.04	.04	.12	.31	30
31			.96					.10		.22		.10	31
Total	3.16	4.17	3.24	1.28	5.03	2.18	4.85 5.05	3.97	9.90	5.31	4.61	8.09	YEAR'S TOTAL 55.79 55.99
Rain Days.	16	21	8	9	11	12	17	16	29	21	17	26	203

W. 8,000, VIII. 16

end for month Nov + Dec est

3663

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Gogerddan, Aberystwyth

in the County of Cardigan

by R. Winstanley

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50		.09		.20		.12		.18	.35			1
2	.14		.25						.14				2
3	.05				.16	.13		.04		.05			3
4	.08	.17	.40			.03	.05	.37	.04				4
5	.16	.32		.09	.05				.12				5
6			.67						.10				6
7	.03		.21	.28		.02			.13				7
8	.30		.11	.04		.20			.03				8
9	.45		.02	.21									9
10	.33		1.33	.06	.13					.26			10
11	.09		1.97	.15	.03	.03	.18			.12			11
12	.12		.23	.06		2.95				.29			12
13	.43						.39			.34			13
14	.50			.55	.04		.25			.27			14
15	.27			.10	.04			.02		.18			15
16	.04	.40				.19	.05						16
17		.50	.08	.35		.41	.13	.85					17
18	.06		1.53		.02		.15	.82	.14				18
19	.15	.52	.53			.49		.14	.30				19
20	.38	.16	.02		.02				.40				20
21	.03	.20			.07		.69		.26				21
22		.35				.06	.03		1.06				22
23				.03		.03		.04		1.86			23
24	.11				.54	.08			.05	.08			24
25	.40			.08				.90	.35	.03			25
26	.12		.28	.73		.27		.28	.25				26
27	.37		.11	.34				.25					27
28	.55		.09					.51					28
29			.12	.09		.02		.21	.08				29
30		X		.61		.11		.06					30
31		X	.53	X		X	.58	.03	X		X		31
Total	5.66	2.62 2.72	8.57	3.77 3.74	1.30	5.02	2.62	4.52	3.63	3.83	(3.00)	(8.00)	YEAR'S TOTAL (52.54)
Rain Days.	24	8	19	16	11	15	11	14	16	11			

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aberystwyth, Gogerddan

in the County of Cardigan

by T. J. Reeves.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09	.08	.30		.30		.35				1
2				.44	.09		.64		.79	.29		.17	2
3				.03	.06		.05		.32			.14	3
4							.40	1.07	.22	.87			4
5					1.10			.13					5
6			.15	.16	~~.10~~			~~.04~~					6
7			.40	.17	.38		~~.04~~						7
8			.20	.71			1.14	.47					8
9				.71	.57		1.10				.53		9
10			.28	.72									10
11			.33			.86	.11				.17		11
12			.16	.02	.49		.10						12
13			.02	.59		.14							13
14			.78	.09			.18		1.90	.70	.23		14
15			.72	.10		.31					.60		15
16			.02	.58				.36	1.08	.76			16
17			.61	.48	.44				.10				17
18				.09	.54	.20	.05		.39				18
19				.35	.45		.19						19
20				.42					.24				20
21				.11			.58						21
22				.03			.22	.63				.14	22
23				.10			.23						23
24			.23	.06		.11	.04					1.00	24
25			.77	.10			1.02						25
26			.05				.70						26
27			.78	.26		.99	.04				.14		27
28			.60	.28		~~.40~~	.06					.39	28
29			.39	.	.29		1.36				.15	.65	29
30		~~X~~	.23	.76	.43		.04		.79		.51	.36	30
31		~~X~~	.80	~~X~~	.34	~~X~~			~~X~~	.52	~~X~~	.21	31
TOTAL	(3.80)	(2.50)	~~.64~~ .25 ~~1.75~~	~~7.65~~ 7.44	~~5.48~~	2.65 ~~3.01~~	8.55	2.66	6.18	3.14	2.33	3.06	YEAR'S TOTAL (55.54)
Days with .01 in. or more			20	25	13	7	21	5	10	5	7	8	

(44283) Wt.21,958—218. 7500. 10/19. Gp.1622. A.&E.W.

84 18 22 13 7 21 5 10 5 7 8

Form A2
British Rainfall
26 JAN 1912

REG ... 1911

BIRMINGHAM. W.W
ABERGWNGU
1911 –

Kept at Abergwngu...

in the County of ...

by E. A. Lees

...er of top ... in.

...of top above Ground ... ft. ... in.

... „ Sea Level ... ft.

...tion ...

Station { Name ...
Distance ... Direction ...

IMPORTANT NOTE.— ... a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		1.70				.05				.30		1
2			.35		.30			.15		.05	.20	.35	2
3			.05	.05	.80			.30			.45	.30	3
4			.30		.10			.70			.80	.50	4
5	.30		.20					.30		.30	.20	.10	5
6	.20		.05					.45			.35	.85	6
7	.05										.50	.05	7
8	.85		.40								.35	.55	8
9	.05		.10								.30	.45	9
10	.10	.25	.40								.05	1.55	10
11	.45	.05	.05		.10				.10		.25	.40	11
12			.40					.05	2.15		2.95	.05	12
13			.05							.05	.40	.35	13
14		.35									.20	.55	14
15	.10	.25									.70	.20	15
16		.25				.50					.15	.25	16
17		.15				1.05		.05			.40	.70	17
18		.90	.05	.50		.45		.05			.25	.75	18
19		.05		.60		.55	.15		.75	.40	.10	.70	19
20		.10		.20		.05		.35	.90	.15		.40	20
21		.85	.05	.05		.10	.15	.25	.05	.90		.30	21
22		.10		.20		.15			.05	.90		.25	22
23	.05	.10	.05		.20	.10			.45	.40		.25	23
24	.25	.30		.05		.55		.30		1.00		.20	24
25	.25	.20		.40		.20	.20	.05	.20	.15		.80	25
26	.05	.30		.65				.15	.10	.55	.05	.25	26
27		.30	.05	.50				1.05	.70	.05	.10	.45	27
28		.70		.40		.15			.05			.20	28
29						.65	.60	.05	.80	.70		.30	29
30			.10			.15			.15	.50	.10		30
31					.05		.05			.10		.05	31
Total	2.75	5.20	4.35	3.60	1.55	4.65	1.20	4.25	6.45	6.20	9.15	12.10	TOTAL for year 61.45
No. of Rain Days	13	17	17	11	6	13	6	15	13	15	22	29	177

9,000, IX. '10.

DS

REG[illegible] 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Abergwngu *in the County of* ~~Radnor~~ Cardigan *by* E. A. Lees

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		1.70				.05				.30		1
2			.35		.30			.15		.05	.20	.35	2
3			.05	.05	.80			.30			.45	.30	3
4			.30		.10			.70			.80	.50	4
5	.30		.20					.30		.30	.20	.10	5
6	.20		.05					.45			.35	.85	6
7	.05										.50	.05	7
8	.85		.40								.35	.55	8
9	.05		.10								.30	.45	9
10	.10	.25	.40								.05	1.55	10
11	.45	.05	.05		.10				.10		.25	.40	11
12			.40					.05	2.15		2.95	.05	12
13			.05							.05	.40	.35	13
14		.35									.20	.55	14
15	.10	.25									.70	.20	15
16		.25				.50					.15	.25	16
17		.15				1.05		.05			.40	.70	17
18		.90	.05	.50		.45		.05			.25	.75	18
19		.05		.60		.55	.15		.75	.40	.10	.70	19
20		.10		.20		.05		.35	.90	.15		.40	20
21		.85	.05	.05		.10	.15	.25	.05	.90		.30	21
22		.10		.20		.15			.05	.90		.25	22
23	.05	.10	.05		.20	.10			.45	.40		.25	23
24	.25	.30		.05		.55		.30		1.00		.20	24
25	.25	.20		.40		.20	.20	.05	.20	.15		.80	25
26	.05	.30		.65				.15	.10	.55	.05	.25	26
27		.30	.05	.50				1.05	.70	.05	.10	.45	27
28		.70		.40		.15			.05			.20	28
29						.65	.60	.05	.80	.70		.30	29
30			.10			.15			.15	.50	.10		30
31					.05		.05			.10		.05	31
Total	2.75	5.20	4.35	3.60	1.55	4.65	1.20	4.25	6.45	6.20	9.15	12.10	TOTAL for year 61.45
No. of Rain Days	13	17	17	11	6	13	6	15	13	15	22	29	177

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

499
FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Abergwngy

in the County of Cardigan 5

by E. A. Lees

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, ,, Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.40			.30	.10	.40	.10			.30	1
2	.05	.05	.60	.15	.05	.60	.10					.05	2
3	1.00		.15			.10		.60	.65		.05	.30	3
4	1.80		1.65	.10	.10	.35		1.10			.60		4
5	.70		.80	.05	.10			.30	.06			.10	5
6	.50	.20	.05		.10			.05				.05	6
7	.10	.40	.30		.35	.35	.20	.40	.20		.05	.10	7
8	.45	.25	.35	.15	.05	.15		.05	.15				8
9	.10	.30	.15	.30		.15	.05	.55			.15	.25	9
10	.35	.05				.50		.10			.85		10
11		.05									.50	.95	11
12		.10	.75	.05		.10	.15				.15	.10	12
13	.05					.10		.40		.25		1.70	13
14	.05	.05	.90			.15		.50				.80	14
15	.45	.05	.20		.35	.80		.15			.05	.60	15
16	.35	.20	.50		.10			.10		.45	.05	.15	16
17			.15		.05	1.00		.30			.25	1.40	17
18	.05	.20	.50					.50		.70	.15	.15	18
19	.05	.25	.10			.20	.20	.65		.40	.05	.10	19
20		.05	.20		.10			.20		1.10	.80	.05	20
21		.05	.60		.20			.65		.05		.20	21
22	.10	.35	.10		.50	.05	.20	1.30		.75	.05	.20	22
23	.05	.10	.50			.20	.15	1.80		.10	.55	.35	23
24			.15		.05	.40					.05	.35	24
25			.05			.30		.85			.90	.80	25
26		.25	.30				.30	.60		1.20	1.10	.25	26
27		.10	.80			.55	.90			1.00	.20	.55	27
28		.15	.05			.30	1.20	.30	.20	.35	.50	.05	28
29		.15	.20			.05	.65	.75	.30	.10			29
30			.20		.05	.10	.10			.70		.10	30
31	.05		.20				.80	.25		.10		.20	31
Total	6.25	3.35	10.90	.80	2.15	6.80	5.10	12.85	1.65	7.25	7.05	10.20	TOTAL for year 74.35
No. of Rain Days.	18	21	28	6	14	22	14	25	7	14	20	27	216

W. 8,000. X. '11.

D2 ✓ and for S 23.11.14 Ex D2

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 500

31 JAN 1914

Kept at Abergwngy

in the County of Caerdigan 5

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.30	.20	.15	.05						.15	.05	1
2	.05	.15	.20		.10	.05			.05	.70	.30	.20	2
3	.10		.50		.35				.05			.55	3
4	.65	.15	.20						.35	.40	.15	.70	4
5	.30	.20	.25		.20	.35	.15			.75	.15	.06	5
6	.20	.15	.40		.15	.40	.05			.25	.15	.50	6
7	.05	.60	.15		.35	.40				.70			7
8		.20	.05		.40	.05	.10	.35	.05			.10	8
9		.60	.50	.05	.20	2.00	.10				.50	.36	9
10	.30		.30	.05	.10		.05	.70		.15	.20		10
11	.50			1.20	.10	.10		.05	.05		.60	.20	11
12					.15	.10	.10		.15		1.55	.15	12
13	.05		.65	.05				.10	1.05		.40		13
14	.30		.40	.40			.05	.05	.10	.55	.35	.10	14
15	(.55)		~~.45~~ (1.60	1.25				.10	.35		.70	.10	15
16	.10		.10)	.15			.15				.45		16
17	.20		~~.05~~	.45			.70				.25		17
18	.20		.65	.65	.10		.10				.25		18
19	.45		.05		.15	.35			.25	.30	.25		19
20	.30		.30	.30	.05					.15	1.40		20
21			.25	.20	.40			.10			.10		21
22	1.80		.85		.40	.40	.05	.90	.80				22
23	.10				.05	.05		.30	.25		.20	.05	23
24	.70			.10	.05						.15	.10	24
25		.05		.30					.15		.20	.40	25
26		.05		1.60		.10			.15	.25	.05	1.15	26
27	.05		.10	.40						.45		.15	27
28			.15	.30	.20					.40		.10	28
29			.20	.40				.05		.40	.25		29
30	.45		.10	.20	.10					.10	.75		30
31	.10		.30							.10			31
Total	(7.70)	2.45	(8.35)	8.20	3.65	4.35	1.60	2.70	3.80	5.65	9.50	5.00	YEAR'S TOTAL (62.95)
Rain Days.	23	10	25	19	20	12	11	10	14	15	24	18	201

(7.70) (8.35) (62.95)

W. 7,500; XI. 12

Aberguingy dates 23.IV.15

REGISTER OF RAINFALL IN 1914

483

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at Aberguingy

in the County of Cardigan

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.05	.30	.05		.15	.30	1.00			.20	.05	1
2	.05	.05	.10				.60	.10			.05	.85	2
3	.30		1.80	.10	.25			.90		.05		.80	3
4	1.35		.50	.25	.45		.25				.70	.50	4
5	.15		.90	.65	.85							.05	5
6	.20	.10	.15	.05	.30	.05	.25	.20			.10	.20	6
7	.15	.25	1.05	.05	.50	.05	.40	.15			.05	.30	7
8	.95	.05	.05		.80	.45	.10	.55	.05	.05	.05	.20	8
9	.80	.10	.05	.35	.30	.75		.70	.10		.30		9
10	.10	.35	.20	.20	.05	.30			.30				10
11		.40	.55	.05	.10	.10			.25		1.10	.55	11
12		1.10	.35						.60		1.10	.15	12
13		.45	.55	.10					.75		.60	.10	13
14		.65	.30				.05		.20	.20	.30		14
15		.05	.80				.15		.25	.05	.20	.30	15
16		.10	.20				.05		.30			.10	16
17		.80	.25				.15		.90			1.10	17
18		.10	.10						.15			.20	18
19		.15	.05				.70		.25		.15	.55	19
20		.60	.20			.60						.20	20
21		.30					.10			.20			21
22		.40	.05	.10	.10	.25				.20			22
23		.05	.20				.30	.25					23
24			.55				.40			.10	.15		24
25	.35		.10			.10	.55	.90		.65	.05	.25	25
26	.15						(.55)			.30	.80	.60	26
27	.15	.05						.20		.50	1.00	.90	27
28	.45	.20	.15		.20				.05		.05	.50	28
29	.35		.10					.05		.20	.50	.15	29
30			.50	.10				.05			.60	.85	30
31	.40		.10				.30			.30		.30	31
Total	5.95	6.40	10.20	2.05	3.90	2.80	(5.20) 4.70	5.05	4.15 4.45	2.80	8.05	9.75	DAYS. TOTAL 66.30 65.80
Rain Days.	16	22	28	12	11	10	17	12	13	12	20	24	197

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Abergwngy

in the County of Radnor Cardigan

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.90	.35	.50		1.00			.60	.05	.45		.30	1
2	.25	.40	.50	.45		.10	.05	1.05	.05	.05		.20	2
3		.40	.25	.55			.10	.10				.35	3
4	.30	.40			.20							1.25	4
5	.10	.70	.35	.05		.10		.10				1.00	5
6	.45	.05	.15	.35			.10	.40				.35	6
7	.90	.90		.05	.45		.70	.15				.70	7
8	.75	.40		.10				.20			.90		8
9	.25	.40		.75			.10				.70	1.10	9
10	1.25			.15			.10			.10	(.50)	.15	10
11	.25			.15	.05		.05	.25		.20	1.50	.10	11
12	.45				.30						.40		12
13	.10	.25		.05	.30			.40			.20	.15	13
14	.50						.05	2.25	.10			.65	14
15	1.50				.40		.20	.45	.15		.15	.25	15
16	.10	.70			.30		1.05	.15	.10			.10	16
17		.95	.05		.70								17
18	.05	1.15	.05				.05	.15					18
19	.05	.15	.10	.45	.10		.30						19
20	1.40						.25					.60	20
21	.30		.15		.20		.40			.20		.35	21
22	.05	.10					.20					.40	22
23		.10	.30			.15	.10			.70		.45	23
24				.05		.05	.05		.10	.40		.75	24
25						.65	.40				.10	.25	25
26		.35					.35					.65	26
27		.10					1.05			.40		.50	27
28		.35				.15	.15	.15	.20	.25			28
29						.50			.20		.20	.15	29
30	.20	X		.40		.45		.05		.45	.20	.50	30
31	.10	X		X		X	.20	.25	X	.20	X	.55	31
Total	10.20	8.20	2.40	3.55	4.00	2.15	6.00	6.70	.95	3.40	(4.85)	11.80	YEAR'S TOTAL 64.20 / 63.70
Rain Days.	22	19	10	13	11	8	22	16	8	11	9	25	174

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL 30 JAN 1917

Kept at Abergwngy

in the County of Cardigan

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.15	.05		.05	.30	.30			.35	.30		1
2	.80	.55	.10			.05	.65		.35	.95	.30		2
3		1.00				.20			.75	.55	.15	.10	3
4	.65	.25			.30	.75	.25		.15	.15	.45		4
5	.20	.15			.05	.45				.55	.45		5
6	.60	.50	(.25)		.10	.10	.70			.35	.25		6
7	.25	.05			.40	.20				.55	.35	.20	7
8		.05			.45	.30	.05			.20	.10	.10	8
9	.10	.15			.10	.30					.05		9
10	.15	.30		.30	.05	.10	.10						10
11	.40	.10		1.20	.10		.10		.10				11
12	.15	.30	.05	.40	.30		.50	.35	.15	.40			12
13	.05	.25	.20	.40			.10	.50	.05	.30			13
14	.10	.35	.10	.05	.20			.90		.20			14
15		1.10	.20		.10		.05	.60	.10	.25			15
16				.80			.05			.20			16
17	.20	.50		1.50				.05	1.65	.55			17
18	.05	1.10	.20	1.75					.60	.15	.10	.20	18
19	.60		.40	.35				.25			.35		19
20	.30	.05	.30	.35							.30	.30	20
21	.70		.15	.20		.05					.15		21
22				.05		.05				.40		.05	22
23	.15			.35		.05		.30		.20	.15	.40	23
24		(.75)	.05		1.40			.20		.40	.10	.10	24
25	.05		.50		.55	.10		.35		.10	.70	.15	25
26	.30		.20		.25	.30		.30	.35	.40	.05		26
27		.05	(.55)			.15		.25	.40	1.50			27
28	.05	.10				.05				.40	.20	1.40	28
29		.10			.30	.65		.10		.30		.80	29
30		X				.15		.10		.70		.25	30
31		X		X	.05	X		.30	X	.50	X	.30	31
Total	6.10	~~7.90~~ 7.75	~~3.20~~ 2.55	7.70	4.75	4.30	2.85	4.55	4.65	10.60	4.50	4.35	~~64.85~~ 65.55
Rain Days.	21	~~25~~ 24	~~17~~ 14	13	17	19	11	14	11	25	18	13	~~204~~ 197

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Abergwngy

in the County of Cardigan

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.20	.05		.25		.10	.30		.10	.20	1
2	.05			.10		.30				.20	.15	.10	2
3	.45	.05				.10				.80		.05	3
4										.50			4
5	.85		.20	.65					.60	.70	.35		5
6	.10		.05							.50	.45	.30	6
7	.50							.05		.75	.30		7
8	.25			.20			.25	.80	.05	1.40	.80	.40	8
9			.10	.20	.10			.80		.30	1.25		9
10	.20		.50	.20				.50					10
11	.25		.05	.05				.30		.35	.15		11
12	.10			.10	.85			.20		.80		.05	12
13			.05	.40				1.00	1.05	.15	.10	.20	13
14				.05			.05	.10		.30		.15	14
15				.20			.40	.20		.50		.20	15
16		.15		.25		.10		.10	.05			.10	16
17			.20	.70	.10		.70	.90	.20	.10	.10		17
18			.30	.15	.05		.45	.30	.60	.55			18
19		.60	.60			.50		.10	.30		.10		19
20		.30	.05		.45	1.00		.30	.30		.60		20
21						.05				.20	.15		21
22								.70	.45	.40	.10		22
23		.30			.30	.20		.65		.25		.10	23
24						.15		.75		.95	.25	.10	24
25		.30	.15					.25		.10	.15		25
26					.30	.10	.05	.45	.35	.30	1.05		26
27		.05			.75	.60	.60	.95		.15	.25		27
28		.15	.40		.30			1.90		.10	.10		28
29			.15				.10	.90		.65	.15	.15	29
30		X						.60		.20	.15		30
31		X	.15	X	.25	X		.60	X		X		31
Total	2.85	1.90	3.15	3.30	3.45	3.35	2.60	13.50	4.25	11.20	6.80	2.10	YEAR'S TOTAL 58.45
Rain Days.	10	8	15	14	10	11	8	25	11	25	21	13	171

W. 8,000, VIII, 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 22.1.18

Kept at Abergungy

in the County of Cardigan

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.30	.05			.10	1.00	.10	.90	.05	1
2		.15		.20				.20	.35	.20	.05	.80	2
3		.10		.05	.30			.15	.95	.25			3
4	.10	.10						.05	1.05	1.15	.85	.20	4
5		.10		.40	.65			.10		.85	.10		5
6		1.50		.25		.15				.65		.05	6
7		.40		.05	.35				.45	.60	.35	.15	7
8	.25	.60					.20		.80	.50	.10		8
9	.10	1.10		.25		1.55	.10		1.10	.70	.10	.35	9
10	.10	.45		.05			.60		.35	.15	1.10	.50	10
11	.20	.25	.10	.05	.15		.50		.35			.65	11
12		.65			.15	.05	.10		.35			.10	12
13		.05			.05				.25			.30	13
14	.55		.05			.35	.35	.05	.70	.15		.65	14
15	.20					.15	1.00		.40			.85	15
16	.05			.10			.90	.10	.30			.45	16
17	.95						.35		.25	.15		.50	17
18	1.00		.10			.30	.25		.40			1.20	18
19	.20	.15	.10	.10			.45		.35	.05		.60	19
20	.70	.25		.05		.20			1.20				20
21	.35	.50		.20		.10	.20		.65			.30	21
22	.05	.10			.70			.05	.60			.95	22
23	.30				1.90		.15		.40				23
24	.10	.20					.70	.05	.45		.50	.25	24
25		.05			.10		.45	1.65	.20	.05	.10		25
26	.10	.05					.45	.10	.45		.10	.80	26
27		.10	.70			.10		.45	.85		.80	1.05	27
28			1.30							.10	.80	1.00	28
29			.10						.80			.20	29
30		X	.35					.35		.05	.15	.50	30
31		X	1.35	X		X		.20	X		X	.45	31
Total	5.30	6.85	4.15	2.05	4.40	2.95	6.75	3.60	15.00	5.70	6.00	12.60	YEAR'S TOTAL 75.35
Rain Days.	17	20	9	13	10	9	16	14	26	16	14	25	189

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Abergwngy

in the County of Cardigan

by E. A. Lees

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50		.05				.35	.05	.50	.30		.65	1
2	.35		.20		.55			.10	.30	.10		1.20	2
3		.05			.25	.10	.25				.05	.70	3
4		.10	.30				.10	.20	.05			.60	4
5	.15	.20							.05		.05	1.00	5
6	.10		.90						.05			.70	6
7	.10		.55	.15					.05			.15	7
8	.50		.10	.15		.20			.05		.05		8
9	.70		.05	.25							.20		9
10	.50		1.00	.20						.05	.05	.45	10
11	.25		1.00	.40	.10	.05	.10			.05			11
12	.20		.45	.20		2.65				.20	.15		12
13	.50			.10			.05		.10	.50		.10	13
14	.50			1.40			.20		.05	.30		.30	14
15	.55	.10		.60						.30		.50	15
16	.55	.20						.05			1.00	.10	16
17		.10				.20	.05	.30			1.95	.05	17
18	.10	.20	.85				.15	.60	.30		.20	.40	18
19	.25	.20	.35			.30		.35	.50		.30	.15	19
20	.30	.30	.20			.20			.35		.15	1.50	20
21	.10	.55					.75		.30		.10	.25	21
22		.35				.20	.05		1.25		.10	3.05	22
23						.30				.90	.30	.50	23
24					.10	.10			.05	.30	.40	.50	24
25	.40			.30				.60	.20	.05	.65	.15	25
26	.10	.30	.80	.30		.05		1.20	.25			.80	26
27	.20	.20	.10	.30				.40	.05				27
28			.20	.10				.25				.80	28
29			.10			.05		.25		.10		.95	29
30		X	.05	.50		.05		.10			.30	.35	30
31		X	.10	X		X	.35		X		X	.25	31
Total	6.90	2.85	7.35	4.95	1.00	4.45	2.40	4.45	4.45	3.15	6.00	16.15	YEAR'S TOTAL 64.10
Rain Days.	21	13	19	14	4	13	11	13	18	12	17	26	181

W. 6,500. VII. 18. W W O

2/531

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bronwghanlow. abergwngy

in the County of Cardigan

by Anthony Lewis.

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·30	·30		·25	·10	·10	·20		·40	1
2	·05	·15		·10	·10		·30		·30	·10		·20	2
3		·25		·30	·15		·60	·10	·40	1·10		·20	3
4					·05			·70	·40	·10			4
5			·30	·10	·95		·25	·40	1·25	·35			5
6			·45	·20	·40		·10		·25	·05	·10		6
7	·25	·10	·25	·05			·15				·06		7
8	·80	·05		·80	·40		·50	·10				·05	8
9	1·15	2·00		·70			·25	·40	·05		·20		9
10	1·30	1·35	·20	·10		·50	·35						10
11	·15	·25	·30	·40	·30	·15	·10				·15		11
12	·70	·45	·05	·30		·75	·10	·15			·30		12
13	·30	·25	·40	·80		·20					·10		13
14	·10	·05	·25	·55		·15	·10		2·20	1·10	1·00		14
15	·05	·25	·30	·60	·05	·05				·10			15
16	·05	·05	·60	·55	·40	60	·55		·60	·80			16
17	·30		·05	·40	·40	·30	·10	·35	·30	·20			17
18	·40			·20	·50	·20		·10	·40				18
19	·15	·90		·30	·30	·10							19
20	·50	·10		·60			·10		·05			·25	20
21				·05			·30			·05		·40	21
22	·30			·10		·05	·40	·15				·05	22
23	·10		·05				·40					·35	23
24	·20		·70	·25							·10	·60	24
25	·10	·15	·15	·40		·05	·80					·10	25
26	·35	·55	·75	·80	·10	·15	·10					·15	26
27	·60	·25	1·00	·45		1·00	·20				·10	·50	27
28	·25	·05	·50	·15	·10		·10				·05	·10	28
29	·20		·20	·10	·55	·20	·70				·10	1·00	29
30	·45		·50	·70	·10	·40	·10		·45	·15	·60	35	30
31	·40		·40		·05		·10			·70		20	31
TOTAL	9·20	7·25	7·40	10·35	5·20	4·85	7·00	2·55	6·75	5·00	2·85	4·90	YEAR'S TOTAL 73·30
Days with ·01 in. or more	25	19	20	28	18	16	25	10	13	13	12	16	215

(4283). W926/958—218—7500. 10/19. Gp.134. A.&E. W.

FORM A.
BRITISH RAINFALL.

4130.

CARDIGAN COUNTY SCH

1919 — 20

REGIST

Kept at Cardigan Co — gan

in the County of Cardi

by D. Rees

5 in.

d 1 ft. 6 in.

Level 72 ft.

IMPORTANT NOTE.— esult entered to the previous day. If an Observ rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	–	·04	·04	·04	–	·02	–	·34	·27	–	·57	1
2	·23	–	·18	–	·01	–	–	–	–	–	–	·05	2
3	·04	·05	·35	–	·06	·03	–	–	–	–	–	·02	3
4	–	·24	–	–	·01	·13	–	·08	·28	–	–	·37	4
5	·22	·23	–	–	·10	–	–	–	·01	–	–	·24	5
6	·28	·09	·40	·01	–	–	–	–	–	–	–	·08	6
7	·07	–	·05	·54	–	·01	–	–	·02	–	–	·13	7
8	·52	–	·06	–	–	·03	–	–	–	–	·03	–	8
9	·17	–	·03	·11	–	–	–	–	–	–	·02	·01	9
10	·11	–	·77	·02	·13	–	–	–	–	·18	·27	·76	10
11	·08	–	1·85	·08	·18	–	–	–	–	·10	–	·32	11
12	·26	·02	·02	·24	–	·02	·19	–	–	·04	·17	·02	12
13	·38	–	·05	·19	–	1·74	·17	–	–	·15	–	·40	13
14	·19	·01	–	·07	·15	–	·21	·02	–	·08	–	·26	14
15	·35	–	–	·03	–	–	–	–	–	·13	·10	·35	15
16	·10	·70	–	–	·01	·04	–	–	–	–	·42	·01	16
17	·01	1·15	·02	·04	·13	·13	–	·43	–	–	·38	·03	17
18	·06	·06	·68	–	·02	–	·16	·48	·11	–	·20	·01	18
19	·18	·24	·40	–	–	·19	–	·07	–	–	·02	·15	19
20	·33	·05	·27	–	·11	–	–	·05	·35	–	–	·29	20
21	·01	·43	–	–	·19	–	·25	–	·13	–	–	·12	21
22	–	·04	–	–	–	–	·06	–	·81	–	–	·25	22
23	–	–	–	–	–	–	–	·03	–	·74	·03	·01	23
24	·01	–	–	·02	·11	·19	–	–	·01	·41	·17	·13	24
25	·27	–	–	–	·06	–	–	·15	·10	·07	·18	·09	25
26	·12	·09	·10	·26	–	·05	–	·03	·09	·04	–	·44	26
27	·22	·01	–	·63	–	–	–	·47	–	–	–	–	27
28	·05	–	·28	·17	–	–	–	1·28	·01	–	–	·23	28
29	·03		–	·17	–	–	–	·02	–	–	·13	·11	29
30	–	X	–	·20	–	·30	–	·15	–	–	·56	·25	30
31	–	X	·30	X	–	X	·12	–	X	·01	X	–	31
Total	4·64	3·41	5·85	2·82	1·31	2·86	1·18	3·26	2·26	2·22	2·68	5·70	YEAR'S TOTAL 38·19
Rain Days.	26	15	18	17	15	12	8	13	12	12	14	28	190

W, 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

Kept at Cardigan County School

in the County of Cardigan

by D. Rees

Lat. 52·5·15 Long. 4·39·20

Time of Observation 9·15 a.m.

Nearest Railway Station Cardigan

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	–	·04	·04	·04	–	·02	–	·34	·27	–	·57	1
2	·23	–	·18	–	·01	–	–	–	–	–	–	·05	2
3	·04	·05	·35	–	·06	·03	–	–	–	–	–	·02	3
4	–	·24	–	–	·01	·13	–	·08	·28	–	–	·37	4
5	·22	·23	–	–	·10	–	–	–	·01	–	–	·24	5
6	·28	·09	·40	·01	–	–	–	–	–	–	–	·08	6
7	·07	–	·05	·54	–	·01	–	–	·02	–	–	·13	7
8	·52	–	·06	–	–	·03	–	–	–	–	·03	–	8
9	·17	–	·03	·11	–	–	–	–	–	–	·02	·01	9
10	·11	–	·77	·02	·13	–	–	–	–	·18	·27	·76	10
11	·08	–	1·85	·08	·18	–	–	–	–	·10	–	·32	11
12	·26	·02	·02	·24	–	·02	·19	–	–	·04	·17	·02	12
13	·38	–	·05	·19	–	1·74	·17	–	–	·15	–	·40	13
14	·19	·01	–	·07	·15	–	·21	·02	–	·08	–	·26	14
15	·35	–	–	·03	–	–	–	–	–	·13	·10	·35	15
16	·10	·70	–	–	·01	·04	–	–	–	–	·42	·01	16
17	·01	1·15	·02	·04	·13	·13	–	·43	–	–	·38	·03	17
18	·06	·06	·68	–	·02	–	·16	·48	·11	–	·20	·01	18
19	·18	·24	·40	–	–	·19	–	·07	–	–	·02	·15	19
20	·33	·05	·27	–	·11	–	–	·05	·35	–	–	·29	20
21	·01	·43	–	–	·19	–	·25	–	·13	–	–	·12	21
22	–	·04	–	–	–	–	·06	–	·81	–	–	·25	22
23	–	–	–	–	–	–	–	·03	–	·74	·03	·01	23
24	·01	–	–	·02	·11	·19	–	–	·01	·41	·17	·13	24
25	·27	–	–	–	·06	–	–	·15	·10	·07	·18	·09	25
26	·12	·09	·10	·26	–	·05	–	·03	·09	·04	–	·44	26
27	·22	·01	–	·63	–	–	–	·47	–	–	–	–	27
28	·05	–	·28	·17	–	–	–	1·28	·01	–	–	·23	28
29	·03		–	·17	–	–	–	·02	–	–	·13	·11	29
30	–	X	–	·20	–	·30	–	·15	–	–	·56	·25	30
31	–	X	·30	X	–	X	·12	–	X	·01	X	–	31
Total	4·64	3·41	5·85	2·82	1·31	2·86	1·18	3·26	2·26	2·22	2·68	5·70	YEAR'S TOTAL 38·19
Rain Days	26	15	18	17	15	12	8	13	12	12	14	28	190

W, 6,500, VII. 18. w w c

E & W

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cardigan County School

in the County of Cardigan

by D. Rees

Lat. 52° 5' 15" Long. 4° 39' 20" W

Time of Observation 9 a.m.

Nearest Railway Station Cardigan

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 72 ft.

3 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·10	·04	·37	–	·46	–	·27	·42	–	·34	1
2	·28	·03	–	·28	·03	–	·17	–	·37	·23	–	·28	2
3	·11	·15	–	·10	·02	–	·25	–	·04	1·25	–	–	3
4	–	–	–	·02	–	–	–	·89	·09	·42	·01	–	4
5	–	·01	·19	–	·74	–	·36	·04	–	·34	–	–	5
6	–	–	·43	·09	·20	–	·02	–	–	·44	–	–	6
7	·02	·27	·03	·02	–	–	·26	–	–	–	·01	·02	7
8	·01	·02	–	·35	·10	–	·12	·18	–	–	–	·03	8
9	·30	·26	·02	·75	–	–	·15	·02	·08	–	·05	–	9
10	·55	·09	·08	·01	–	·30	·23	–	–	–	·07	·05	10
11	·06	·02	·40	·17	·18	·02	·03	·03	–	–	–	–	11
12	·17	·08	·03	·36	–	·40	·08	·01	·09	·01	·22	–	12
13	·05	·01	·80	·37	–	–	–	–	–	·09	·01	–	13
14	·02	·03	·93	·34	–	–	·08	–	1·29	·30	·43	·01	14
15	–	·19	·05	·45	–	·78	–	–	·01	·02	·21	–	15
16	–	·04	·11	·36	·08	·15	·35	·01	·39	·73	–	–	16
17	·08	–	·05	·12	·34	–	–	·44	·23	·07	–	–	17
18	·36	·05	–	·20	·31	·03	·01	·06	·16	–	–	–	18
19	·06	·32	–	·51	–	·03	·05	–	–	–	–	–	19
20	·08	·01	–	·22	–	–	–	–	·18	·01	–	·24	20
21	–	–	–	·01	–	–	·19	–	–	–	–	·08	21
22	·14	–	–	·07	–	–	·08	·33	–	·01	–	·10	22
23	–	–	·08	·01	–	–	·12	·26	–	–	–	·23	23
24	·05	–	·53	·01	–	·01	·15	·02	·01	–	·18	·24	24
25	·42	·11	·34	–	·01	·05	·92	–	–	–	·01	–	25
26	·30	·01	·98	·20	–	·02	·02	–	–	–	·14	·10	26
27	·93	·07	·83	·20	·01	·80	·14	–	–	–	1·01	·55	27
28	·50	·03	·34	–	·22	·01	–	–	–	–	–	·14	28
29	·59	–	·33	·05	·03	·01	·30	–	–	–	·15	·34	29
30	·07	X	·35	·46	·01	·24	·02	–	·69	·59	·40	·44	30
31	·20	X	·26	X	·05	X	·04	·12	X	·97	X	·03	31
TOTAL	5·35	1·80	7·26	5·77	2·70	2·85	4·60	2·41	3·90	5·90	2·90	3·22	YEAR'S TOTAL 48·66
Days with ·01 in. or more	23	20	22	27	16	14	25	13	14	16	14	17	221

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A. & E. W.

20 11 19 27 10 7 26 8 12 12 10 13 163

Form A. 1. METEOROLOG ZATION.

REG

DEVIL'S BRIDGE

CARDIGANSHIRE

1920

Kept at Devil's Br *i - 19·4*

in the County of Car *ls Bridge*

by Thos Richar *ge* 5 *in.*

ound — *ft.* 11 *in.*

Level 800 *ft.*

to the previous day.

IMPORTANT NOTE.—
If an Observer prefers not to to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·0	·07	·05	·06	·24	·01	·34	·29	·39	·10	·01	·24	1
2	·03	·10	·0	·42	·03	·0	·37	·01	·96	·07	·0	·31	2
3	·0	·18	·0	·11	·12	·0	·42	·01	·33	1·11	·0	·26	3
4	·0	·0	·0	·0	·06	·0	·01	·76	·45	·10	·0	·0	4
5	·0	·0	·31	·05	1·40	·0	·36	·35	·27	·10	·0	·0	5
6	·0	·0	·57	·20	·47	·0	·04	·01	·21	·30	·08	·0	6
7	·11	·08	·17	·11	·01	·0	·05	·0	·02	·0	·06	·01	7
8	·43	·17	·0	·50	·52	·0	·62	·39	·0	·0	·0	·0	8
9	·40	1·01	·12	·85	·0	·0	·24	·17	·12	·0	·16	·0	9
10	·76	·78	·22	·0	·28	·22	·65	·03	·0	·0	·22	·0	10
11	·05	·15	·15	·13	·01	·06	·05	·0	·0	·0	·0	·0	11
12	·39	·33	·03	·22	·0	·72	·08	·18	·07	·0	·36	·05	12
13	·12	·07	·74	·74	·0	·13	·0	·0	·05	·0	·08	·0	13
14	·02	·04	·42	·59	·0	·05	·13	·0	1·61	1·14	·81	·05	14
15	·04	·24	·15	·58	·01	·06	·0	·0	·02	·06	·17	·0	15
16	·06	·01	·63	·57	·29	·08	·45	·03	·68	·67	·02	·0	16
17	·33	·0	·05	·13	·62	·14	·03	·54	·46	·04	·0	·01	17
18	·47	·01	·0	·24	·40	·17	·14	·03	·30	·0	·0	·0	18
19	·11	1·13	·0	·29	·51	·05	·15	·02	·01	·0	·0	·0	19
20	·42	·01	·0	·52	·0	·06	·16	·02	·19	·0	·0	·22	20
21	·01	·0	·0	·04	·0	·0	·46	·04	·0	·04	·0	·17	21
22	·41	·0	·0	·13	·0	·03	·26	·37	·0	·0	·0	·02	22
23	·10	·0	·17	·10	·0	·0	·38	·0	·0	·0	·0	·47	23
24	·18	·0	·82	·20	·0	·03	·0	·02	·0	·0	·07	·50	24
25	·02	·08	·16	·16	·0	·24	1·09	·01	·0	·0	·0	·08	25
26	·37	·31	·86	·48	·12	·02	·08	·0	·03	·0	·02	·09	26
27	·48	·13	1·07	·49	·28	·86	·08	·0	·0	·0	·02	·31	27
28	·53	·14	·47	·14	·27	·10	·10	·0	·0	·0	·07	·22	28
29	·18	·02	·12	·05	·55	·09	1·23	·05	·0	·0	·18	·49	29
30	·29		·55	·63	·04	·56	·07	·0	·62	·0	·28	·36	30
31	·29		·23		·31		·13	·01		·70		·19	31
TOTAL	6.60	5.06	8.06	8.73	6.54	3.68	8.17	3.34	6.79	4.43	2.61	4.05	YEAR'S TOTAL 68.06
Days with ·01 in. or more	26	21	22	28	21	20	28	21	19	12	16	19	253
Days with ·04 in. or more	22	17	21	28	17	16	26	10	15	12	12	16	212

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Devil's Bridge

in the County of Cardigan

by Thos Richards Schoolmaster

Lat. 52° 22' 32".7 Long. 3° 51' 19".4

Time of Observation 9 a.m.

Nearest Railway Station Devil's Bridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·0	·07	·05	·06	·24	·01	·34	·29	·39	·10	·01	·24	1
2	·03	·10	·0	·42	·03	·0	·37	·01	·96	·07	·0	·31	2
3	·0	·18	·0	·11	·12	·0	·42	·01	·33	1·11	·0	·26	3
4	·0	·0	·0	·0	·06	·0	·01	·76	·45	·10	·0	·0	4
5	·0	·0	·31	·05	1·40	·0	·36	·35	·27	·10	·0	·0	5
6	·0	·0	·57	·20	·47	·0	·04	·01	·21	·30	·08	·0	6
7	·11	·08	·17	·11	·01	·0	·05	·0	·02	·0	·06	·01	7
8	·43	·17	·0	·50	·52	·0	·62	·39	·0	·0	·0	·0	8
9	·40	1·01	·12	·85	·0	·0	·24	·17	·12	·0	·16	·0	9
10	·76	·78	·22	·0	·28	·22	·65	·03	·0	·0	·22	·0	10
11	·05	·15	·15	·13	·01	·06	·05	·0	·0	·0	·0	·0	11
12	·39	·33	·03	·22	·0	·72	·08	·18	·07	·0	·36	·05	12
13	·12	·07	·74	·74	·0	·13	·0	·0	·05	·0	·08	·0	13
14	·02	·04	·42	·59	·0	·05	·13	·0	1·61	1·14	·81	·05	14
15	·04	·24	·15	·58	·01	·06	·0	·0	·02	·06	·17	·0	15
16	·06	·01	·63	·57	·29	·08	·45	·03	·68	·67	·02	·0	16
17	·33	·0	·05	·13	·62	·14	·03	·54	·46	·04	·0	·01	17
18	·47	·01	·0	·24	·40	·17	·14	·03	·30	·0	·0	·0	18
19	·11	1·13	·0	·29	·51	·05	·15	·02	·01	·0	·0	·0	19
20	·42	·01	·0	·52	·0	·06	·16	·02	·19	·0	·0	·22	20
21	·01	·0	·0	·04	·0	·0	·46	·04	·0	·04	·0	·17	21
22	·41	·0	·0	·13	·0	·03	·26	·37	·0	·0	·0	·02	22
23	·10	·0	·17	·10	·0	·0	·38	·0	·0	·0	·0	·47	23
24	·18	·0	·82	·20	·0	·03	·0	·02	·0	·0	·07	·50	24
25	·02	·08	·16	·16	·0	·24	1·09	·01	·0	·0	·0	·08	25
26	·37	·31	·86	·48	·12	·02	·08	·0	·03	·0	·02	·09	26
27	·48	·13	1·07	·49	·28	·86	·08	·0	·0	·0	·02	·31	27
28	·53	·14	·47	·14	·27	·10	·10	·0	·0	·0	·07	·22	28
29	·18	·02	·12	·05	·55	·09	1·23	·05	·0	·0	·18	·49	29
30	·29		·55	·63	·04	·56	·07	·0	·62	·0	·28	·36	30
31	·29		·23		·31		·13	·01		·70		·19	31
TOTAL	6.60	5.06	8.06	8.73	6.54	3.68	8.17	3.34	6.79	4.43	2.61	4.05	YEAR'S TOTAL 68.06
Days with ·01 in. or more	26	21	22	28	21	20	28	21	19	12	16	19	253
Days with ·04 in. or more	22	17	21	28	17	16	26	10	15	12	12	16	212

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Devil's Bridge

in the County of Cardigan

by Thomas Richards Esq. Schoolmaster.

Lat 52°22'23" Long 3°51'23" W

Time of Observation 9 a.m.

Nearest Railway Station Devil's Bridge V.of R. Rly

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 825 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·07	·05	·06	·24	·01	·34	·29	·39	·10	·01	·24	1
2	·03	·10	–	·42	·03	–	·37	·01	·96	·07	–	·31	2
3	–	·18	–	·11	·12	–	·42	·01	·33	1·11	–	·26	3
4	–	–	–	–	·06	–	·01	·76	·45	·10	–	–	4
5	–	–	·31	·05	1·40	–	·36	·35	·27	·10	–	–	5
6	–	–	·57	·20	·47	–	·04	·01	·21	·30	·08	–	6
7	·11	·08	·17	·11	·01	–	·05	–	·02	–	·06	·01	7
8	·43	·17	–	·50	·52	–	·62	·39	–	–	–	–	8
9	·40	1·01	·12	·85	–	–	·24	·17	·12	–	·16	–	9
10	·76	·78	·22	–	·28	·22	·65	·03	–	–	·22	–	10
11	·05	·15	·15	·13	·01	·06	·05	–	–	–	–	–	11
12	·39	·33	·03	·22	–	·72	·08	·18	·07	–	·36	·05	12
13	·12	·07	·74	·74	–	·13	–	–	·05	–	·08	–	13
14	·02	·04	·42	·59	–	·05	·13	–	1·61	1·14	·81	·05	14
15	·04	·24	·15	·58	·01	·06	–	–	·02	·06	·17	–	15
16	·06	·01	·63	·57	·29	·08	·45	·03	·68	·67	·02	–	16
17	·33	–	·05	·13	·62	·14	·03	·54	·46	·04	–	·01	17
18	·47	·01	–	·24	·40	·17	·14	·03	·30	–	–	–	18
19	·11	1·13	–	·29	·51	·05	·15	·02	·01	–	–	–	19
20	·42	·01	–	·52	–	·06	·16	·02	·19	–	–	·22	20
21	·01	–	–	·04	–	–	·46	·04	–	·04	–	·17	21
22	·41	–	–	·13	–	·03	·26	·37	–	–	–	·02	22
23	·10	–	·17	·10	–	–	·38	–	–	–	–	·47	23
24	·18	–	·82	·20	–	·03	–	·02	–	–	·07	·50	24
25	·02	·08	·16	·16	–	·24	1·09	·01	–	–	–	·08	25
26	·37	·31	·86	·48	·12	·02	·08	–	·03	–	·02	·09	26
27	·48	·13	1·07	·49	·28	·86	·08	–	–	–	·02	·31	27
28	·53	·14	·47	·14	·27	·10	·10	–	–	–	·07	·22	28
29	·18	·02	·12	·05	·55	·09	1·23	·05	–	–	·18	·49	29
30	·29		·55	·63	·04	·56	·07	–	·62	–	·28	·36	30
31	·29		·23		·31		·13	·01		·70		·19	31
TOTAL	6·60	5·06	8·06	8·73	6·54	3·68	8·17	3·34	6·79	4·43	2·61	4·05	YEAR'S TOTAL 68·06
Days with ·01 in. or more	26	21	22	28	21	20	28	21	19	12	16	19	253
Days with ·04 in. or more	22	17	21	28	17	16	26	10	15	12	12	16	212

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

REGIS 1911

LAMPETER
FALCONDALE
1911 –

3 JAN 1912

Kept at Falcondale. *Symonds Knowle* *of top* 5 in.

in the County of Cardigan *top above Ground* 1 ft. 10 in.

by Wm Taylor *,, ,, Sea Level* 498 ft.

ion 9 a.m.

Station { Name Lampeter
Distance 1680 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	0·00	0·13	0·01	0·24	0·02	0·00	0·14	0·00	0·00	0·34	0·13	1
2	0·00	0·00	0·3½	0·03	0·24	0·00	0·00	0·08	0·00	0·35	0·05	0·46	2
3	0·00	0·00	0·05 0·50	0·00	0·80	0·00	0·00	0·00	0·02	0·00	0·28	0·31	3
4	0·00	0·00	0·22	0·00	0·2½	0·00	0·00	0·60	0·00	0·00	0·4½	0·68	4
5	0·14½	0·00	0·14	0·00	0·00	0·00	0·00	0·56	0·00	0·10	0·06½	0·08	5
6	0·23½	0·00	0·19	0·00	0·00	0·00	0·00	0·14	0·00	0·00	0·26½	1·40	6
7	0·10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·42	0·01	7
8	0·34	0·00	0·21½	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·23	0·85	8
9	0·04	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·23	0·66	9
10	0·07	00·7½	0·42	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·88	10
11	0·44	0·03	0·00	0·00	0·01½	0·00	0·00	0·00	0·06	0·02	0·21	0·24	11
12	0·00	0·00	0·47	0·00	0·19	0·00	0·00	0·00	1·76	0·01	1·41	0·05	12
13	0·00	0·00	0·00	0·00	0·12	0·00	0·00	0·00	0·00	0·01	0·15	0·15	13
14	0·00	0·19	0·09	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·09	0·57	14
15	0·00	0·16	0·01	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·32½	0·05	15
16	0·04	0·09	0·00	0·00	0·00	0·64	0·00	0·00	0·00	0·00	0·18	0·39	16
17	0·07	0·01½	0·00	0·02	0·00	0·82	0·00	0·00	0·00	0·00	0·33½	1·00	17
18	0·00	0·42	0·00	0·68	0·00	0·85	0·00	0·01½	0·00	0·05	1·15	1·26	18
19	0·00	0·18	0·00	0·53	0·00	0·45	0·12	0·03	0·50	0·03½	0·87	0·80	19
20	0·02	0·06½	0·00	0·35	0·00	0·02½	0·00	0·05	0·04	0·16	0·00	0·14	20
21	0·00	0·31	0·00	0·00	0·00	0·15	0·12	0·00	0·37	0·96	0·00	0·16	21
22	0·01	0·06	0·00	0·15	0·00	0·06	0·00	0·00	0·00	0·34	0·00	0·40	22
23	0·12	0·11	0·09	0·00	0·00	0·26	0·00	0·10	0·16	0·43	0·00	0·29	23
24	0·09	0·22	0·00	0·03½	0·00	1·19	0·00	0·01	0·01	0·58	0·00	0·15	24
25	0·02	0·07	0·00	0·16	0·00	0·47	0·12	0·00	0·18	0·06	0·00	0·01	25
26	0·04	0·11	0·00	0·46	0·00	0·00	0·00	0·06	0·03	0·34	0·00	0·21	26
27	0·00	0·42	0·00	0·07	0·00	0·00	0·00	1·14	0·59	0·00	0·02	0·20	27
28	0·00	0·34	0·01	0·34	0·00	0·00	0·00	0·08	0·00	0·00	0·00	0·5½	28
29	0·00		0·00	0·11	0·00	0·31	0·08	0·04	0·28	0·54	0·00	0·08	29
30	0·00		0·00	0·01	0·00	0·01	0·00	0·04	0·00	0·54	0·13	0·01½	30
31	0·00		0·00		0·00		0·22	0·00		0·06		0·02	31
Total	1·65½	2·82½	2·03	2·95½	1·62	5·26½	0·66	3·14½	4·00	4·58½	7·17½	11·70	TOTAL for year 47·73½
No. of Rain Days.	16	17	13	14	8	14	5	16	13	17	20	31	184

W. 8,000, X. '11.

47.735

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

Kept at Falcondale. Lampeter

in the County of Cardiganshire 3

by Wm Taylor

RAIN GAUGE: Pattern Symons Snowdon — Diameter of top 5 in. — Height of top above Ground 1 ft. 10 in. — " " " Sea Level 498 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Lampeter — Distance 1680 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	0·00	0·13	0·01	0·24	0·02	0·00	0·14	0·00	0·00	0·34	0·13	1
2	0·00	0·00	0·3½	0·03	0·24	0·00	0·00	0·08	0·00	0·35	0·05	0·46	2
3	0·00	0·00	0·05	0·00	0·80	0·00	0·00	0·00	0·02	0·00	0·28	0·31	3
4	0·00	0·00	0·22	0·00	0·2½	0·00	0·00	0·60	0·00	0·00	0·4½	0·68	4
5	0·14½	0·00	0·14	0·00	0·00	0·00	0·00	0·56	0·00	0·10	0·06½	0·08	5
6	0·23½	0·00	0·19	0·00	0·00	0·00	0·00	0·14	0·00	0·00	0·26½	1·40	6
7	0·10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·42	0·01	7
8	0·34	0·00	0·21½	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·23	0·85	8
9	0·04	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·23	0·66	9
10	0·07	00·7½	0·42	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·88	10
11	0·44	0·03	0·00	0·00	0·01½	0·00	0·00	0·00	0·06	0·02	0·21	0·24	11
12	0·00	0·00	0·47	0·00	0·19	0·00	0·00	0·00	1·76	0·01	1·41	0·05	12
13	0·00	0·00	0·00	0·00	0·12	0·00	0·00	0·00	0·00	0·01	0·15	0·15	13
14	0·00	0·17	0·07	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·07	0·57	14
15	0·00	0·16	0·01	0·00	0·00	0·03	0·02	0·00	0·00	0·00	0·32½	0·05	15
16	0·01	0·09	0·00	0·00	0·00	0·64	0·00	0·00	0·00	0·00	0·18	0·39	16
17	0·07	0·01½	0·00	0·02	0·00	0·82	0·00	0·00	0·00	0·00	0·33½	1·00	17
18	0·00	0·42	0·00	0·68	0·00	0·85	0·00	0·01½	0·00	0·05	1·15	1·26	18
19	0·00	0·18	0·00	0·53	0·00	0·45	0·12	0·03	0·50	0·03½	0·87	0·80	19
20	0·02	0·06½	0·00	0·35	0·00	0·02½	0·00	0·05	0·04	0·16	0·00	0·14	20
21	0·00	0·31	0·00	0·00	0·00	0·15	0·12	0·00	0·37	0·96	0·00	0·16	21
22	0·01	0·06	0·00	0·15	0·00	0·06	0·00	0·00	0·00	0·34	0·00	0·40	22
23	0·½	0·11	0·07	0·00	0·00	0·26	0·00	0·10	0·16	0·43	0·00	0·29	23
24	0·09	0·22	0·00	0·03½	0·00	1·19	0·00	0·01	0·01	0·58	0·00	0·15	24
25	0·02	0·07	0·00	0·16	0·00	0·47	0·12	0·00	0·18	0·06	0·00	0·01	25
26	0·04	0·11	0·00	0·46	0·00	0·00	0·00	0·06	0·03	0·34	0·00	0·21	26
27	0·00	0·42	0·00	0·07	0·00	0·00	0·00	1·14	0·57	0·00	0·02	0·20	27
28	0·00	0·34	0·01	0·34	0·00	0·00	0·00	0·08	0·00	0·00	0·00	0·5½	28
29	0·00		0·00	0·11	0·00	0·31	0·08	0·04	0·28	0·54	0·00	0·08	29
30	0·00		0·00	0·01	0·00	0·01	0·00	0·04	0·00	0·54	0·13	0·01½	30
31	0·00		0·00		0·00		0·22	0·00		0·06		0·02	31
Total	1·65½	2·82½	2·03	2·95½	1·62	5·28½	0·66	3·14½	4·00	4·58½	7·17½	11·70	TOTAL for year 47·73½
No. of Rain Days.	16	17	13	14	8	14	5	16	13	17	20	31	184

W. 8,000, X. '11.

47.735

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Falcondale Lampeter

in the County of Caerdigenshire 3

by Wm Taylor

Lat. 52·7 Long. 4 5 W 4 JAN 1913

Time of Observation 9 a.m.

Nearest Railway Station Lampeter

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·00	0·26	0·00	0·06	0·40	0·39	0·08	0·07	0·00	0·00	0·17	1
2	0·01	0·04	0·65	0·02	0·00	0·54	0·00	0·00	0·00	0·00	0·00	0·00	2
3	0·12	0·00	0·13	0·00	0·02	0·03	0·00	0·87	0·14	0·00	0·05	0·13	3
4	0·50	0·00	0·16	0·00	0·05	0·07	0·00	0·31	0·00	0·00	0·63	0·10	4
5	0·44	0·00	0·57	0·00	0·05	0·00	0·00	0·26	0·00	0·00	0·05	0·01	5
6	0·38	0·19	0·04	0·01	0·13	0·00	0·00	0·01	0·05	0·00	0·04	0·02	6
7	0·04	0·66	0·37	0·00	0·05	0·50	0·13	0·30	0·01	0·00	0·01	0·45	7
8	0·40	0·25	0·36	0·10	0·01	0·58	0·00	0·17	0·13	0·00	0·01	0·06	8
9	0·10	0·22	0·13	0·08	0·00	0·03	0·03	0·33	0·02	0·00	0·08	0·38	9
10	0·30	0·02	0·00	0·00	0·00	0·54	0·04	0·29	0·00	0·00	0·38	0·02	10
11	0·02	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·24	0·67	11
12	0·04	0·00	0·47	0·25	0·02	0·04	0·16	0·08	0·00	0·00	0·08	0·05	12
13	0·05	0·00	0·01	0·01	0·00	0·00	0·00	0·04	0·00	0·22	0·01	0·74	13
14	0·15	0·00	0·58	0·00	0·00	0·00	0·00	0·37	0·03	0·02	0·03	0·21	14
15	0·40	0·03	0·06	0·00	0·17	0·15	0·00	0·02	0·00	0·00	0·05	0·24	15
16	0·31	0·26	0·52	0·00	0·17	0·03	0·00	0·11	0·00	0·21	0·01	0·14	16
17	0·25	0·02	0·12	0·00	0·02	0·30	0·00	0·58	0·00	0·00	0·27	0·97	17
18	0·07	0·04	0·12	0·00	0·00	0·00	0·00	0·44	0·00	0·21	0·11	0·04	18
19	0·01	0·39	0·00	0·00	0·02	0·14	0·00	0·65	0·00	0·15	0·02	0·05	19
20	0·03	0·08	0·43	0·00	0·06	0·00	0·00	0·19	0·00	0·07	0·17	0·04	20
21	0·00	0·06	0·72	0·00	0·08	0·00	0·00	0·44	0·00	0·58	0·03	0·25	21
22	0·22	0·35	0·23	0·00	0·06	0·07	0·19	0·91	0·00	0·03	0·04	0·27	22
23	0·00	0·11	0·25	0·00	0·00	0·12	0·07	0·65	0·00	0·11	0·53	0·19	23
24	0·00	0·05	0·18	0·00	0·00	0·43	0·00	0·01	0·00	0·01	0·00	0·35	24
25	0·00	0·02	0·02	0·00	0·00	0·31	0·00	0·45	0·00	0·01	0·65	0·75	25
26	0·00	0·11	0·19	0·00	0·00	0·00	0·04	0·60	0·00	0·72	0·64	0·34	26
27	0·00	0·08	0·19	0·00	0·00	0·62	0·07	0·00	0·00	0·70	0·31	0·44	27
28	0·00	0·25	0·01	0·00	0·00	0·67	1·22	0·30	0·01	0·72	0·43	0·02	28
29	0·00	0·22	0·05	0·00	0·00	0·01	0·04	0·60	0·49	0·36	0·00	0·02	29
30	0·00	1	0·152	0·03	0·06	0·15	0·20	0·00	0·01	0·47	0·05	0·00	30
31	0·04		0·27		0·06		0·42	0·23		0·02		0·07	31
Total	3·89	3·45	9·24	0·53	2·09	6·33	4·12	9·29	0·46	5·61	4·92	6·89	YEAR'S TOTAL 56·32
Rain Days.	22	21	28	7	17	21	14	27	10	17	26	29	239

W. 7,500, XI. 12

Written 29.4.14 ✓

Cor for audit 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 9. JAN 1914

Kept at Talcondale Lampeter

in the County of Cardiganshire 3

by Wm Taylor

Lat. 52 7 Long. 4 5 25

Time of Observation 9 a.m

Nearest Railway Station Lampeter

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.17	0.23	0.18	0.15	0.00	0.00	0.00	0.00	0.00	0.34	0.04	1
2	0.08	0.32	0.17	0.34	0.14	0.02	0.00	0.00	0.00	0.14	0.31	0.10	2
3	0.23	0.00	0.27	0.00	0.60	0.00	0.00	0.00	0.00	0.02	0.00	0.48	3
4	0.64	0.08	0.14	0.00	0.02	0.04	0.00	0.00	0.80	0.25	0.08	0.26	4
5	0.35	0.09	0.05	0.00	0.09	0.37	0.16	0.00	0.02	0.19	0.26	0.12	5
6	0.23	0.21	0.30	0.00	0.09	0.45	0.13	0.00	0.00	0.18	0.11	0.66	6
7	0.34	0.77	0.02	0.00	0.45	0.38	0.01	0.00	0.00	0.34	0.06	0.02	7
8	0.07	0.40	0.00	0.07	0.41	0.22	0.03	0.07	0.00	0.08	0.00	0.07	8
9	0.00	0.25	0.25	0.10	0.27	1.02	0.41	0.05	0.01	0.00	0.47	0.15	9
10	0.78	0.00	0.13	0.74	0.27	0.00	0.04	0.33	0.01	0.12	0.17	0.00	10
11	0.77	0.00	0.00	0.00	0.07	0.00	0.00	0.11	0.01	0.52	0.61	0.14	11
12	0.03	0.00	0.02	0.00	0.20	0.05	0.04	0.08	0.44	0.00	0.95	0.01	12
13	0.02	0.00	0.55	0.00	0.06	0.00	0.02	0.08	0.81	0.00	0.58	0.00	13
14	0.32	0.02	0.43	0.20	0.00	0.00	0.00	0.01	0.61	0.42	0.07	0.07	14
15	0.22	0.00	0.55	1.27	0.00	0.00	0.00	0.05	0.11	0.00	0.13	0.02	15
16	0.33	0.00	0.59	0.08	0.00	0.01	0.02	0.00	0.00	0.00	0.07	0.00	16
17	0.08	0.00	0.27	0.15	0.00	0.00	0.24	0.00	0.00	0.00	0.10	0.00	17
18	0.12	0.00	0.61	0.25	0.05	0.11	0.22	0.00	0.00	0.00	0.14	0.00	18
19	0.79	0.00	0.10	0.01	0.04	0.24	0.15	0.00	0.16	0.32	0.15	0.00	19
20	0.43	0.00	0.15	0.20	0.06	0.03	0.00	0.00	0.04	0.12	0.95	0.00	20
21	0.00	0.00	0.14	0.07	0.22	0.01	0.30	0.18	0.00	0.00	0.17	0.00	21
22	0.59	0.00	0.94	0.00	0.01	0.32	0.00	1.02	0.51	0.00	0.00	0.01	22
23	0.20	0.00	0.07	0.00	0.00	0.00	0.00	0.11	0.14	0.00	0.26	0.10	23
24	0.38	0.17	0.00	0.14	0.00	0.04	0.00	0.00	0.00	0.00	0.14	0.06	24
25	0.00	0.00	0.00	0.31	0.00	0.00	0.00	0.00	0.21	0.00	0.06	0.10	25
26	0.00	0.04	0.00	1.97	0.00	0.04	0.00	0.11	0.20	0.04	0.00	0.67	26
27	0.01	0.01	0.24	0.26	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.05	27
28	0.10	0.00	0.14	0.15	0.18	0.00	0.00	0.00	0.00	0.64	0.00	0.42	28
29	0.00		0.14	0.98	0.21	0.00	0.00	0.01	0.00	0.66	0.03	0.00	29
30	0.48		0.01	0.08	0.24	0.00	0.00	0.00	0.00	0.19	0.22	0.00	30
31	0.12		0.27		0.13		0.00	0.00		0.18		0.00	31
Total	7.73	2.53	6.78	7.45	3.96	3.35	1.77	2.11	4.08	4.15	6.46	3.55	YEAR'S TOTAL 54.42
Rain Days.	26	12	26	20	22	16	13	13	15	19	24	20	226

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

Exe 88

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Talcondale. Lampeter

in the County of Cardiganshire 3

by Wm Taylor. (Gardener)

Lat. 52·7 Long. 4·5·25

Time of Observation 9 a m

Nearest Railway Station Lampeter

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	0·02	0·21	0·01	0·00	0·21	1·58	0·65	0·00	0·02	0·20	0·39	1
2	0·00	0·01	0·10	0·00	0·02	0·01	0·24	0·04	0·00	0·00	0·15	0·52	2
3	0·01	0·00	0·64	0·02	0·56	0·00	0·00	0·01	0·00	0·01	0·18	0·57	3
4	0·54	0·00	0·12	0·14	0·17	0·00	0·32	0·14	0·00	0·00	0·31	0·73	4
5	0·06	0·00	0·31	0·22	0·08	0·00	0·03	0·00	0·00	0·00	0·03	0·03	5
6	0·20	0·10	0·06	0·04	0·10	0·08	0·04	0·19	0·00	0·00	0·06	0·22	6
7	0·03	0·56	0·51	0·13	0·29	0·34	0·78	0·15	0·01	0·00	0·02	0·40	7
8	0·15	0·09	0·01	0·11	1·10	0·09	0·00	0·52	0·00	0·01	0·02	0·15	8
9	0·40	0·09	0·36	0·28	0·31	0·40	0·00	0·33	0·01	0·00	0·07	0·00	9
10	0·03	0·90	0·13	0·29	0·09	0·07	0·00	0·00	0·41	0·00	0·02	0·01	10
11	0·00	0·31	0·30	0·00	0·14	0·12	0·00	0·00	0·02	0·00	0·37	0·63	11
12	0·00	0·87	0·23	0·00	0·00	0·00	0·00	0·00	0·38	0·00	0·41	0·05	12
13	0·00	0·32	0·64	0·05	0·00	0·00	0·14	0·00	0·55	0·15	0·38	0·11	13
14	0·00	0·62	0·21	0·00	0·00	0·00	0·24	0·06	0·01	0·00	0·38	0·00	14
15	0·00	0·04	0·27	0·00	0·00	0·00	0·04	0·02	0·19	0·00	0·47	0·23	15
16	0·00	0·00	0·08	0·00	0·00	0·00	0·10	0·00	0·22	0·00	0·00	0·06	16
17	0·00	0·31	0·40	0·00	0·00	0·00	0·16	0·00	0·14	0·00	0·00	1·03	17
18	0·00	0·05	0·11	0·00	0·00	0·00	0·00	0·00	0·44	0·00	0·00	0·22	18
19	0·00	0·20	0·08	0·00	0·00	0·00	0·52	0·00	0·08	0·00	0·07	0·26	19
20	0·00	0·54	0·66	0·00	0·00	0·69	0·00	0·00	0·00	0·00	0·00	0·11	20
21	0·00	0·18	0·04	0·00	0·00	0·27	0·02	0·24	0·00	0·29	0·00	0·00	21
22	0·00	0·15	0·02	0·08	0·16	0·14	0·00	0·36	0·00	0·67	0·00	0·00	22
23	0·00	0·06	0·21	0·00	0·00	0·00	0·04	0·01	0·00	0·10	0·01	0·00	23
24	0·04	0·00	0·14	0·00	0·00	0·01	0·30	0·02	0·00	0·00	0·25	0·00	24
25	0·29	0·01	0·11	0·00	0·00	0·00	1·13	0·79	0·00	0·34	0·05	0·46	25
26	0·02	0·01	0·00	0·00	0·00	0·00	0·51	0·41	0·00	0·40	0·35	0·64	26
27	0·30	0·03	0·00	0·00	0·11	0·00	0·04	0·00	0·00	0·19	0·70	1·30	27
28	0·15	0·10	0·29	0·00	0·00	0·00	0·00	0·00	0·03	0·12	0·02	0·78	28
29	0·19		0·12	0·00	0·06	0·00	0·00	0·02	0·00	0·01	0·56	0·05	29
30	0·02		0·29	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·53	1·25	30
31	0·42		0·11		0·07		0·42	0·00		0·41		0·25	31
Total	2·87	5·57	6·76	1·37	3·26	2·43	6·65	3·99	2·49	2·72	5·61	10·45	YEAR'S TOTAL 54·17
Rain Days.	17	23	29	11	14	12	19	18	13	13	24	25	218

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4094

FORM A. BRITISH RAINFALL

RECEIVED 8 JAN 1916

Kept at Talcondale. Lampeter

in the County of Cardiganshire

by Wm Taylor. (for Major Harford)

Lat. 52 7 Long. 4·5·W

Time of Observation 9 o'clock

Nearest Railway Station Lampeter

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 85	0 26	0 02	0 00	0 47	0 00	0 02	0 33	0 29	0 19	0 00	0 30	1
2	0 37	0 33	0 40	0 65	0 00	0 03	0 00	0 36	0 15	0 07	0 00	0 07	2
3	0 01	0 57	0 12	0 05	0 02	0 00	0 08	0 14	0 00	0 00	0 00	0 15	3
4	0 09	0 30	0 01	0 00	0 06	0 00	0 00	0 00	0 00	0 00	0 00	0 85	4
5	0 02	0 85	0 02	0 07	0 00	0 00	0 00	0 40	0 00	0 00	0 00	0 91	5
6	0 35	0 06	0 01	0 29	0 00	0 21	0 20	0 18	0 00	0 00	0 00	0 24	6
7	0 34	0 68	0 00	0 10	0 00	0 00	1 06	0 03	0 00	0 04	0 01	0 30	7
8	0 24	0 58	0 00	0 00	0 00	0 00	0 00	0 07	0 00	0 00	0 60	0 00	8
9	0 11	0 44	0 00	0 81	0 00	0 00	0 00	0 09	0 00	0 00	0 14	0 52	9
10	0 65	0 10	0 00	0 20	0 00	0 07	0 00	0 00	0 00	0 00	0 27	0 09	10
11	0 03	0 05	0 08	0 02	0 00	0 00	0 00	0 15	0 00	0 00	1 25	0 05	11
12	0 28	0 73	0 00	0 18	0 10	0 00	0 00	0 00	0 00	0 00	0 52	0 14	12
13	0 02	0 12	0 01	0 11	0 13	0 00	0 00	0 31	0 11	0 07	0 21	0 23	13
14	0 17	0 01	0 00	0 01	0 00	0 00	0 00	0 32	0 03	0 00	0 18	0 44	14
15	0 48	0 00	0 00	0 00	1 10	0 00	0 10	0 06	0 10	0 04	0 28	0 41	15
16	0 10	1 25	0 00	0 02	0 12	0 00	0 60	0 07	0 07	0 00	0 00	0 43	16
17	0 03	0 56	0 03	0 00	0 10	0 00	0 03	0 11	0 00	0 00	0 00	0 01	17
18	0 06	0 65	0 11	0 00	0 00	0 00	0 01	0 12	0 00	0 00	0 00	0 00	18
19	0 00	0 20	0 00	0 28	0 20	0 00	0 42	0 00	0 00	0 00	0 00	0 54	19
20	0 59	0 00	0 00	0 11	0 00	0 00	0 00	0 01	0 00	0 04	0 00	0 55	20
21	0 64	0 07	0 00	0 00	0 19	0 00	0 26	0 00	0 00	0 00	0 00	0 46	21
22	0 15	0 10	0 13	0 00	0 00	0 08	0 16	0 00	0 00	0 00	0 00	0 80	22
23	0 00	0 18	0 10	0 03	0 00	0 16	0 04	0 00	0 01	0 61	0 00	0 55	23
24	0 00	0 00	0 01	0 08	0 00	0 00	0 00	0 00	0 00	0 28	0 08	0 18	24
25	0 00	0 00	0 00	0 00	0 00	0 28	0 26	0 00	0 02	0 00	0 08	0 69	25
26	0 00	0 37	0 00	0 00	0 00	0 00	0 39	0 00	0 34	0 00	0 00	0 48	26
27	0 00	0 07	0 00	0 00	0 00	0 10	0 18	0 00	0 03	0 53	0 00	0 02	27
28	0 00	0 23	0 00	0 00	0 00	0 08	0 03	0 07	0 20	0 10	0 00	0 14	28
29	0 00	"	0 00	0 00	0 02	0 76	0 00	0 00	0 12	0 04	0 21	0 46	29
30	0 25	X	0 00	0 28	0 00	0 01	0 00	0 00	0 14	0 38	0 17	0 64	30
31	0 01	X	0 00	X	0 00	X	0 20	0 07	X	0 01	X	0	31
Total	5·84	8·58	1·05	3·29	1·32	0·78	4·10	2·53	1·61	2·85	4·02	11·07	YEAR'S TOTAL
Rain Days.	23	24	13	17	11	10	17	18	13	17	12	29	204

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

4022

FORM A. BRITISH RAINFALL. 13. JAN 1917

Kept at Talwrdale

in the County of Cardigan

by Wm Taylor

Lat. 52.7 Long. 4 S. W.

Time of Observation 9 o-clock

Nearest Railway Station Lampeter

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.10	0.11	0.02	0.00	0.00	0.08	0.16	0.00	0.00	0.65	0.39	0.00	1
2	0.43	0.90	0.19	0.00	0.01	0.02	0.22	0.00	0.54	1.92	1.31	0.00	2
3	0.00	1.26	0.00	0.04	0.01	0.13	0.09	0.00	1.76	0.60	0.25	0.15	3
4	0.29	0.21	0.00	0.00	0.76	0.68	0.00	0.00	0.26	0.70	0.13	0.01	4
5	0.04	0.08	0.20	0.00	0.08	0.13	0.02	0.00	0.10	1.80	0.10	0.00	5
6	0.26	0.50	0.01	0.00	0.12	0.01	0.44	0.00	0.00	0.90	0.95	0.06	6
7	0.07	0.14	0.01	0.00	1.20	0.01	0.00	0.00	0.00	0.38	0.50	0.40	7
8	0.12	0.04	0.01	0.03	0.16	0.22	0.00	0.00	0.00	0.88	0.15	0.63	8
9	0.04	0.16	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.10	0.10	9
10	0.10	0.34	0.00	0.11	0.01	0.03	0.02	0.00	0.00	0.04	0.09	0.00	10
11	0.04	0.15	0.00	0.38	0.18	0.02	0.12	0.00	0.13	0.00	0.02	0.00	11
12	0.02	0.19	0.00	0.03	0.36	0.00	0.22	0.31	0.07	0.16	0.03	0.00	12
13	0.00	0.38	0.08	0.15	0.05	0.00	0.00	0.70	0.07	0.08	0.02	0.00	13
14	0.05	0.45	0.10	0.04	0.10	0.00	0.00	0.15	0.00	0.22	0.01	0.00	14
15	0.02	0.46	0.05	0.18	0.21	0.00	0.01	0.20	0.04	0.62	0.06	0.00	15
16	0.02	0.08	0.00	0.42	0.02	0.00	0.01	0.10	0.03	0.45	0.00	0.00	16
17	0.31	0.44	0.00	0.26	0.00	0.00	0.00	0.01	2.06	0.71	0.00	0.00	17
18	0.10	0.22	0.07	0.36	0.00	0.00	0.00	0.01	1.14	0.40	0.07	1.02	18
19	0.28	0.03	0.26	0.60	0.00	0.00	0.00	0.03	0.00	0.00	0.36	0.02	19
20	0.29	0.10	0.27	0.05	0.00	0.00	0.00	0.00	0.00	0.00	1.27	0.32	20
21	0.30	0.00	0.30	0.00	0.01	0.02	0.00	0.00	0.00	0.00	0.20	0.06	21
22	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.03	0.00	0.45	0.06	0.20	22
23	0.10	0.01	0.02	0.12	0.01	0.00	0.00	0.90	0.01	1.09	0.26	0.52	23
24	0.00	0.06	0.12	0.23	0.80	0.05	0.00	0.50	0.00	0.90	0.07	0.06	24
25	0.07	0.03	0.32	0.01	0.11	0.00	0.00	0.45	0.06	0.10	0.35	0.04	25
26	0.15	0.03	0.08	0.00	0.05	0.22	0.00	0.00	0.75	0.95	0.13	0.00	26
27	0.02	0.00	0.30	0.00	0.02	0.00	0.00	1.05	0.70	1.97	0.03	0.04	27
28	0.00	0.17	0.02	0.00	0.14	0.00	0.00	0.00	0.00	0.21	0.25	0.00	28
29	0.00	0.05	0.00	0.00	0.00	0.31	0.00	0.01	0.00	1.26	0.03	0.00	29
30	0.00	X	0.00	0.00	0.00	0.15	0.00	0.01	0.00	0.31	0.01	0.04	30
31	0.00	X	0.02	X	0.09	X	0.00	0.95	X	0.95	X	0.44	31
Total	3.23	6.61	2.45	3.11	4.08	2.20	1.31	5.41	7.71	17.85	7.89	5.21	YEAR'S TOTAL 66.86
Rain Days.	24	26	20	17	23	16	10	16	14	26	28	19	238

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 1,000, X. 15.

Price 2d.

REGISTER OF RAINFALL IN 1917

3857

FORM A.
BRITISH RAINFALL.
10 JAN 1918

Kept at Talwrdale Lampeter W

in the County of Cardiganshire

by Wm Taylor

Lat. 52·7 Long. 4·5 W

Time of Observation 9

Nearest Railway Station Lampeter

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·28	0·09	0·00	0·07	0·00	0·03	0·05	0·00	0·14	0·34	1
2	0·00	0·00	0·01	0·34	0·00	0·16	0·00	0·00	0·00	0·06	0·25	0·07	2
3	0·25	0·09	0·01	0·03	0·00	0·09	0·02	0·00	0·00	0·61	0·04	0·02	3
4	0·00	0·21	0·14	0·03	0·00	0·00	0·00	0·00	0·08	0·86	0·04	0·00	4
5	0·70	0·00	0·28	0·12	0·00	0·08	0·00	0·65	0·25	0·60	0·30	0·00	5
6	0·02	0·00	0·16	0·02	0·00	0·21	0·00	0·00	0·00	0·22	0·36	0·25	6
7	0·52	0·00	0·00	0·04	0·00	0·00	0·12	0·12	0·00	0·94	0·15	0·04	7
8	0·21	0·00	0·10	0·18	0·00	0·07	0·50	0·75	0·06	0·55	0·46	0·27	8
9	0·00	0·00	0·04	0·31	0·04	0·00	0·00	0·29	0·00	0·45	0·42	0·01	9
10	0·20	0·00	0·79	0·35	0·00	0·02	0·00	0·37	0·00	0·68	0·50	0·00	10
11	0·23	0·00	0·00	0·16	0·00	0·00	0·00	0·18	0·01	0·44	0·15	0·00	11
12	0·44	0·00	0·01	0·28	0·86	0·00	0·00	0·31	0·04	0·36	0·01	0·05	12
13	0·13	0·00	0·08	0·04	0·03	0·02	0·00	1·12	0·41	0·11	0·05	0·06	13
14	0·01	0·00	0·00	0·18	0·03	0·00	0·60	0·37	0·00	0·25	0·02	0·06	14
15	0·00	0·00	0·00	0·06	0·09	0·00	0·09	0·00	0·05	0·21	0·00	0·30	15
16	0·00	0·02	0·00	0·65	0·00	0·02	0·30	0·10	0·02	0·06	0·03	0·13	16
17	0·03	0·01	0·10	0·24	0·06	0·00	0·78	1·11	0·63	0·05	0·07	0·06	17
18	0·00	0·00	0·08	0·03	0·05	0·02	0·21	0·04	0·60	0·08	0·00	0·00	18
19	0·00	0·46	0·30	0·00	0·00	0·54	0·00	0·00	0·10	0·00	0·36	0·00	19
20	0·00	0·19	0·01	0·00	0·41	1·22	0·11	0·30	0·15	0·01	0·26	0·00	20
21	0·00	0·03	0·07	0·00	0·00	0·39	0·00	0·10	0·00	0·10	0·00	0·00	21
22	0·00	0·02	0·00	0·00	0·00	0·01	0·00	1·31	0·06	0·20	0·05	0·00	22
23	0·00	0·20	0·00	0·00	0·26	0·12	0·00	0·32	0·00	0·12	0·00	0·21	23
24	0·00	0·06	0·04	0·00	0·00	0·16	0·37	0·15	0·01	0·59	0·02	0·12	24
25	0·00	0·14	0·10	0·00	0·00	0·00	0·01	0·62	0·10	0·20	0·10	0·00	25
26	0·00	0·00	0·00	0·00	0·31	0·11	0·03	0·40	0·26	0·17	0·41	0·00	26
27	0·00	0·01	0·03	0·00	0·41	0·39	0·61	1·01	0·00	0·12	0·00	0·00	27
28	0·00	0·10	0·20	0·00	0·28	0·02	0·07	0·87	0·00	0·21	0·00	0·00	28
29	0·00	X	0·08	0·00	0·00	0·00	0·00	0·02	0·00	1·45	0·04	0·00	29
30	0·00	X	0·00	0·00	0·00	0·00	0·00	0·44	0·00	0·10	0·14	0·00	30
31	0·00	X	0·23	X	0·47	X	0·00	0·33	X	0·00	X	0·00	31
Total	2·74	1·54	3·14	3·15	3·33	3·62	3·82	11·31	2·88	9·80	4·37	1·93	51·60
Rain Days.	11	13	22	18	13	19	14	25	17	28	24	14	220

51·60
YEAR'S TOTAL

248

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL. 1.19

Kept at Talwrdale

in the County of Carmarthenshire

by Wm Taylor

Lat. 52·7 Long. 4·34

Time of Observation

Nearest Railway Station Llanpeli

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·000	0·14	0·00	0·11	0·00	0·00	0·00	0·15	0·20	1·20	0·21	0·00	1
2	0·00	0·19	0·00	0·04	0·00	0·00	0·000	0·13	0·040	0·15	0·06	0·13	2
3	0·00	0·11	0·000	0·50	0·68	0·00	0·00	0·01	0·720	0·21	0·09	0·03	3
4	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·03	0·550	0·850	0·930	0·34	4
5	0·00	0·85	0·00	0·34	0·40	0·00	0·00	0·21	0·080	0·750	0·70	0·05	5
6	0·01	0·29	0·00	0·12	0·02	0·06	0·000	0·00	0·070	0·530	0·00	0·08	6
7	0·030	0·30	0·00	0·10	0·25	0·00	0·00	0·00	0·330	0·14	0·65	0·25	7
8	0·60	0·45	0·00	0·00	0·00	0·00	0·250	0·00	0·170	0·21	0·04	0·00	8
9	0·00	0·06	0·00	0·19	0·00	1·200	0·190	0·00	0·350	0·41	0·03	0·32	9
10	0·030	0·07	0·02	0·00	0·01	0·00	0·29	0·00	0·11	0·12	0·30	0·50	10
11	0·050	0·04	0·00	0·00	0·17	0·00	0·360	0·00	0·150	0·04	0·00	0·36	11
12	0·07	0·200	0·00	0·00	0·00	0·02	0·070	0·00	0·200	0·00	0·00	0·02	12
13	0·050	0·16	0·00	0·00	0·00	0·000	0·02	0·000	0·15	0·04	0·00	0·04	13
14	0·050	0·00	0·00	0·00	0·00	0·00	0·350	0·03	0·490	0·11	0·00	0·48	14
15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·49	0·00	0·00	0·33	15
16	0·12	0·00	0·00	0·39	0·00	0·00	0·38	0·09	0·320	0·16	0·00	0·21	16
17	0·77	0·00	0·00	0·07	0·00	0·00	0·00	0·02	0·11	0·04	0·00	0·25	17
18	0·12	0·03	0·03	0·00	0·00	0·00	0·00	0·09	0·030	0·36	0·00	0·40	18
19	0·18	0·12	0·00	0·17	0·02	0·58	0·93	0·30	0·13	0·02	0·00	0·26	19
20	0·81	0·14	0·00	0·15	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	20
21	0·12	0·32	0·06	0·02	0·00	0·030	0·00	0·00	0·55	0·00	0·00	0·04	21
22	0·100	0·00	0·00	0·00	0·18	0·00	0·43	0·00	0·25	0·20	0·00	0·55	22
23	0·22	0·04	0·00	0·10	1·32	0·00	0·11	0·00	0·18	0·00	0·03	0·05	23
24	0·10	0·20	0·00	0·00	0·00	0·08	0·03	0·70	0·27	0·01	0·20	0·10	24
25	0·00	0·02	0·00	0·17	0·15	0·00	0·28	0·22	0·06	0·09	0·03	0·06	25
26	0·09	0·00	0·00	0·03	0·00	0·00	0·02	0·04	0·10	0·05	0·37	0·45	26
27	0·46	0·18	0·00	0·00	0·00	0·00	0·00	0·93	0·45	0·02	0·15	0·14	27
28	0·00	0·15	0·32	0·00	0·00	0·00	0·00	0·05	0·02	0·02	0·00	0·31	28
29	0·00	X	0·00	0·00	0·00	0·00	0·00	0·04	0·68	0·02	0·00	0·16	29
30	0·00	X	0·30	0·04	0·00	0·00	0·00	0·00	0·15	0·09	0·00	0·25	30
31	0·00	X	0·35	X	0·00	X	0·00	0·26	X	0·02	X	0·12	31
Total	5·69	4·03	2·37	2·02	3·25	1·95	4·01	2·36	8·34	5·01	4·46	6·82	YEAR'S TOTAL 50·45
Rain Days.	21	22	8	16	10	6	19	17	30	28	16	28	221

5.69 4·03 2·37 2·02 3·25 1·95 4·01 2·36 8·34 5·01 4·46 6·82 50·31

W. 8,000, IX.17.

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL

3 JAN 20

Kept at Talcondale

in the County of Cardigan

by Wm Taylor

Lat. 52·7 Long. 4·5 W

Time of Observation 9

Nearest Railway Station Lampeter

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·44	0·00	0·04	0·00	0·36	0·00	0·31	0·00	0·28	0·12	0·00	0·40	1
2	0·24	0·00	0·15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·18	2
3	0·06	0·02	0·00	0·00	0·00	0·10	0·00	0·00	0·06	0·00	0·00	0·22	3
4	0·00	0·16	0·34	0·00	0·04	0·04	0·00	0·90	0·19	0·00	0·00	0·39	4
5	0·39	0·38	0·00	0·03	0·09	0·00	0·00	0·00	0·05	0·00	0·00	0·55	5
6	0·36	0·03	0·72	0·10	0·00	0·00	0·00	0·00	0·13	0·00	0·00	0·31	6
7	0·10	0·00	0·23	0·15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·40	7
8	0·63	0·00	0·10	0·01	0·00	0·09	0·00	0·00	0·01	0·00	0·00	0·00	8
9	0·41	0·00	0·07	0·14	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·02	9
10	0·40	0·00	1·00	0·11	0·05	0·00	0·00	0·00	0·00	0·23	0·03	0·64	10
11	0·10	0·01	1·98	0·15	0·12	0·05	0·13	0·00	0·00	0·09	0·00	0·03	11
12	0·04	0·00	0·27	0·22	0·00	0·15	0·01	0·00	0·00	0·25	0·11	0·01	12
13	0·38	0·00	0·00	0·31	0·00	0·00	0·37	0·00	0·05	0·25	0·00	0·20	13
14	0·37	0·05	0·00	0·95	0·35	0·00	0·56	0·00	0·01	0·41	0·00	0·14	14
15	0·16	0·01	0·00	0·15	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·64	15
16	0·21	0·30	0·00	0·00	0·00	0·01	0·03	0·40	0·00	0·00	0·41	0·00	16
17	0·00	0·50	0·04	0·14	0·00	0·19	0·01	0·31	0·00	0·00	0·70	0·03	17
18	0·07	0·07	0·36	0·00	0·00	0·00	0·06	0·55	0·33	0·00	0·21	0·20	18
19	0·14	0·10	0·35	0·08	0·00	0·39	0·02	0·21	0·63	0·00	0·13	0·22	19
20	0·35	0·18	0·07	0·00	0·05	0·00	0·03	0·00	0·47	0·00	0·04	0·40	20
21	0·03	0·53	0·00	0·00	0·00	0·00	0·34	0·01	0·12	0·00	0·03	0·21	21
22	0·00	0·24	0·00	0·00	0·00	0·05	0·01	0·00	0·57	0·00	0·01	1·09	22
23	0·00	0·00	0·00	0·03	0·00	0·00	0·00	0·02	0·00	0·01	0·08	0·09	23
24	0·00	0·00	0·00	0·00	0·16	0·12	0·00	0·00	0·03	0·21	0·25	0·23	24
25	0·20	0·00	0·00	0·03	0·08	0·00	0·00	0·15	0·18	0·02	0·15	0·13	25
26	0·30	0·00	0·21	0·19	0·00	0·10	0·00	0·30	0·00	0·23	0·00	0·42	26
27	0·10	0·00	0·05	0·48	0·00	0·00	0·00	0·24	0·08	0·00	0·00	0·00	27
28	0·00	0·00	0·16	0·09	0·00	0·00	0·00	0·30	0·00	0·00	0·00	0·38	28
29	0·00	0·00	0·16	0·21	0·00	0·00	0·00	0·41	0·01	0·01	0·04	0·22	29
30	0·00	X	0·06	0·35	0·00	0·31	0·15	0·15	0·03	0·00	0·48	0·80	30
31	0·00	X	0·23	X	0·00	X	0·00	0·00	X	0·00	X	0·00	31
Total	5·88	2·63	7·09	3·84	1·32	3·65 3·24	2·14	3·39	3·06	2·58 2·38	2·67	8·53	4·68 4·10
Rain Days.	21	13	20	19	10	13	12	14	18	12	14	24	19

R 4·04 20· 10· 20· 14· 9· 11· 8· 11· 13· 10· 11· 23· 164·

W. 6,500. VII. 18. W W C

Form A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lampeter, Falcondale

in the County of Cardigan

by W. Taylor

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.04	.08	.45		.40		.33	.21		.48	1
2	.20	.10		.45	.10		.51	.03	.38	.26		.27	2
3	.01	.15		.08	.01		.38		.08	1.16			3
4					1.66			.75	.06	.48			4
5			.28		.17		.47	.23	.01	.26			5
6			.70	.16			.12		.01	.22			6
7	.08	.15	.19	.13	.18		.07	.02				.04	7
8	.09	.11		.48			.37	.40					8
9	.47	.44	.07	1.15			.15	.07	.05		.05		9
10	.87	.25	.20		.25	.27	.25	.14			.11		10
11	.05	.12	.34	.27			.05						11
12	.35	.27	.10	.30		.60	.11	.73	.03	.04	.26	.01	12
13	.06	.09	.60	.45		.06				.03	.05		13
14	.01	.06	.86	.70		.33	.10		1.68	1.18	.70		14
15	.02	.20	.20	.78	.01	.55	.02			.01	.22		15
16		.04	.20	.35	.23	.63	.50		.45	.43	.09		16
17	.10		.04	.12	.46	.05		.40	.37	.04			17
18	.45	.04		.20	.31	.10		.05	.37				18
19	.03	.90		.50	.20	.04		.13					19
20	.18			.45	.08	.05	.10		.40			.33	20
21				.03			.11	.04				.13	21
22	.20			.10		.05	.18	.55				.12	22
23	.11		.12	.02			.22	.04				.35	23
24	.08		.53	.03		.01	.02	.01			.15	.41	24
25	.14	.08	.25	.12	1.45	.15	.78					.16	25
26	.35	.07	.87	.43		.01	.30		.01		.16	.13	26
27	.96	.08	1.21	.33	.15	.70	.15		.02		.40	.55	27
28	.98	.04	.46	.20	.15	.12	.07				.15	.12	28
29	.46	.01	.27	.03	.18	.11	.53				.13	.42	29
30	.20		.62	.75	.01	.47	.04		.96	.08	.37	.47	30
31	.22		.32		.06		.04	.01		.80		.10	31
TOTAL	6.67	3.22	8.47	8.69	6.11	4.30	6.04	3.60 3.61	5.21	5.20	2.84	4.09	YEAR'S TOTAL 64.44
Days with .01 in. or more	25	20	22	27	19	18	26	16	16	14	13	16	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LAMPETER
LLANLLEAR
~~FELINFACH~~
CARDIGANSHIRE
1911- 1919

RE

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Llanllear

in the County of Cara

by Miss Lewes

in.

ad 1, ft. 1 in.

Level 226 ft.

~~Miss Lewes~~

ce Talgarn Hall.

Direction

IMPORTANT NOTE … a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	·12	–	·14	–	·02	–	–	·01	·16	·08	1
2	·02	–	·07	·02	·19	·02	–	·07	–	·28	·05	·23	2
3	–	–	·05	·01	·78	–	–	·16	·02	–	·20	·24	3
4	–	–	·18	–	·04	–	–	·51	–	–	·40	·50	4
5	·18	–	·08	–	–	–	–	·60	–	·12	·12	·03	5
6	·28	–	·16	–	–	–	–	·14	–	–	·16	·92	6
7	·05	–	·01	–	–	–	–	–	–	–	·69	·01	7
8	·25	–	·19	–	–	–	–	–	–	–	·18	·63	8
9	·06	–	·01	–	–	–	–	–	–	–	·35	·36	9
10	·10	·06	·42	–	–	–	–	–	–	–	–	·91	10
11	·44	–	–	–	–	–	–	–	·05	·01	·20	·17	11
12	–	–	·40	–	–	–	–	·02	148	·06	158	·07	12
13	–	–	–	–	–	–	–	–	–	–	·13	·20	13
14	·01	·04	·06	–	–	–	–	–	–	–	·03	·38	14
15	–	·10	·01	–	–	·02	–	–	–	–	·40	·04	15
16	·02	·02	–	–	–	·33	–	–	–	–	·21	·17	16
17	·01	·01	–	·01	–	·76	–	–	–	–	·33	·63	17
18	–	·37	–	·50	–	·37	–	–	–	–	104	·68	18
19	–	·04	–	·25	–	·10	·01	·02	·22	·03	·68	·67	19
20	·02	·06	–	·25	–	·04	–	·04	·24	·16	·01	·13	20
21	·01	·24	–	·01	–	·11	·11	·04	·28	·76	–	·23	21
22	–	·05	–	·08	–	·04	–	–	·01	·44	–	·40	22
23	–	·12	·03	·01	–	·22	–	·07	·10	·26	–	·17	23
24	·01	·21	–	·02	–	146	–	·16	·01	·63	–	·37	24
25	·01	·04	–	·26	–	·35	·09	–	·16	·67	–	·13	25
26	–	·16	–	·43	·26	–	–	·03	·02	·38	–	·13	26
27	·01	·23	–	·14	–	–	·07	·98	·62	–	·01	·13	27
28	–	·33	·01	·26	–	–	–	·01	–	–	–	·01	28
29	–		–	·11	–	·36	·11	·02	·21	·38	–	·05	29
30	–		·01	·01	–	·05	–	–	–	·47	·05	·01	30
31	–		–		–		·55	–		·10		·01	31
Total	149	213	181	240	141	421	96	287	342	469	691	359	TOTAL for year 40,89
No. of Rain Days	17	16	16	16	5	14	7	15	13	16	21	31	187

9,000, IX. '10.

RE[illegible] RAINFALL IN 1911

4th Form A2. British Rainfall. 6 JAN 1912

Kept at Llanlear Felingach

in the County of Cardiganshire

by Miss Lewes.

Rain Gauge: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. 1 in. " " " Sea Level 226 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Miss Lewes Distance Talyorn Halt. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	·12	–	14	–	02	–	–	·01	16	·08	1
2	·02	–	·07	·02	19	·02	–	·07	–	·28	·05	·23	2
3	–	–	·05	·01	·78	–	–	·16	02	–	·20	·24	3
4	–	–	·18	–	·04	–	–	·51	–	–	·40	·50	4
5	·18	–	·08	–	–	–	–	·60	–	·12	·12	·03	5
6	·28	–	·16	–	–	–	–	·14	–	–	·16	·92	6
7	·05	–	·01	–	–	–	–	–	–	–	·59	·01	7
8	·25	–	·19	–	–	–	–	–	–	–	·48	·53	8
9	·06	–	·01	–	–	–	–	–	–	–	·35	·36	9
10	·10	·06	·42	–	–	–	–	–	–	–	–	·91	10
11	·44	–	–	–	–	–	–	–	·05	·01	·20	·17	11
12	–	–	·40	–	–	–	–	02	148	·06	1·58	·07	12
13	–	–	–	–	–	–	–	–	–	–	·13	·20	13
14	·01	·04	·06	–	–	–	–	–	–	–	·03	·38	14
15	–	10	·01	–	–	·02	–	–	–	–	·40	·04	15
16	·02	·02	–	–	–	·33	–	–	–	–	·21	·17	16
17	·01	·01	–	·01	–	·76	–	–	–	–	·33	·63	17
18	–	·37	–	·50	–	·37	–	–	–	–	104	·68	18
19	–	·04	–	·28	–	·10	01	·02	·22	·03	·68	·67	19
20	·02	·06	–	·25	–	·04	–	·04	·24	·16	·01	·13	20
21	·01	·24	–	·01	–	·11	·11	·04	·28	·76	–	·23	21
22	–	·05	–	·08	–	·04	–	–	·01	·44	–	·40	22
23	–	·12	·03	·01	–	·22	–	·07	·10	·26	–	·17	23
24	·01	21	–	·02	–	145	–	·16	·01	·63	–	·37	24
25	·01	·04	–	26	–	35	·09	–	·16	·67	–	·13	25
26	–	·16	–	·43	·26	–	–	·03	·02	·38	–	·13	26
27	·01	·23	–	·14	–	–	·07	98	·62	–	·01	·13	27
28	–	·33	·01	·26	–	–	–	·01	–	–	–	·01	28
29	–		–	·11	–	·36	·11	·02	·21	·38	–	·05	29
30	–		·01	·01	–	·05	–	–	–	·47	·08	·01	30
31	–		–		–		·55	–		·10		·01	31
Total	149	213	181	240	141	421	96	287	302	469	691	559	TOTAL for year 40.89
No. of Rain Days	17	16	16	16	5	14	7	15	13	16	21	31	187

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 3 JAN 1913

Kept at Llanlear. Felinfach.
in the County of Cardiganshire 2 Vale of Aeron not Tetrinth
by Miss Lewes

Lat. ..... Long. .....
Time of Observation 9 a.m.
Nearest Railway Station Talsarn Halt
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	07	50	03	54	30	10	06	–	–	17	1
2	01	–	36	06	01	55	01	01	–	–	–	–	2
3	10	–	10	72	–	–	–	88	06	–	05	09	3
4	46	–	1.07	50	05	–	–	10	–	–	51	–	4
5	34	–	40	75	02	–	–	20	01	–	05	06	5
6	34	14	04	07	07	–	–	21	06	–	04	04	6
7	05	28	15	01	06	35	07	25	01	–	01	20	7
8	34	14	45	08	01	96	–	07	07	–	07	06	8
9	13	12	10	16	–	06	01	28	04	–	22	23	9
10	34	–	–	01	–	35	08	11	–	–	17	02	10
11	03	–	–	50	–	–	03	–	–	–	05	48	11
12	03	–	45	20	03	03	15	12	–	.	–	04	12
13	04	–	01	01	–	08	–	09	–	25	05	45	13
14	08	03	55	14	–	02	–	55	04	–	02	10	14
15	25	02	07	75	07	20	–	05	–	–	–	24	15
16	10	29	52	–	10	05	–	08	–	19	25	10	16
17	20	02	14	–	–	18	–	62	–	–	10	75	17
18	13	07	12	–	–	01	–	28	–	19	05	05	18
19	01	39	02	–	–	02	–	80	–	5	13	05	19
20	02	02	38	–	–	–	–	12	–	1.09	01	03	20
21	–	05	99	–	–	–	–	60	–	45	05	19	21
22	18	36	20	–	30	08	19	63	–	04	03	14	22
23	04	02	25	–	–	05	05	47	–	45	54	33	23
24	–	03	08	–	–	29	–	–	–	–	03	23	24
25	01	–	03	–	–	16	–	35	–	04	55	62	25
26	–	13	20	–	–	01	05	64	–	100	65	22	26
27	–	03	16	.	–	65	88	–	–	58	25	22	27
28	–	12	03	–	–	35	60	20	01	53	65	03	28
29	–	08	05	–	–	04	15	30	31	65	04	04	29
30	–		12	01	04	07	20	01	03	41	–	01	30
31	01		32		09		85	10	.	02		10	31
Total	324	234	743	46	87	509	362	822	70	544	457	528	YEAR'S TOTAL 47.26
Rain Days.	23	19	29	9	13	23	15	28	11	15	25	29	239

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4-JAN 1914

Kept at Llanlear

in the County of Cardiganshire

by Miss Lewes.

Lat. ..... Long. .....

Time of Observation 9-am

Nearest Railway Station Talsarn Rail

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	13	.19	14	12	.07	.01	—	—	—	—	28	.04	1
2	.03	42	15	22	20	.05	—	—	—	17	27	03	2
3	.04	.01	23	—	60	—	—	—	—	.01	—	55	3
4	56	12	.08	—	.03	—	—	—	65	46	42	28	4
5	33	12	12	—	17	38	11	—	65	24	41	11	5
6	13	.08	29	—	.06	55	.04	—	—	20	.05	84	6
7	.03	42	.04	—	35	45	12	—	—	31	.04	.02	7
8	.04	43	—	—	35	15	.04	—	—	.06	—	.01	8
9	—	44	13	11	18	72	29	03	—	—	28	14	9
10	29	—	.06	23	22	—	.03	.08	.04	13	15	—	10
11	39	—	—	59	.03	—	.01	28	—	43	50	10	11
12	—	—	.03	—	.04	.01	.01	15	44	—	120	—	12
13	—	—	40	—	12	—	.02	.03	83	—	39	—	13
14	39	—	48	.06	—	—	.05	10	48	38	.06	.02	14
15	25	—	49	98	—	—	—	—	18	—	13	.01	15
16	.05	—	52	12	—	.01	.02	.07	—	—	.04	—	16
17	32	—	14	13	—	—	28	—	—	—	.03	—	17
18	—	—	44	15	—	.07	17	—	—	—	13	—	18
19	.09	—	.89	.02	10	22	11	—	18	37	.03	—	19
20	64	—	15	25	01	.02	—	—	.03	.05	86	—	20
21	44	.	19	.05	.01	—	25	—	—	—	15	.	21
22	—	—	103	—	23	30	—	.07	53	—	.01	—	22
23	75	—	.01	—	—	.01	—	95	.08	—	22	04	23
24	12	.04	—	16	—	.05	—	.07	—	—	10	.04	24
25	22	—	—	26	—	—	—	—	23	.01	.03	.04	25
26	—	.04	—	117	—	10	—	—	25	.01	—	50	26
27	.01	.01	.08	30	—	—	—	—	1	23	—	.05	27
28	.07	—	10	14	.08	—	—	—	—	45	—	25	28
29	.01		13	63	18	—	—	—	—	58	.03	—	29
30	28		.03	.07	05	—	—	—	—	13	35	—	30
31	.07		23		—		—	—		.07		—	31
Total	568	232	658	575	308	310	155	183	457	429	615	307	YEAR'S TOTAL 4694
Rain Days.	25	12	26	20	20	16	15	10	13	19	25	18	219

41.97

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 - 11 AM 1915

Kept at Llanlear. Felingach

in the County of Cardigan

by Miss Lewes

Lat. ____ Long. ____

Time of Observation 9 a m

Nearest Railway Station ____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	02	10	11	=	15	124	45	=	-	32	28	1
2	-	01	-	-	-	02	28	-	-	10	06	40	2
3	·01	-	43	-	50	-	-	01	-	02	02	38	3
4	55	-	12	17	15	-	23	04	-	-	33	40	4
5	11	-	25	-	35	-	13	-	-	-	05	-	5
6	11	-	05	17	06	09	09	-	-	-	07	12	6
7	·03	06	28	06	20	35	42	22	01	-	02	28	7
8	·07	30	01	05	93	16	02	42	01	01	-	11	8
9	23	-	28	17	20	35	-	23	03	-	-	-	9
10	09	08	14	22	08	02	-	-	31	-	05	-	10
11	-	35	44	-	15	13	-	-	12	-	41	22	11
12	-	35	48	-	-	-	-	-	29	-	39	02	12
13	-	52	40	01	02	-	05	-	31	30	33	15	13
14	-	37	23	-	-	-	04	01	01	-	28	-	14
15	-	55	13	-	-	-	04	-	16	-	58	30	15
16	-	03	08	-	-	-	24	-	15	-	-	04	16
17	-	65	43	-	-	-	23	-	15	-	-	102	17
18	-	05	05	-	-	-	-	-	32	-	-	22	18
19	-	18	05	-	-	-	40	-	15	-	05	25	19
20	-	53	75	-	-	56	-	-	-	-	-	04	20
21	-	24	04	-	-	06	-	64	-	12	-	-	21
22	-	18	03	04	05	08	01	24	-	25	-	-	22
23	-	08	26	-	-	-	02	02	-	07	-	-	23
24	10	-	10	-	-	-	18	03	-	37	15	-	24
25	18	01	49	-	-	-	85	70	-	01	03	30	25
26	23	-	41	-	-	-	73	72	-	14	43	50	26
27	05	02	-	-	-	-	07	01	-	18	49	140	27
28	06	12	18	-	10	-	-	-	-	01	04	64	28
29	02		13	-	10	-	-	02	-	-	27	93	29
30	03	X	20	-	-	-	-	08	-	-	40	64	30
31	42	X	-	X	05	X	32	-	X	17	X	40	31
Total	232	465	649	99	294	196	559	384	202	175	476	904	YEAR'S TOTAL 4635
Rain Days.	17	21	28	9	14	11	20	16	13	13	21	23	206

W. 8,000. X. 14.

4089

FORM A
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Llwyngwair Felingwach

in the County of Cardiganshire

by Miss M. J. Lewes

Lat. ..... Long. .....

Time of Observation 9 o'clock

Nearest Railway Station Glogue Halt GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	64	15	-	-	33	-	-2	20	12	25	-	25	1
2	34	30	32	41	-	-	-	30	24	15	-	-6	2
3	-3	15	-4	5	-6	-	22	10	-	-	-	11	3
4	10	27	-1	-	11	-	-	13	-	-	-	45	4
5	2	48	3	-5	-	15	-	-3	-	-	-	98	5
6	30	-3	-2	20	-	-	23	13	-	-	-	12	6
7	32	60	-	-6	-	-	-	-4	-	-	-	20	7
8	20	58	-	-	-	-	-	-4	-	10	46	32	8
9	-6	50	-	73	-	-	-	-	-	-	-4	20	9
10	47	11	11	15	-	-	-	2	-	-4	10	41	10
11	-	-	-	-4	-	-	-	13	-	-	104	3	11
12	24	13	-	37	-3	-	-	-	-	24	94	15	12
13	-	-6	-	10	14	-	-1	121	-4	-5	94	35	13
14	10	-	-	-	-	-	-9	4	-	-	-	40	14
15	42	-	-	-	25	-	59	2	-2	-	32	22	15
16	-6	64	-	-	15	-	-	-4	-3	-	-	-2	16
17	-4	46	-	-	15	-	-	-	-	-	-	-	17
18	-3	72	-	-	-	-	40	-	-	-	-	-	18
19	-1	-	-	25	22	-	-	-	-	-	-	50	19
20	58	10	-	10	-	-	28	-	-	4	-	74	20
21	55	16	-	-	22	-	-	-	-	-	-	38	21
22	15	-6	16	-4	-	-5	20	-	-	-	-	28	22
23	-	25	-8	-4	-	24	32	-	-	65	-	65	23
24	-	-	-	-4	-	-	-	-	-1	28	-	15	24
25	-	-	-	-	-	30	33	-	-	-	10	78	25
26	-	25	-	-	-	-4	30	-	28	-	-	35	26
27	-	-4	-	-	-	16	20	-	-6	50	-	-4	27
28	-	10	-	-	-	-6	-3	-4	15	-2	-	12	28
29	-		-	-	-	35	-	-	13	-5	16	13	29
30	18	X	-	10	-	-2	-	-	15	28	10	45	30
31	-	X	-	X	-	X	24	-5	X	-	X	47	31
Total	487	617	82	276	166	137	346	261	129	274	426	964	4185
Rain Days.	21	22	8	16	10	9	15	16	11	13	10	29	180

YEAR'S TOTAL

4165

W. 8,000, X. 15.

REGISTER OF RAINFALL IN 1916

FORM A2. BRITISH RAINFALL. 4018

Kept at Llanlear Felingarth

in the County of Cardiganshire

by Miss Lewes

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground ____ ft. ____ in. " " " Sea Level 226 ft.

Time of Observation 9 o'clock

Nearest Railway Station: Name Talsarn Road Distance ½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	10	-	-	-	10	18	-	-	30	30	-	1
2	30	55	12	-	-	-	23	-	54	80	17	-	2
3	-2	60	-	-6	-5	-5	-8	-	99	25	24	15	3
4	20	10	-	-8	25	45	-	-	22	16	28	-	4
5	-1	-9	20	-	10	-8	-	-	-	26	-5	-	5
6	20	42	-	-	10	-4	-8	-	-	25	26	35	6
7	-5	18	-	-	97	-3	-	-	-	26	33	-4	7
8	10	-7	-	-	76	33	-	-	-	10	-8	17	8
9	-3	-4	-	-	10	-	-	-	-	-	-6	-	9
10	-3	32	-	15	-4	-3	-1	-	-	-	-1	-	10
11	-2	28	-	28	10	-	-	-	12	-	-	-	11
12	-1	19	-	.3	47	-	23	106	12	-8	-	-	12
13	-	32	18	.8	-4	-	.1	59	10	-4	-	-	13
14	.1	65	-7	-5	12	-	-	48	-	16	-	-	14
15	.2	29	-6	15	35	-	-	13	-	15	-	-	15
16	.1	-2	-	25	-3	-	-	15	-3	25	-	-	16
17	26	20	-	16	-	-	-	.2	108	33	-	-	17
18	.4	21	-7	35	-	-	-	-	28	15	-1	30	18
19	18	25	18	70	-	-	-	-3	-	-	45	30	19
20	25	-2	21	-5	-	-1	-	-	-	-	54	-	20
21	15	-	16	-	-	10	-	-	-	-	-	20	21
22	-	-	-	-	-	-	-	-	-	17	-5	42	22
23	-7	-	-3	10	75	-	-	38	-	60	35	12	23
24	-	10	14	-7	18	-	-	24	-	22	-2	-4	24
25	-	-	20	-	-5	-3	-	17	-	-	36	-	25
26	12	-3	-7	-	-2	-8	-	10	40	27	11	-	26
27	-1	-1	35	-	-	-	-	42	60	131	-	38	27
28	-	-1	-1	-	-	-	-	-	-	21	-3	38	28
29	-	24	-	-	-	30	-	10	-	30	-3	-	29
30	-		-	-	-	-8	-	-7	-	52	-	4	30
31	-		-		-5		-	20		55		-1	31
Total	224	529	203	256	450	171	82	414	443	768	372	290	4002 for Year
No. of Rain Days	23	25	15	15	19	14	7	15	11	24	20	15	203

9,000, IX. '10.

3853

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL.

Kept at Llanbear Felinfach

in the County of Cardigan

by Miss Lewes

Lat. ..... Long. .....

Time of Observation 9 a m

Nearest Railway Station Felinfach

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	-	24	16	-	10	-	4	10	-	12	6	1
2	—	-	1	6	-	23	-	-	-	-	22	12	2
3	8	-	-	-	-	3	-	-	-	5	4	5	3
4	-	8	24	3	-	-	-	-	5	40	2	1	4
5	81	18	45	20	-	5	-	17	24	64	30	-	5
6	2	-	21	5	-	25	-	-	-	60	32	11	6
7	52	-	-	7	-	-	2	10	-	18	12	8	7
8	10	-	2	25	-	10	50	96	2	20	40	26	8
9	-	-	4	10	6	-	-	66	-	50	40	-	9
10	32	-	57	38	-	-	-	25	-	45	37	-	10
11	21	-	-	28	-	-	-	25	4	88	13	-	11
12	20	-	2	14	72	-	-	88	-	68	2	2	12
13	40	-	4	13	-	-	-	-	2	45	5	7	13
14	-	-	-	10	-	-	8	6	34	25	5	-	14
15	-	-	-	7	7	-	20	-	-	18	-	12	15
16	-	2	-	10	-	-	23	120	3	25	1	44	16
17	-	-	10	53	10	1	48	2	-	5	3	48	17
18	-	-	9	28	1	60	27	-	25	12	-	-	18
19	-	30	20	3	-	95	-	56	58	10	2	-	19
20	-	25	-	-	47	15	-	1	1	-	18	-	20
21	-	-	9	-	-	3	-	102	-	4	33	-	21
22	-	2	-	-	-	3	-	22	-	15	4	-	22
23	-	20	-	-	-	15	2	10	4	5	-	17	23
24	-	3	-	-	-	-	25	33	-	38	-	5	24
25	-	13	14	-	20	3	-	30	3	11	8	-	25
26	-	-	-	-	33	35	-	45	33	9	45	-	26
27	-	-	3	-	-	-	50	104	-	20	2	-	27
28	-	12	14	-	-	-	7	1	-	25	-	-	28
29	-		3	-	-	-	-	33	-	92	-	-	29
30	-		-	-	-	-	-	21	-	12	4	-	30
31	-		47		24		-	20		2		-	31
Total	266	133	311	296	220	306	262	932	208	831	376	204	YEAR'S TOTAL 43'45
Rain Days.	9	10	18	15	9	15	11	24	14	20	24	14	194

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

Kept at Llanlear Felinfach

in the County of Cardiganshire

by Miss M. J Lewes

Lat. ____ Long. ____

Time of Observation 9 — a m

Nearest Railway Station Felinfach

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	-3	15	15	-8	—	—	—	10	-3	77	—	1
2	—	-4	—	—	—	—	—	-6	7	-3	-5	40	2
3	—	-9	—	-6	70	—	—	20	83	19	-3	—	3
4	-4	-7	—	—	—	—	—	-2	64	65	75	28	4
5	-1	-5	—	15	40	—	—	-5	12	76	-5	-1	5
6	-6	64	—	22	—	13	—	—	14	50	—	—	6
7	—	19	—	-8	20	—	14	—	42	-5	56	13	7
8	48	22	—	—	—	—	16	—	25	25	-3	—	8
9	-2	32	—	24	—	95	35	—	75	25	-2	23	9
10	-2	-4	—	—	—	—	87	—	11	-6	12	54	10
11	-1	-3	17	-1	-8	—	-9	—	33	-5	-2	28	11
12	-3	19	—	—	-2	-3	—	—	13	—	—	—	12
13	-5	10	—	—	-2	—	—	—	13	-1	—	-5	13
14	47	—	4	—	—	2	35	-2	38	11	—	42	14
15	65	—	—	—	—	—	53	—	53	33	—	58	15
16	17	—	—	21	—	—	32	-5	30	20	—	-8	16
17	74	—	—	-1	—	-2	15	-5	11	-4	40	28	17
18	58	14	-2	—	—	55	13	—	48	-2	—	55	18
19	15	10	12	19	—	—	28	—	-3	-2	—	20	19
20	60	17	—	12	"	-6	-1	—	50	—	—	—	20
21	25	13	—	—	11	-1	34	—	80	—	—	-3	21
22	-2	13	—	—	20	—	34	—	22	10	—	45	22
23	25	—	—	—	148	—	-5	—	22	—	3	-5	23
24	-2	-1	—	—	—	-2	32	40	22	-1	22	(03)	24
25	—	22	—	-3	22	—	-2	56	-2	15	10	—	25
26	-6	-1	—	30	—	—	—	11	13	-5	10	44	26
27	-4	-1	50	—	—	—	—	30	55	—	30	-5	27
28	—	-8	68	—	—	—	—	-4	-1	3	40	20	28
29	—		-8	—	—	—	—	-2	73	-1	—	12	29
30	—	X	13	—	—	—	—	—	15	2	-4	30	30
31	—	X	62	X	—	X	—	18	X	-2	X	10	31
Total	472	301	251	177	351	179	444	206	940	394	399	580	YEAR'S TOTAL 4694
Rain Days.	22	23	18	13	11	9	17	14	30	26	18	24	217

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Llanlear Felinfach

in the County of Cardigan

by Miss M. J Lewes

Lat..... Long.....

Time of Observation 9 o'clock a.m.

Nearest Railway Station Talsarn Halt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 232 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	56	–	-2	-2	20	-	30	-	10	22	-	48	1
2	38	–	15	-	-5	-	-1	-	15	-	-	10	2
3	—	-	-1	-	-3	-	-	-	-3	-	-	28	3
4	-3	10	40	-	-	18	-1	14	10	-1	-	28	4
5	30	25	-	-2	-8	-	-	-	-	-	-	68	5
6	25	-6	70	-	-	-	-	-	-1	-	-	35	6
7	8	-	10	10	-	-1	-	-	-2	-	-	32	7
8	25	-	11	-	-	13	-	-	-	-	24	-	8
9	35	-	3	-4	-	-	-	-	-	-	-	-1	9
10	38	-	132	14	-	-	-	-	-	22	-8	131	10
11	-6	-	230	10	-2	-	14	-	-	8	14	-6	11
12	-3	-2	62	8	-8	243	-1	-	-	31	-	-	12
13	30	-	-1	25	-	-	42	-	-	45	-	12	13
14	28	-	-	23	-	-	55	-	-	27	-	13	14
15	59	-2	-	30	20	-	-	-	-	-5	34	80	15
16	30	36	-1	-	-3	-	-1	13	-	—	48	-	16
17	—	45	-3	10	-	10	24	23	-	-	10	-5	17
18	18	3	81	-	-	-	-7	50	15	-	12	38	18
19	28	22	54	-	-	20	-	30	50	-	-2	18	19
20	40	18	103	-	-	-3	-	-3	32	-	-1	45	20
21	-6	65	-	-	-3	-	38	-	18	-	-1	25	21
22	-	46	-	-	-	-	12	-	58	-	-6	145	22
23	-	-	-	-	-	-	-	-	-	48	27	-7	23
24	-	-	-	-2	-2	10	-	-	-1	24	-	38	24
25	21	-	-	-2	15	-	-	60	-3	-5	20	12	25
26	50	-	18	-	-	12	-	25	20	35	-	65	26
27	33	-	10	60	-	-4	-	30	-	-	-1	-	27
28	-	-	22	2	-	-	-	37	-	-	-	34	28
29	-		-4	20	-	-	-	10	-	-	-	35	29
30	-		10	41	-	42	-	10	-	-	48	85	30
31	-		27		-		12	-		-		-	31
TOTAL	610	280	910	325	89	376	238	305	238	273	256	1044	YEAR'S TOTAL 4944
Days with '01 in. or more	22	12	23	17	11	11	13	12	14	12	15	26	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

STRATA FLORIDA
TOWY-FECHAN.
FECHAN
CARDIGANSHIRE
1912-16, 1919

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Towy

in the County of Cā

by

in.
Ground ft. in.
Sea Level ft.

Name

Distance Direction

IMPORTANT N... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Rod 62 Glass 61	Rod 62 Glass	Rod 120	Rod 8	Rod 35	Rod 60	Rod 49	Rod 152	Rod 20	Rod 80	Rod 80	Rod 61	1
2		Rod 45½ Glass 44	Glass 118	Glass 8	Glass 3¼	Glass 59	Glass 48	Glass 150	Glass 20	Glass 79	Glass 79	Gl 60	2
3													3
4	6.10	4.40	11.80	.80	3.40	5.90	4.80	15.00	2.00	7.90	7.90	6.00	4
5													5
6													6
7								Total		76.00			7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total													TOTAL for year
No. of Rain Days.	12	8											

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Tonyfelin

in the County of Cardigan 4

by

RAIN GAUGE { Pattern / Diameter of top ... in. / Height of top above Ground ... ft. ... in. / ,, ,, ,, Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name / Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Rod 62 Glass 61	Rod [illegible] Glass [illegible]	Rod 120	Rod 8	Rod 35	Rod 60	Rod 49	Rod 152	Rod 20	Rod 80	Rod 80	Rod 61	1
2		Rod 45½ Glass 44	Glass 118	Glass 8	Glass 34	Glass 59	Glass 48	Glass 150	Glass 20	Glass 79	Glass 79	Gl. 60	2
3													3
4	6.10	4.40	11.80	.80	3.40	5.90	4.80	15.00	2.00	7.90	7.90	6.00	4
5													5
6													6
7								Total		76.00			7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total													TOTAL for year
No. of Rain Days.	[illegible] 12	8											

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 3 JAN 1944

Kept at ...

in the County of ...

by ...

Lat. ... Long. ...

Time of Observation ...

Nearest Railway Station ...

Diameter of Rain Gauge ... in.

Height of top of Gauge above Ground ... ft. ... in.

" " " " Sea Level ... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Rod 117	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rad	Rod	Rod	1
2	Glass	31	94	86	48	55	26	50	36	60	90	55	2
3	116	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	3
4		30	93	85	47	54	26	49	35	59	89	54	4
5													5
6								Total			73.70		6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total													YEAR'S TOTAL
Rain Days.													

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL. 1 JAN 1915

Kept at Tonyr

in the County of Cardigan

by Richard Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	1
2	58	78	120	30	52	45	40	111	46	31	86	150	2
3	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	3
4	54	74	119	29	51	44	39	110	45	36	85	149	4
5													5
6								Total					6
7													7
8								By Rod	85.30				8
9								By Glass.	84.10				9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total													YEAR'S TOTAL
Rain Days.													

W.7,000, XI. 18

REGISTER OF RAINFALL IN 1915

4097

FORM A. BRITISH RAINFALL.

4. JAN 1916

Kept at Towy Fechan

in the County of Cardigan

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	1
2	106	111	32	42	34	16	62	62	20	38	56	141	72.00 2
3	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	3
4	105	110	32	41	34	15	61	61	20	37	55	140	71.10 4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

Kept at Towy Fechan

in the County of Cardigan

by Richard Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL. 15. JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	1
2	103	84	55	16	55	91	21	62	85	120	70	51	2
3	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	3
4	102	83	54	15	54	90	20	61	284	119	69	50	4
5												86·10	5
6									1				6
7									1				7
8													8
9									1				9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL. 9 JAN 20

Kept at Tonyfechan

in the County of Cardiganshire

by Richard Roberts

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	Rod	
1	92	40	100	55	15	~~37~~	40	51	45	85	49	145	~~77~~ 90
2	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	2
3	91	39	99	54	15	76	39	50	44	84	48	144	~~76~~ 81 0
4						(5.00)				(3.40)			(13 70)
5						est.				est.			5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													

W, 6,500, VII. 18. W W G

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

REGIST — 9 11

YSPYTTY - YSTWYTH
HAFOD
1911

Kept at Hafod

in the County of Cardigan

by T. J. Waddington

Issued to Co

top 4 3/4 in.

above Ground 1 ft. — in.

„ Sea Level 580 ft.

9 AM

tion { Name Strata Florida
Distance 7m. Direction S

IMPORTANT NOTE.—Ra , and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·08	·08			·35	·09	1
2	Non sauca desiderantur						·04	·03		·16	·08	·17	2
3							·02	·04			·52	·23	3
4	The lady who follow up the record							·12	·04		·68	·30	4
5	during my absence abroad							·50		·19	·09	·04	5
6	kept it under a weight on the							·58		·02	·21	·64	6
7	writing table - until before my							·34			·64	·02	7
8	return - it disappeared! an										·25	·54	8
9	act of mischief such as is										·40	·31	9
10	only too common in the										·01	·02	10
11	Principalities T. J. W.								·09	·06	·19	·01	11
12									2·34		1·76	·25	12
13											·17	·12	13
14											·66	·19	14
15											·44	·37	15
16						·03					·11	·23	16
17						·37						·13	17
18						·93		·03		·05	·82	·53	18
19						1·			·55	·21	·17	·50	19
20						·15	·02	·03	·68	·07	·01	·70	20
21						·05		·07	·11	·89	·02	·45	21
22						·17	·25	·14	·01	1·	·01	·23	22
23						·10			·40	·40		·85	23
24						·20		·22	·01	1·08		·15	24
25						·94	·01	·25	·12	·16		·12	25
26						·38	·13	·03	·02	·58	·01	·37	26
27						·03		·12	·89	·02	·12	·23	27
28						·		1·24	·05	·66		·73	28
29						·03		·01	·52		·01	·10	29
30						·44	·38		·03	·62	·02	·03	30
31							·03			·04		·01	31
Total						4·82	·96	3·83	5·86	6·21	7·15	8·66	TOTAL for year
No. of Rain Days						14	9	17	15	17	25	31	

9,000, IX. '10.

FORM A 2.
BRITISH RAINFALL.

12 JAN 1912

REGISTER OF RAINFALL [illegible] 9 11

Kept at Hafod

in the County of Cardigan

by T. J. Waddington

RAIN GAUGE
Pattern Casella & Co
Diameter of top 4 3/4 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 580 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Strata Florida
Distance 7/4 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·08	·08			·35	·09	1
2	Non fauca desiderantur						·04	·03		·16	·08	·17	2
3							·02	·04			·52	·23	3
4	The lady who follows up the record							·12	·04		·68	·30	4
5	during my absence abroad							·50		·19	·09	·04	5
6	kept it under a weight on her							·58		·02	·21	·64	6
7	writing table - rain for the							·34			·64	·02	7
8	whole - it disappeared! an										·25	·54	8
9	act of mischief such as is										·40	·31	9
10	only too common in the										·01	·02	10
11	Principality T. J. W.								·09	·06	·19	·01	11
12									2·34		1·76	·25	12
13											·17	·12	13
14											·06	·19	14
15											·44	·37	15
16						·03					·11	·23	16
17						·37						·13	17
18						·93		·03		·05	·82	·53	18
19						1·			·55	·21	·17	·50	19
20						·15	·02	·03	·68	·07	·01	·70	20
21						·05		·07	·11	·89	·02	·45	21
22						·17	·25	·14	·01	1·	·01	·23	22
23						·10			·40	·40		·85	23
24						·20		·22	·01	1·08		·15	24
25						·94	·01	·25	·12	·16		·12	25
26						·38	·13	·03	·02	·58	·01	·37	26
27						·03		·12	·89	·02	·12	·23	27
28								1·24	·05	·66		·73	28
29						·03		·01	·52		·01	·10	29
30						·44	·38		·03	·62	·02	·03	30
31							·03			·04		·01	31
Total						4·82	·96	3·83	5·86	6·21	7·15	8·66	TOTAL for year
No. of Rain Days						14	9	17	15	17	25	31	

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

cont for W. W.D. 3.11.13

Form A. British Rainfall

8 JAN 1913

Kept at Hafod

in the County of Cardigan 2

by T. J. Waddingham Esq

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station Devils Bridge

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·28

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·10		·08	·38		·04	·03	·35	·09				1
2	·03	·04	·38	·01		·23	·02	·01				·10	2
3	·02		·10	·21	·05	·74	·08	·54	·40		·08	·02	3
4	·60		·28	·01		·06	·01	·57			·73	·20	4
5	·94		·99	·07	·05			·21	·06	·05	·024	·02	5
6	·49		·60					1·18	·024	·04	·09	·03	6
7	·23	·10	·01		·07			·12	·12		·01	·06	7
8		·25	·16	·03	·13	·35		·15	·22		·07	·03	8
9	·37	·13	·59	·05	·32	1·20	·02	·29	·02		·11	·11	9
10	·22	·10	·06	·15		·05	·07	·19			·57	·37	10
11	·30	·04	·01	·02		·45					·82	·03	11
12	·04				·05	·06	·18				·15	·70	12
13	·05	·10	·78	·17		·09		·17	·01	·30	·07	·05	13
14	·17	·01	·03			·20		·62	·11	·04		1·20	14
15	·05	·04	1·18		·36	·40		·18				·38	15
16	·19	·01	·13		·16	·02		·13		·24	·03	·36	16
17	·20	·27	·37			1·02		·54	·02		·05	·05	17
18	·22	·04	·26			·17		·40		·60	·47	·81	18
19	·03	·07	·37				·04	·77		·18	·07	·08	19
20	·06	·36	·11					·31		·97	·04	·05	20
21		·03	·65		·15			·68		·79	·84	·09	21
22	·01	·05	·59		·21	·08	·14	1·04		·04	·14	·32	22
23	·14	·34	·14		·46	·12		1·48		·14	·06	·23	23
24	·01	·17	·38			·29	·02	·02		·14	·56	·33	24
25	·04	·06	·27			·18	·02	·56			·02	·22	25
26	·04	·22	·05				·09	·79		·97	·65	·72	26
27		·01	·25			·38	1·18			·77	·83	·23	27
28		·12	·73			·43	·55	·15	·13	·46	·20	·47	28
29		·10	·08			·08	·29	·32	·30	·23	·54	·04	29
30			·25			·36	·13		·02	·59		·07	30
31	·05		·11		·05		·69	·20		·02		·02	31
		·08	·38		·04							·38	YEAR'S TOTAL
Total	4·60	2·66	9·99	1·11	2·01	6·00	3·56	11·97	1·54	6·57	7·24	7·39	64·82
	4·50	2·74	10·29	·73	2·05	5·96						7·67	
Rain Days.	25	21	30	10	11	23	17	27	13	18	25	30	250
	24	22		9	12	22						31	

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A
BRITISH RAINFALL.
2 JAN 1914

Kept at Hafod

in the County of Cardigan

by T. J. Waddingham

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Strata Florida

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.03	—	.25	.08	.07	—				.18	.10	1
2	.19	.12	.15	.20	.09	—	—			.53	.35	.15	2
3	.02	.30	.34	.09	.10	.14	—			.03		.55	3
4	.04	.01	.41	—	.70	—	—	.22		.25	.11	.40	4
5	.62	.08	.36	—	.03	—	.01			.83	.21	.02	5
6	.41	.18	.19	—	.42	.58	.25			.27	.06	.56	6
7	.07	.13	.35	—	.12	.95	.18			.41	.04	.03	7
8	.03	.43	.12	—	.18	.41		.31	.02	.35		.08	8
9	.03	.28	.03	—	.57	.14	.09	.45	.11	.02	.17	.31	9
10	—	.52	.44	.12	.13	1.85	.09		.06	.12	.18	.02	10
11	.32	.02	.21	.08	.10	.02	.06	.11	.03	.22	.25	.09	11
12	.57	—	—	1.05	.08	.05	.01		.42		1.52	.02	12
13	.07	—	.04	.02	.03	.20	.08	.22	.74	.04	.52	.01	13
14	.02	—	.75	.02	.08	.01	.11	.11	.09	.58	.33	.09	14
15	.39	—	.47	.26	—	—	—	.17		.01	.29	.10	15
16	.54	—	.40	1.27	—	—	.09	.02			.19	.03	16
17	.15	—	.14	.10	—	—	.90				.28		17
18	.12	—	.44	.35	—	—	.27				.10		18
19	.13	—	.12	.31	.13	.04	.22		.32	.35	1.32		19
20	.49	—	.09	—	.09	.99			.03	.15	1.34		20
21	.39	—	.42	.27	.15	.08	.22	.28	.11	.01	.14		21
22	—	—	.26	.13	.26	.02		1.57			.01	.03	22
23	1.20	—	1.05	—	.11	.35		.18	.12		.26	.04	23
24	.18	—	.05	—	.02	.04		.03			.13	.07	24
25	.62	.02	—	.18	—	.07			.26	.03	.11	31 0.31	25
26	—	.02	—	.28	—	.15			.20			.52	26
27	—	.04	—	1.41	—	—				.22	.03	.07	27
28	.12	.07	.05	.22	—	—				.40	.03	.05	28
29	.08	—	.12	.25	.17	—		.10		.42	.13	.17	29
30	—	—	.36	.27	.19	—				.22	.82	.10	30
31	.41		.10		.14					.09			31
Total	7.43	2.25	7.46	7.13	3.91	6.16	2.58	3.77	2.51	5.35	9.13	3.94	YEAR'S TOTAL 61.82
Rain Days.	26	15	26	21	22	19	14	13	13	22	25	25	244

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

Kept at Hafod nr. Aberystwyth

in the County of Cardigan.

by T. J. Waddingham

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Strata Florida

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.05	.20	.05		.16	1.28	.92		.05	.03	.18	1
2	.9	.03	.02		.39	.01	.76	.07		.08	.08	.43	2
3	.10		1.29	.07	.30			.40		.18	.03	.64	3
4	.91		.22	.18	.46		.08	.01		.01	.40	.48	4
5	.14	.04	.63	.19	.17	.03	.14				.15	.06	5
6	.15	.07	.08	.03	.37	.14	.17	.21			.09	.06	6
7	.08	.09	.02	.03	1.05	.05		.18	.21	.02	.10	.22	7
8	.75	.04	.08	.18	.28	.31		.53		.03	.01	.10	8
9	.74		.08	.18	.27	.62		.71	.01		.20		9
10	.07	.32	.26	.22	.09	.12		.03	.27		.04		10
11		.35	.58	.02	.07	.04	.30		.14		.57	.98	11
12		1.08	.25		.11				.44		.85	.19	12
13		.44	.51	.07	.02		.07		.76	.26	.49	.09	13
14		.66	.25	.01			.10		.12		.24	.03	14
15		.04	.54				.03		.35	.01	.21	.31	15
16		.04	.13				.24		.18	.01		.10	16
17		.97	.46				.13		.70			1.18	17
18		.05	.14				.03		.35	.03		.12	18
19		.05	.07				.37		.21		.12	.63	19
20		.50	.60			.72	.02	.01	.01			.11	20
21		.38	.02			.08	.07	.21		.17	.02		21
22		.30	.04	.14	.10	.26	.06	.24		.12			22
23		.08	.27	.01		.02	.27			.07	.03	.02	23
24	.04	.02	.39	.03		.06	.47	.08		.01	.13		24
25	.42	.03	.04				.42	.82		.51	.07	.17	25
26	.14	.02	.04				.90	.28		.25	.56	.49	26
27	.41	.05					.02	.01		.56	.75	1.50	27
28	.15	.18	.12		.11		.16		.05	.16	.02	.76	28
29	.12		.03		.09		.01	.20		.12	.33	.04	29
30	.03		.43					.08		.01	.34	.55	30
31	.41		.09		.11		.34	.03		.43		.22	31
Total	4.75	5.88	7.88	1.41	3.99	2.62 2.62	6.44	5.02	3.80	3.09	5.86	9.66	YEAR'S TOTAL 60.40 60.40
Rain Days.	17	25	30	15	16	14	24	19	14	21	25	26	247

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

4090

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at Hafod

in the County of Cardigan

by D. J. Waddingham.

Lat. ____ Long. ____

Time of Observation 9 A.M.

Nearest Railway Station Strata Florida.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. ____ in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.94	.24	.07	—	.81			.43	.10	.28	.01	.18	1
2	.27	.32	.75	.02	—	.08	.07	.30	.15	.06		.18	2
3	.02	.13	.26	.45	.04		.13	.24	.11			.18	3
4	.51	.28	.03	.42	.13			.01	—			.82	4
5	.07	.51	.10		.01	.24		.20	—			.70	5
6	.47	.12	.18	.47		.26	—	.23	—		.01	.20	6
7	.67	.76	.06	.07			.48	.48	.01			.33	7
8	.47	.34		.08				.17	—	.06	.65	.06	8
9	.07	.58		.77			.03	.12	—		.36	.82	9
10	.85	.04	.27	.17			.08	.04	—	.06	.24	.12	10
11	.06		.07	—	.05		.02	.15	—		2.10	.10	11
12	.80	.16		.14	.08		.02	.04	—	.27	.62	.11	12
13	.04	.30	.01	.02	.30			.03	—	.08	.27	.17	13
14	.28	.10		.03	.02			1.00	.08		.15	.68	14
15	.78	.05	—	.02	.35		.21	.67	.09	.02	.14	.40	15
16	.21	.72	—	.07	.17		.79	.66	.21			.12	16
17	.07	.91	.05		.40		—	.49	.13			.01	17
18	.09	.04	.14		.01		.04	.06	—		.02		18
19	.07		.06	.38	.05		.51		—	—	—	1.74	19
20	1.19	.09		.08			.01	.19	—	.08	—	1.12	20
21	.85				.41		.62		—	.04		.30	21
22	.07	.13	.07	.04	.07	.03	.29	.01	—	.03		.27	22
23	.45	.16	.22	.03	—	.09	.29		—	.60		.79	23
24			.08	.12			.03		—	.48		.19	24
25	.01					.39	.07		.18	.01	.10	.43	25
26		.32					.30		.23			.29	26
27		.13				.05	.54		.04	.39		.04	27
28		.22			—	.43	.05		.07	.29		.08	28
29					.01	.25	.03	.10	.16	.03	.21	.32	29
30	.27	X		.36	—	.02	—	.04	.02	.45		.11	30
31	.08	X		X		X	.11	.01	X	.18	X	.46	31
Total	966	665	242	374	291	184	472	567	158	341	488	1132	YEAR'S TOTAL 5580
Rain Days.	26	23	16	19	16	10	22	23	14	18	13	30	230

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

4019

FORM A. BRITISH RAINFALL. 3 JAN 1917

Kept by Hafod

in the County of Cardigan

by T. J. Waddingham

Summer Time.

Lat. _____ Long. _____

Time of Observation 9 A.M.

Nearest Railway Station Strata Florida

Diameter of Funnel of Rain Gauge 5 3/4 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.12	.01	—	.02	.27	.10	.05	—	.26	.37	—	1
2	.53	.54	.12	—	—	.03	.95	.35	—	.84	1.12	—	2
3	.02	.42	—	—	.11	.13	.08	1.45	—	.40	—	.06	3
4	.53	.30	—	.12	.47	1.03	.04	.40	—	.16	—	—	4
5	.19	.13	.06	.03	—	.35	.05	—	—	.42	.18	—	5
6	.51	.42	.05	—	.14	.03	.53	—	.01	.31	.15	.09	6
7	.13	.05	.04	—	.61	.08	—	—	—	.38	.41	.36	7
8	.18	.37	.03	.05	.45	.40	.04	—	—	.19	—	.08	8
9	.13	.10	—	—	.11	—	.02	—	.03	.02	.03	.12	9
10	—	.34	—	.22	.06	.61	.08	—	.19	.08	.07	—	10
11	.21	.20	.01	.65	.18	.02	.02	—	—	.01	.04	—	11
12	.09	.23	.03	.12	.44	.08	.88	.26	.25	.27	.02	—	12
13	.08	.26	.25	.18	.06	—	.12	.81	.05	.11	—	—	13
14	.08	.39	.06	.04	.29	—	—	.24	.01	.30	—	—	14
15	.04	.45	.12	.19	.22	—	.06	.32	.24	.23	—	—	15
16	.22	.01	.02	.59	—	—	.23	.02	.30	.37	—	—	16
17	.10	.51	—	.60	—	—	—	.03	1.30	.55	.05	.03	17
18	.49	.58	.08	1.43	—	—	—	.12	.53	.19	.16	.34	18
19	.21	.02	.60	.42	—	—	—	.25	.02	.14	.13	.06	19
20	.41	.07	.44	.51	—	—	—	.01	—	.11	.41	.24	20
21	.03	—	.35	.11	.07	.06	.08	—	—	.53	.08	.06	21
22	.20	—	.01	—	—	.02	—	.01	—	.20	.08	.08	22
23	—	.05	.05	.10	—	—	—	.24	—	.28	.10	.57	23
24	—	.18	.05	.07	1.07	.07	—	.24	—	.38	.06	.08	24
25	.06	.04	.55	(.03)	.48	.08	—	.30	.04	.08	.46	—	25
26	.37	.11	.21	—	.35	.25	—	.08	.25	.35	.08	.03	26
27	.03	—	.42	—	.35	—	—	.10	.38	1.63	.15	—	27
28	.03	.12	.04	—	—	—	—	—	.02	.12	—	1.20	28
29	.02	.07	—	—	.03	.48	—	.03	—	.45	.17	.60	29
30	—	X	—	—	—	.10	—	.11	—	.40	.03	.22	30
31	—	X	—	X	.03	X	—	.34	X	.49	X	.07	31
Total	5.04	6.08	3.60	5.46	5.54	4.09	3.28	~~5.66~~ 3.51	~~3.62~~ 5.87	9.45	4.35	4.23	YEAR'S TOTAL 60.50
Rain Days.	26	26	23	18	20	18	15	~~22~~ 18	~~15~~ 19	28	22	18	60.50 251

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 191[illegible]

FORM A. BRITISH RAINFALL. JAN. 1911.

Kept at Hafod

in the County of Cardigan,

by T. J. Waddingham.

Lat. ..... Long. .....

Time of Observation 9 A.M. ~~solar time~~

Nearest Railway Station Tiverton Road

Diameter of Funnel of Rain Gauge 5 3/4 in.

Height of top of Gauge above Ground one ft. ..... in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.29	.20		.11		.05			.20	.27	1
2	.03			.48		.37		.23		.12	.06	.16	2
3	.32	.12		.06		.11				.44		.16	3
4	.02	.13		.04					.02	.41	.06	.02	4
5	.84		.04	.35		.03		.02	.68	.57	.45		5
6	.03		.28	.01		.36	.10		.02	.65	.33	.26	6
7			.46	.14		.01		.16		.52	.20	.04	7
8	1.55			.19		.12	.08	.87	.15	.46	.70	.33	8
9	.02		.06	.28	.06			.92		.95	1.33		9
10	.34		.32	.37	.08			.81		.39	.02		10
11	.05			.06				.49	.03	.22	.17	.10	11
12	.20		.05	.16	.72			.13	.07	.40			12
13	.13		.01	.25		.03		1.00	.92	.63	.26	.20	13
14				.11	.11		.13	.13		.08	.05	.20	14
15				.12	.05		.28	.09	.03	.25	.01	.37	15
16		.10		.23		.11	.10	.12	.02	.66	.03	.29	16
17			.22	1.25	.15		.28	1.29	.24	.05	.02		17
18			.12	.30	.02	.02	.19	.08	.75	.30			18
19		.50	.31	.07		.50			.05	.10	.09		19
20		.59	.13	.02	.27	.77		.49	.39		.83	.01	20
21		.04	.09		.01	.46		.81	.01	.18	.50		21
22		.05			.01	.02		.44	.63	.39	.18		22
23		.36			.27	.23	.05		.02	.39	.20	.17	23
24		.23	.07		.01	.19	.03	.38	.02	.19	.15	.33	24
25		.32	.17			.01	.02	.23	.03	.68	.15		25
26		.02			.37	.09	.09	.19		.05	1.23		26
27		.04	.04		.80	.52	.51	.55		.36	.02		27
28		.24	.30		.06		.09	2.27		.36	.02		28
29			.13				.04	.39		.43	.22		29
30		X						.49		.14	.12		30
31		X	.29	X	.18	X		.50	X	.02	X		31
Total	3.53	2.74	3.38	4.69	3.17	3.76	1.99	14.08	4.08	10.39	7.60	2.91	YEAR'S TOTAL 62.32
Rain Days.	11	18	19	20	16	19	14	26	18	29	27	15	222

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

0.1.10

Kept at Halfod

in the County of Cardigan

by T. Waithman

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.13

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.02			.07			.05	.83	.11	.05	.01	1
2		.03		.12				.10	.13	.31	.74	.02	2
3		.03		.04	.30			.38	.90	.34	.03	.84	3
4	.25	.17			.65			.05	.46		.05	.04	4
5		.10	.02	.37				.13	.03	1.11	.47	.31	5
6	.07	1.54		.27		.22		.01	.03	.57	.07	.04	6
7		.13		.08	.43		.02	.07	.49	.25		.04	7
8	.23	.44				.09	.18		.56		.31	.04	8
9	.02	.67		.21		1.55	.19		.93	.25	.05	.02	9
10	.07	.21	.04	.02			.70		.28	.66	.08	.17	10
11	.10	.16	.14		.08		.48	.02	.65	.22	.80	.49	11
12		.79			.14	.09			.24	.01	.02	.73	12
13	.01	.18			.07	.21	.26		.22	.01		.07	13
14	.52	.01	.03		.03	.13		.06	.50	.04	.11	.17	14
15	.43					.03			.30	.23		.51	15
16	.08			.09		.09	.29	.11	.25	.07		.93	16
17	.70					.04	.13	.04	.06	.18		.31	17
18	.06	.02	.08			.30	.18	.01	.47	.17		.39	18
19	.14		.16			.21	.27		.16	.02		.95	19
20	.42	.22		.15				.01	.74	.02		.43	20
21	.17	.18		.22		.03	.17		.68			.03	21
22	.05	.04			.92		.29	.05	.53	.01		.13	22
23	.22	.03			2.16	.06	.12		.34	.12		.68	23
24	.13	.19			.03	.04	.06	.34	.59	.01	.05	.07	24
25	.01	.07		.05	.27		.57	1.00	.10	.04	.30	.13	25
26	.21	.06					.15	.04	.38	.14	.06	.09	26
27		.16	.71			.16		.70	.37	.02	.08	.81	27
28		.02	.86					.01	.02	.12	.64	.43	28
29			.09						.23	.09	1.47	.13	29
30			.28	.07				.27	.11		.04	.15	30
31			1.14					.07		.07		.54	31
Total	3.89	5.77	3.55	1.86	5.15	3.25	4.06	3.47	11.58	5.19	5.45	9.90	62.92
Rain Days.	20	24	11	13	12	15	16	21	30	28	19	31	240

5.05 5.24 5.01 5.41 9-82 9-82 .13 63.05

W. 8,000, IX. 17.

5.45 9-82 62.05 63.05

Dales sometimes done by Mr. D. A. card for 1st W.D.

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL

Kept at Hafod,

in the County of Cardigan,

by T. J. Waddingham

Lat. ____ Long. ____

Time of Observation 9 A.M. true time.

Nearest Railway Station Strata Florida

Diameter of Funnel of Rain Gauge 5 3/4 in.

Height of top of Gauge above Ground 330 ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (13)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13			.37	.67		.24	.02	.19	.29		.21	
2	.65		.04	.03	.23		.01	.10	.09	.09		.45	1
3	.33	.03	.19	.01	.03	.06		.01	.01		.03	1.55	2
4	.12		.02		.23	.06	.24	.43	.03			.23	3
5	.08		.48		.05			.01		.01		.65	4
6	.20	.20			.09				.06		.03	.25	5
7	.25	.22	.82	.05		.02			.07			.50	6
8	.14	.02	.26			.15			.68		.01	.23	7
9	.40		.14	.19					.02		.02		8
10	.38		.12	.02							.19	.02	9
11	.27		1.20	.29		.02	.11		.02	.12	.09	.19	10
12	.15		1.50	.29	.06	3.59	.13			.10	.07	.07	11
13	.44	.11	.65	.22	.07		.39			.38	.03	.01	12
14	.45		.02	.12			.39			.59	.05		13
15	.54		.03	.03				.08		.31			14
16	.48		.02	.90	.04	.05	.01			.26		.03	15
17	.21			.19			.03	.03		.01	.19	.56	16
18	.07	.83	.03	.03		.35	.05	.62			1.02	.06	17
19	.10	.84	.70	.44		.45	.12	.77	.52		.78	.09	18
20	.13	.04	.75	.03		.06	.03		.50		.18	.82	19
21	.38	.12	.27		.02		.02	.20	.64		.12	.65	20
22	.05	.21			.03	.10	.94	.02	.13		.15	.79	21
23		.24				.22	.02	.01	.77		.09	.23	22
24		.50			.28	.11	.16	.12	.01	.74	.15	2.50	23
25	.01	.02			.19	.02		.03	.09	.19	.25	.22	24
26	.09			.08		.23		.68	.32	.02	.29	.35	25
27	.35		.02	.23		.02		.02	.13		.28	.05	26
28	.14		.45	.51				.35			.12		27
29	.69		.15	.42		.06		.25			.01	.02	28
30	.48		.19	.25		.21		.28		.02	.02	.50	29
31	.02	X	.12	.13				.11			.09	.63	30
31	=	X	.05	X		X	.56	.03	X		X	.42	31
Total	~~4.73~~ 4.60	3.38	~~8.22~~ 8.59	~~4.83~~ 5.13	~~1.99~~ 1.32	5.78	3.45	5.17	3.67	3.13	4.26	~~11.28~~ 11.41	62.89
Rain Days.	28	13	15	22	12	18	17	21	15	14	24	24	241

(13) YEAR'S TOTAL

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hafod, Devil's Bridge, Aberystwyth

in the County of Cardigan

by T. J. Waddingham

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Strata Florida

Diameter of Funnel of Rain Gauge 5 3/4 in.

Height of top of Gauge above Ground one ft. ..... in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.24	.02	.26	.23	.02	.21	.09	.38	.10	—	.38	1
2	.02	.06	.06	.12	.03	—	1.04	.17	.71	.05	—	.40	2
3	.05	.07	—	.65	—	—	.37	.03	.27	1.09	—	.25	3
4	.01	.21	—	.12	.08	—	.02	.62	.38	.10	—	.10	4
5	—	—	—	.02	.05	—	.39	.29	.38	.14	—	—	5
6	.01	—	—	.03	.09	—	.07	.03	.16	.25	—	—	6
7	—	.02	.50	.12	.33	—	.06	—	—	—	—	.02	7
8	.08	.07	.22	.11	.41	—	.78	.38	—	—	.03	—	8
9	.63	.05	.02	.51	—	—	.24	.10	.08	—	—	—	9
10	.43	.91	.07	.78	—	.26	.48	.03	—	—	.06	.01	10
11	.63	.60	.24	.12	.22	.04	.05	—	—	—	.34	—	11
12	.08	.27	.21	.20	.01	.76	—	—	.06	—	.14	.01	12
13	.34	.41	.03	.20	—	.07	—	—	1.40	—	.01	.02	13
14	.10	.06	.63	.69	—	.07	.12	—	—	1.37	.08	—	14
15	.05	.05	.42	.45	.02	.07	—	—	.01	.04	.80	.02	15
16	.04	.14	.46	.67	.25	.06	.48	.03	.44	.82	.14	—	16
17	.05	.02	.52	.37	.31	.17	.10	.45	.40	.03	.01	—	17
18	.14	—	.05	.12	.31	.03	—	.03	.22	—	—	—	18
19	.34	.03	—	.24	.39	.04	.10	.08	—	—	—	—	19
20	.16	1.26	—	.47	.01	.06	.07	.05	.17	—	—	—	20
21	.30	.02	—	.37	—	—	.46	—	—	—	—	.18	21
22	.03	—	—	.05	—	.03	.30	.32	—	—	—	.26	22
23	.16	—	—	.11	—	—	.43	—	—	—	—	.04	23
24	.14	—	.11	.10	—	.03	.94	.03	—	—	—	.53	24
25	.15	—	.62	.08	.02	.26	—	—	—	—	.06	.49	25
26	.04	—	.22	.12	.11	.13	.06	—	.01	—	—	.08	26
27	.26	.39	.57	.52	.33	.77	.06	—	—	—	.03	.09	27
28	.65	.13	.72	.47	.19	.08	.12	—	—	—	.02	.49	28
29	.71	.09	.47	.21	.74	.06	.84	—	—	—	.05	.12	29
30	.26	X	.43	.69	.03	.56	.03	—	.55	.05	.09	.61	30
31	.31	X	.52	X	.27	X	.12	—	X	.70	X	—	31
TOTAL	6.28	5.10	7.11	8.97	5.43	3.56	7.94	2.73	5.62	4.74	1.86	4.10	YEAR'S TOTAL 63.44
Days with .01 in. or more	20	21	22	30	22	20	26	16	16	12	13	19	246

(44,283). Wt.21,968—218, 7500. 10/19. Gp.132. A.&E.W.

RE

Kept at : Ynyslas,

In the County of : Cardig

By. : W. Deedes.

YNYS-LAS

SANDLINGS

CARDIGANSHIRE

1919 - 20

M.

Ynyslas

5 in.

Ground 1 ft 6 in

Scaled 14 ft 0 in.

Date	Jan	Feb.	Mar	Apr.	May	June	July	Aug.	Sept	Oct	Nov.	Dec.	Date
1.							.12	.21	.48	.21		.56	1.
2.												.03	2.
3.						.11						.06	3.
4.												.44	4.
5.									.12		.01	.34	5.
6.									.14			.10	6.
7.											.20	.04	7.
8.						.06							8.
9.													9.
10.										.19.	.01	.13	10.
11.							.14					.25	11.
12.						2.30				.26	.12		12.
13.							.20						13.
14.							.17					.03	14.
15.												.07	15.
16.						.14	.07				.50		16.
17.						.54	.03	.47			.48	.03	17.
18.								.67			.05	.14	18.
19.							.14	.18	.36		.03	.09	19.
20.						.27			.44	.47		.34	20.
21.							.38		.10		.10	.08	21.
22.						.02						.63	22.
23.						.02			1.10	.91	.02	.15	23.
24.						.06					.22	.24	24.
25.								.26	.10	.12	.08	.02	25.
26.						.06		.12	.64			.38	26.
27.								.24				.33	27.
28.						.04		.78					28.
29.								.14				.20	29.
30.						.09		.03			.13	.43	30.
31.							.30	.02					31.
Total.						3.71	1.55	3.12	2.88	2.16	1.95	5.71	Years Total
Rain Days.						12	9	11	9	6	13	24	

RE[redacted]

Kept at: Ynyslas, Borth.
In the County of: Cardiganshire.
By: W. Deeder.

Lat. 52°45 N. Long 4° W.
Time of observation. 9 A.M.
Nearest Railway Station. Ynyslas —
Diameter of Rain Gauge. 5 in.
Height of Top of Gauge above ground 1 ft 6 in
" " " " sealevel 14 ft 0 in.

Date	Jan	Feb.	Mar	Apr.	May	June	July	Aug.	Sept	Oct	Nov.	Dec.	Date
1.							.12	.21	.48	.21		.56	1.
2.												.03	2.
3.						.11						.06	3.
4.												.44	4.
5.									.12		.01	.34	5.
6.									.14			.10	6.
7.											.20	.04	7.
8.						.06							8.
9.													9.
10.										.19	.01	.13	10.
11.							.14					.25	11.
12.						2.30				.26	.12		12.
13.							.20						13.
14.							.17					.03	14.
15.												.07	15.
16.						.14	.07				.50		16.
17.						.54	.03	.47			.48	.03	17.
18.								.67			.05	.14	18.
19.							.14	.18	.36		.03	.09	19.
20.						.27			.04	.47	-	.34	20.
21.							.38		.10		.10	.08	21.
22.						.02						.63	22.
23.						.02			1.10	.91	.02	.15	23.
24.						.09					.22	.24	24.
25.								.26	.10	.12	.08	.02	25.
26.						.06		.12	.64			.38	26.
27.								.24				.33	27.
28.						.04		.78					28.
29.								.14				.20	29.
30.						.09		.03			.13	.43	30.
31.							.30	.02					31.
Total.						3.71	1.55	3.12	2.88	2.16	1.95	5.71	Years Total
Rain Days.						12	9	11	9	6	13	24	

Rainfall 1920

Kept at Ynyslas. Borth
Co Cardiganshire
by W. Deedes.

Time of observation 9. A.M.
Diameter of gauge 5 in.
Top of gauge 18 in. above ground
15 ft above sea level.
Lat. 52°. 45' N. Long 4° W.

FEB JAN 1921

	Jan.	Feb.	Mch	Apr	May	June	July	Aug.	Sept	Oct.	Nov	Dec.	
1		.01		.03	.23		.30		.28	.15		.09	1
2				.28			.21		.28	.04		.11	2
3		.16			.09		.22		.25	.52		.02	3
4				.01	.01			1.01	.13	.10			4
5			.20	.08	.98		.23	.18		.15			5
6	.01		.27	.15	.18		.01		.02		.01		6
7	.07	.20	.06	✓	.07		.01						7
8	.16	.01		✓	.19		.17	.27			.01		8
9	.29	.28	.18	.83 ✓			.13				.17		9
10	.38	.19	.16			.15	.65				.02		10
11	.08	.11	.11		.36		.10	.10		.02	.03		11
12	.27			.24		.64			.12		.35		12
13	.04	.01	.39	.23		.09					.10		13
14	.01	.02	.47	.20		.01	.12		.98	.59	.34		14
15	.01	.20	.03	.64		.11		.01					15
16	.05		.30	.39	.26	.09	.26		.65	.71			16
17	.12		.02	.04	.31	.08		.23	.66	.07			17
18	.30	.03		.16	.11	.04			.35				18
19	.02	.56	.01	.30		.01	.13	.02					19
20	.13			.11			.16		.24			.07	20
21							.65	.01		.01		.10	21
22	.17			.12			.34	.45					22
23	.02		.13	.08			.13					.38	23
24	.01		.72			.01	.13					.29	24
25	.84		.06	.02	.41	.06	.74						25
26	.23		.62	.13	.01		.33					.02	26
27	.29		.43	.17	.64	.61	.13				.18	.27	27
28	.33		.26	.03	.05	.04	1.13				.04	.10	28
29	.04	.41	.20	.09	.42	.02					.15	.39	29
30	.20		.84	.38		.33			.72		.41	.21	30
31	.21		.18	.	.29	—	.12			.41	—	.02	31
Total.	3.48	2.19	5.64	4.71	4.11	2.29	5.40	2.28	4.68	2.64	1.81	2.07	42.80
Rainy days	25	13	21	25	17	15	23	9	12	11	12	13	196 ✓
	19	8	18	21	15	11	21	6	17	9	8	10	157